

Advisory Circular

Subject: Standardized Method of Reporting Date: 8/14/2014 AC No: 150/5335-5C

Airport Pavement Strength - PCN Initiated By: AAS-100

1 **Purpose.**

This advisory circular (AC) provides guidance for—

- Using the standardized International Civil Aviation Organization (ICAO) method to report airport runway, taxiway, and apron pavement strength. ICAO requires member states to report aerodrome-related aeronautical data, including pavement strength. The standardized method, known as the Aircraft Classification Number – Pavement Classification Number (ACN-PCN) method, has been developed and adopted as an international standard and has facilitated the exchange of pavement strength rating information.
- The AC provides guidance for use of the standardized method of reporting pavement strength, which applies only to pavements with bearing strengths of 12,500 pounds (5 700 kg) or greater. The method of reporting pavement strength for pavements of less than 12,500 pounds (5 700 kg) bearing strength remains unchanged.
- Reporting changes to airport data that is generally published on Federal Aviation Administration (FAA) Form 5010, Airport Master Record. The data elements associated with Gross Weight (Data Elements 35 through 38) and Pavement Classification Number (Data Element 39) are affected.

2 Cancellation.

This AC cancels AC 150/5335-5B, *Standardized Method of Reporting Airport Pavement Strength – PCN*, dated August 26, 2011.

3 **Application.**

The FAA recommends the guidelines and specifications in this AC for reporting airport pavement strength using the standardized method. Use of this AC is mandatory for all projects funded with Federal grant monies through the Airport Improvement Program (AIP) or with revenue from the Passenger Facility Charge (PFC) Program. See Grant

Assurance No. 34, "Policies, Standards, and Specifications," and PFC Assurance No. 9, "Standards and Specifications."

4 Effective Date.

- The FAA recommends the guidelines and specifications in this AC for reporting airport pavement strength using the standardized method for all paved runways, taxiways, and aprons at all airports.
- One year after the implementation of this AC, the FAA requires all public-use paved runways at all Part 14 CFR 139 certificated airports be assigned gross weight and PCN data.
- Upon completion of projects funded with Federal grant monies through the Airport Improvement Program (AIP) or with revenue from the Passenger Facility Charge (PFC) program, the airport will update Form 5010 data elements associated with Gross Weight and Pavement Classification Number.

5 **Principal Changes.**

The AC includes the following principal changes:

- Updates the Effective Date paragraph above for public-use paved runways at nonprimary commercial service airports serving air carrier aircraft. Clarifies that upon completing paving projects that receive AIP or PFC funds, the airport will update the 5010 form.
- Updates the Application paragraph above to clarify that this AC applies to all runways that have or will receive AIP or PFC funding.
- Clarifies in Chapter 3 that COMFAA calculates ACN using ICAO procedures but calculates PCN using the procedures in this AC.
- Clarifies Using Aircraft Method to Determine PCN in paragraph 4.3.
- Clarifies the subgrade support category requirement in paragraph 4.4, Technical Evaluation Method to Determine PCN.
- Adds a note to Table A-1, Standard P/TC Ratio Summary.
- Updates Appendix C and particularly Section C.6, Technical Evaluation Examples for Flexible Pavements, and Section C.7, Technical Evaluation Examples for Rigid Pavements, with easier to follow examples and to comply with the current version of COMFAA (updated in 2012), 2012), the software program used for airport pavement thickness and strength evaluations, and the new COMFAA support spreadsheet (dated 11/21/2012).
- Updates Appendix D to conform to the current version of COMFAA.
- Makes editorial corrections and clarifications throughout, including adopting a new paragraph numbering system.

6 **Related Reading Material.**

The publications listed in Appendix G provide further information on the development and use of the ACN-PCN method.

Michael J. O'Donnell

Director, Office of Airport Safety and Standards

Page Intentionally Blank

CONTENTS

Paragra	ph	Page
CHAPT	ER 1. INTRODUCTION	1-1
1.1	Background.	1-1
1.2	Development of a Standardized Method.	1-1
1.3	Application.	1-1
1.4	Limitations of the ACN-PCN System.	1-2
СНАРТ	ER 2. DETERMINATION OF AIRCRAFT CLASSIFICATION NUMBER	2-1
2.1	Determination of the ACN.	2-1
2.2	Subgrade Category.	2-1
2.3	Operational Frequency.	2-1
2.4	Rigid Pavement ACN.	2-2
2.5	Flexible Pavement ACN.	2-2
2.6	ACN Calculation.	2-2
2.7	Variables Involved in Determination of ACN Values.	2-2
СНАРТ	ER 3. DETERMINATION OF ACN-PCN VALUES USING COMFAA	3-1
3.1	Availability of COMFAA Software Application.	3-1
3.2	Origin of the COMFAA Program.	3-1
3.3	COMFAA Program.	3-1
3.4	Internal Aircraft Library.	3-2
3.5	External Aircraft Library.	3-2
3.6	Using the COMFAA Program.	3-3
СНАРТ	ER 4. DETERMINATION OF PCN NUMERICAL VALUE	4-1
4.1	PCN Concept.	4-1
4.2	Determination of Numerical PCN Value.	4-1
4.3	Using Aircraft Method to Determine PCN.	4-1
4.4	Technical Evaluation Method to Determine PCN.	4-3
4.5	Limitations of the PCN.	4-5
4.6	Reporting the PCN	4-5
APPEN	IDIX A. EQUIVALENT TRAFFIC	A-1
	IDIX B. TECHNICAL EVALUATION METHOD—EVALUATION /EMENT PROPERTIES DETERMINATION	B-1

CON	TFN	TS	(CO)	NTI	VI I	ED
CON		1 ()		N I II	NU	ヒレノ

Paragraph	Page
APPENDIX C. PCN DETERMINATION EXAMPLES	C-1
APPENDIX D. PAVEMENT OVERLOAD EVALUATION BY THE ACN-PCN SYSTEM	D-1
APPENDIX E. REPORTING CHANGES TO CERTAIN AIRPORT RUNWAY DATA ELEMENTS	E-1
APPENDIX F. MAXIMUM AIRCRAFT GROSS WEIGHT TABLES FOR FAA FORM 5010 REPORTING BASED ON PCN DETERMINATION	F-1
APPENDIX G. RELATED READING MATERIAL	F-6
LIST OF FIGURES	
Figure 3-1. Computational Modes of the COMFAA Program	3-4
Figure 3-2. Operation of the COMFAA Program in ACN Mode	3-5
Figure 3-3. Operation of the COMFAA Program in PCN Batch Mode	3-6
Figure 4-1. Operation of COMFAA ACN Only Program, Version in Batch Mode	4-2
Figure 4-2. COMFAA Program, ACN Only Version in Batch Mode	
Figure A-1. Traffic Load Distribution Patterns	A-2
Figure B-1. Flexible Pavement Stabilized Base Layer(s) Equivalency Discussion (FAA CBR method)	B-5
Figure B-2. Flexible Pavement Stabilized Base Layer(s) Equivalency Discussion (Continued) (FAA CBR method)	B-6
Figure B-3. Rigid Pavement Stabilized Subbase Layer(s) Discussion (FAA Westergaard method)	B-7
Figure B-4. Rigid Pavement Stabilized Subbase Layer(s) Discussion (Continued) (FAA Westergaard method)	B-8
Figure B-5. Subbase Layer Effect on Subgrade Support, k, for Rigid Pavement (FAA Westergaard method)	B-9
Figure B-6. Stabilized Subbase Layer Effect on Subgrade Support, k, for Rigid Pavement (FAA Westergaard method)	B-10
Figure B-7. Flexible Pavement quivalency to Rigid Pavement (FAA Westergaard method)	B-11
Figure C-1. Example of COMFAA ACN Batch Results	C-2
Figure C-2. Flexible Layer Equivalency Spreadsheet to Support COMFAA	C-6
Figure C-3. Rigid Layer Equivalency Spreadsheet to Support COMFAA	C-7
Figure C-4. Screen Shot of PCN Worksheet in COMFAA Support Spreadsheet for Computing Equivalent Pavement Structure in Flexible Example 1	C-12
Figure C-5. Detailed COMFAA Batch PCN Output – Flexible Example 1	
Figure C-6. Detailed COMFAA Batch PCN Output – Flexible Example 2	

Paragraph	Page
Figure C-7. Detailed COMFAA Batch PCN Output – Flexible Example 2, Computed Using the Traffic Mix from Example 1 and Modified P/TC Ratio	
Figure C-8. Detailed COMFAA Batch PCN Output – Flexible Example 3	C-20
Figure C-9. Screen Shot of Flexible PCN Tab in COMFAA Support Spreadsheet for Computing Equivalent Pavement Structure in Flexible Example 4. The structure is the same as Example 1, but with a 2-inch HMA overlay, for a total P-401 thickness of 7 inches.	C-21
Figure C-10. Detailed COMFAA Batch PCN Output – Flexible Example 4 (unadjusted)	C-22
Figure C-11. Detailed COMFAA Batch PCN Output – Flexible Example 4 (with adjustment to P/TC ratio to force Total CDF = 0.15)	C-24
Figure C-12. Screen Sot of Rigid PCN Tab in COMFAA Support Spreadsheet for Computing Equivalent Pavement Structure in Rigid Example 1	C-29
Figure C-13. Screen Shot of COMFAA Main Screen Showing the Required Inputs for Rigid Example 1	C-30
Figure C-14. Detailed COMFAA Batch PCN Output – Rigid Example 1	C-31
Figure C-15. Screen Shot of Rigid PCN Tab in COMFAA Support Spreadsheet for Computing Equivalent Pavement Structure in Rigid Example 2	C-34
Figure C-16. Detailed COMFAA Batch PCN Output – Rigid Example 2	C-35
Figure C-17. Detailed COMFAA Batch PCN Output – Rigid Example 3	C-38
Figure C-18. Screen Shot of Rigid PCN Tab in COMFAA Support Spreadsheet for Computing Equivalent Pavement Structure in Rigid Example 4	C-4 0
Figure C-19. Detailed COMFAA Batch PCN Output – Rigid Example 4 (unadjusted)	C-41
Figure C-20. Detailed COMFAA Batch PCN Output – Rigid Example 4 (with adjustment to P/TC ratio to force Total CDF = 0.15)	C-43
Figure D-1. CDF-PCN Results for the B-747-100 – Flexible Pavement Overload Option One	D-3
Figure D-2. COMFAA Batch ACN Results - Flexible Pavement Overload Option One	D-3
Figure D-3. COMFAA Batch PCN Results – Flexible Pavement Overload Option One	D-4
Figure D-4. COMFAA PCN Results – Flexible Pavement Overload Option Two	D-4
Figure D-5. CDF-PCN Results – Flexible Pavement Overload Option Three	D-5
Figure D-6. CDF-PCN Results for the B-747-400 – Rigid Pavement Overload Option One	D-6
Figure D-7. COMFAA Batch ACN Results – Rigid Pavement Overload Option One	D-6
Figure D-8. COMFAA PCN Results – Rigid Pavement Overload Option One	D-7
Figure D-9. COMFAA PCN Results -Rigid Pavement Overload Option Two	D-7
Figure D-10. COMFAA PCN Results – Rigid Pavement Overload Option Three	D-8
LIST OF TABLES	
Table 2-1. Standard Subgrade Support Conditions for Rigid Pavement ACN Calculation	2-1
Table 2-2. Standard Subgrade Support Conditions for Flexible Pavement ACN Calculation .	2-1

CONTENTS (CONTINUED)

Paragraph	Page
Table 4-1. Pavement Codes for Reporting PCN	4-5
Table 4-2. Tire Pressure Codes for Reporting PCN	4-7
Table A-1. Standard P/TC Ratio Summary (see Note)	A-3
Table B-1. FAA Flexible Pavement Layer Equivalency Factor Range	В-2
Table B-2. FAA Rigid Pavement Subbase Effect on Foundation k Value	B-3
Table C-1. Using Aircraft and Traffic for a Flexible Pavement	C-4
Table C-2. Using Aircraft and Traffic for a Rigid Pavement	
Table C-3. Excerpt from COMFAA PCN Batch Results File for Flexible Pavement	
Table C-4. Conversion to Equivalent Pavement Structure in Flexible Example 1	
Table C-5. Input Traffic Data for Rigid Example 1	C-15
Table C-6. Input Traffic Data for Rigid Example 1	C-27
Table C-7. Conversion to Equivalent Pavement Structure in Rigid Example 1	
Table C-8. Input Traffic Data for Rigid Example 4	
Table E-1. Flexible ACN Data Used to Establish Allowable Gross Weight	E-3
Table E-2. Rigid ACN Data Used to Establish Allowable Gross Weight	E-4
Table E-3. Excerpt From Listing of Maximum Gross Weight Data	E-5
Table F-1. Subgrade Strength Category A	F-1
Table F-2. Subgrade Strength Category B	F-2
Table F-3. Subgrade Strength Category C	F-4
Table F-4. Subgrade Strength Category D	F-5

CHAPTER 1. INTRODUCTION

1.1 **Background.**

The United States is a contracting state of the International Civil Aviation Organization (ICAO) and, under 47 USC §40105(b), will act consistently with the obligations of the United States Government under an international agreement. Annex 14 to the Convention of International Civil Aviation, Aerodromes, contains a standard that requires member states to publish information on the strengths of all public airport pavements in its own Aeronautical Information Publication. The FAA reports pavement strength information to the National Airspace System Resources (NASR) database and publishes pavement strength information in the Airport Master Record (Form 5010) and the Airport/Facility Directory (AFD).

1.2 Development of a Standardized Method.

In 1977, ICAO established a Study Group to develop a single international method of reporting pavement strengths. The study group developed, and ICAO adopted, the Aircraft Classification Number - Pavement Classification Number (ACN-PCN) method. Using this method, it is possible to express the effect of an individual aircraft on different pavements with a single unique number that varies according to aircraft weight and configuration (e.g. tire pressure, gear geometry, etc.), pavement type, and subgrade strength. This number is the Aircraft Classification Number (ACN). Conversely, the load-carrying capacity of a pavement can be expressed by a single unique number, without specifying a particular aircraft or detailed information about the pavement structure. This number is the Pavement Classification Number (PCN).

1.2.1 Definition of ACN.

ACN is a number that expresses the relative effect of an aircraft at a given configuration on a pavement structure for a specified standard subgrade strength.

1.2.2 Definition of PCN.

PCN is a number that expresses the load-carrying capacity of a pavement for unrestricted operations.

1.2.3 <u>System Methodology.</u>

The ACN-PCN system is structured so a pavement with a particular PCN value can support an aircraft that has an ACN value equal to or less than the pavement's PCN value. This is possible because ACN and PCN values are computed using the same technical basis.

1.3 **Application.**

The use of the standardized method of reporting pavement strength applies only to pavements with bearing strengths of 12,500 pounds (5 700 kg) or greater. The method of reporting pavement strength for pavements of less than 12,500 pounds (5 700 kg) bearing strength remains unchanged.

1.4 Limitations of the ACN-PCN System.

The ACN-PCN system is only intended as a method that airport operators can use to evaluate acceptable operations of aircraft. It is not intended as a pavement design or pavement evaluation procedure, nor does it restrict the methodology used to design or evaluate a pavement structure.

CHAPTER 2. DETERMINATION OF AIRCRAFT CLASSIFICATION NUMBER

2.1 **Determination of the ACN.**

The aircraft manufacturer provides the official computation of an ACN value. Computation of the ACN requires detailed information on the operational characteristics of the aircraft, such as maximum aft center of gravity, maximum ramp weight, wheel spacing, tire pressure, and other factors.

2.2 **Subgrade Category.**

The ACN-PCN method adopts four standard levels of subgrade strength for rigid pavements and four levels of subgrade strength for flexible pavements. These standard support conditions are used to represent a range of subgrade conditions as shown in Tables 2-1 and 2-2.

Table 2-1. Standard Subgrade Support Conditions for Rigid Pavement ACN Calculation

Subgrade Strength Category	Subgrade Support k-Value pci (MN/m3)	Represents pci (MN/m3)	Code Designation
High	552.6 (150)	k ≥ 442 (≥120)	A
Medium	294.7 (80)	221 <k<442 (60<k<120)<="" td=""><td>В</td></k<442>	В
Low	147.4 (40)	92 <k<u>≤221 (25<k<u>≤60)</k<u></k<u>	C
Ultra Low	73.7 (20)	k <u>≤</u> 92 (<u>≤</u> 25)	D

Table 2-2. Standard Subgrade Support Conditions for Flexible Pavement ACN Calculation

Subgrade Strength Category	Subgrade Support CBR-Value	Represents	Code Designation
High	15	CBR ≥ 13	A
Medium	10	8 <cbr<13< td=""><td>В</td></cbr<13<>	В
Low	6	4 <cbr<u>≤8</cbr<u>	C
Ultra Low	3	CBR <u>≤</u> 4	D

2.3 **Operational Frequency.**

Operational frequency is defined in terms of coverages that represent a full-load application on a point in the pavement. Coverages must not be confused with other common terminology used to reference movement of aircraft. As an aircraft moves along a pavement section it seldom travels in a perfectly straight path or along the exact

same path as before. This movement is known as aircraft wander and is assumed to be modeled by a statistically normal distribution. As the aircraft moves along a taxiway or runway, it may take several trips or passes along the pavement for a specific point on the pavement to receive a full-load application. It is easy to observe the number of passes an aircraft may make on a given pavement, but the number of coverages must be mathematically derived based upon the established pass-to-coverage ratio for each aircraft.

2.4 Rigid Pavement ACN.

For rigid pavements, the aircraft landing gear flotation requirements are determined by the Westergaard solution for a loaded elastic plate on a Winkler foundation (interior load case), assuming a concrete working stress of 399 psi (2.75 MPa).

2.5 Flexible Pavement ACN.

For flexible pavements, aircraft landing gear flotation requirements are determined by the California Bearing Ratio (CBR) method for each subgrade support category. The CBR method employs a Boussinesq solution for stresses and displacements in a homogeneous, isotropic elastic half-space.

2.6 **ACN Calculation.**

Using the parameters defined for each type of pavement section, a mathematically derived single wheel load is calculated to define the landing gear/pavement interaction. The derived single wheel load implies equal stress to the pavement structure and eliminates the need to specify pavement thickness for comparative purposes. This is achieved by equating the thickness derived for a given aircraft landing gear to the thickness derived for a single wheel load at a standard tire pressure of 181 psi (1.25 MPa). The ACN is defined as two times the derived single wheel load (expressed in thousands of kilograms).

2.7 Variables Involved in Determination of ACN Values.

Because aircraft can be operated at various weight and center of gravity combinations, ICAO adopted standard operating conditions for determining ACN values. The ACN is to be determined at the weight and center of gravity combination that creates the maximum ACN value. Tire pressures are assumed to be those recommended by the manufacturer for the noted conditions. Aircraft manufacturers publish maximum weight and center of gravity information in their Aircraft Characteristics for Airport Planning (ACAP) manuals. To standardize the ACN calculation and to remove operational frequency from the relative rating scale, the ACN-PCN method specifies that ACN values be determined at a frequency of 10,000 coverages.

CHAPTER 3. DETERMINATION OF ACN-PCN VALUES USING COMFAA

3.1 Availability of COMFAA Software Application.

To facilitate the use of the ACN-PCN system, the FAA developed a software application that calculates ACN values using the procedures and conditions specified by ICAO and can be used to determine PCN values following the procedures in this AC. The software is called COMFAA and may be downloaded along with its source code and supporting documentation from the FAA website. The program is useful for determining an ACN value under various conditions; however, official ACN values are provided by the aircraft manufacturer.

3.2 Origin of the COMFAA Program.

Appendix 2 of the ICAO Aerodrome Design Manual, Part 3, Pavements, Second Edition, provides procedures for determining the Aircraft Classification Number (ACN). The appendix provides program code for two FORTRAN software applications capable of calculating the ACN for various aircraft on rigid and flexible pavement systems. The computer program listings in Appendix 2 of the ICAO manual were optically scanned and the FORTRAN code translated into Visual Basic 6.0 for incorporation into COMFAA.

3.3 **COMFAA Program.**

The COMFAA software is a general purpose program that operates in two computational modes: ACN Computation Mode and Pavement Thickness Mode.

3.3.1 ACN Computation Mode.

• Calculates the ACN number for aircraft on flexible pavements.

- Calculates the ACN number for aircraft on rigid pavements.
- Calculates flexible pavement thickness based on the ICAO procedure (CBR method) for default values of CBR (15, 10, 6, and 3).
- Calculates rigid pavement slab thickness based on the ICAO procedures (Portland Cement Association method, interior load case) for default values of k (552.6, 294.7, 147.4, and 73.7 lb/in³ [150, 80, 40, and 20 MN/m³]).

Note: Thickness calculation in the ACN mode is for specific conditions identified by ICAO for determination of ACN and not intended to be used to design a new pavement. For flexible pavements, a standard tire pressure of 181 psi (1.25 MPa) and 10,000 coverages is specified. For rigid pavements, an allowable stress level of 399 psi is identified by ICAO. The thickness calculated in ACN mode has meaning for determining allowable pavement loading only for the specific conditions identified by ICAO. (Appendix C has more details.)

¹ See http://www.faa.gov/airports/engineering/design_software/. This software is in the public domain.

3-1

-

3.3.2 Pavement Thickness Mode.

 Calculates total flexible pavement thickness based on the FAA CBR method specified in AC 150/5320-6², Airport Pavement Design and Evaluation, for CBR values and coverage levels specified by the user.

 Calculates rigid pavement slab thickness based on the FAA Westergaard method (edge load analysis) specified in AC 150/5320-6 for k values and coverage levels specified by the user.

Note: The pavement thickness requirements associated with the ACN-PCN procedures are based upon historical procedures identified in previous versions of AC 150/5320-6. The FAA has replaced these procedures for pavement design with new procedures.

3.4 Internal Aircraft Library.

COMFAA contains an internal library of aircraft covering most large commercial and U.S. military aircraft currently in operation. The internal library is based on aircraft information provided directly by aircraft manufacturers or obtained from ACAP Manuals. The default characteristics of aircraft in the internal library represent the ICAO standard conditions for calculation of ACN. These characteristics include center of gravity at the maximum aft position for each aircraft in the ACN mode. Changes to characteristics of internal library aircraft are not permanent unless the internal library aircraft is added to an external library.

3.5 External Aircraft Library.

3.5.1 COMFAA allows for an external aircraft library where characteristics of the aircraft can be changed and additional aircraft added as desired. Functions permit users to modify the characteristics of an aircraft and save the modified aircraft in the external library. There are no safeguards in the COMFAA program to assure that aircraft parameters in the external library are feasible or appropriate. The user is responsible for assuring all data is correct.

3.5.2 When saving an aircraft from the internal library to the external library, the COMFAA program will calculate the tire contact area based upon the gross load, maximum aft center of gravity, and tire pressure. This value is recorded in the external library and is used for calculating the pass-to-coverage (P/C) ratio in the pavement thickness mode. Since the tire contact area is constant, the P/C ratio is also constant in the pavement thickness mode. This fixed P/C ratio should be used for converting passes to coverages for pavement thickness determination and equivalent aircraft operations.

-

² New FAA layered elastic and finite element pavement design procedures were adopted in AC 150/5320-6E. The pavement thickness mode uses the FAA CBR method and the FAA Westergaard method, identified in previous versions of AC 150/5320-6. These historical procedures are consistent with the ACN/PCN method, an internationally used standard published by ICAO. Data from the historical procedures relative to the existing ICAO standard are included in this AC.

3.6 Using the COMFAA Program.

Using the COMFAA program to calculate ACN values to determine PCN is visually interactive and intuitive.

3.6.1 ACN.

The user—

- Selects the desired aircraft,
- Confirms the physical properties of the aircraft. Only gross weight, percent gross weight on main gear, and tire pressure are changeable. All other properties are fixed by the ICAO standard.
- Clicks on the "MORE" button, and
- Clicks on the ACN Flexible or ACN Rigid button to determine the ACN for the four standard subgrade conditions.
- Clicks on the "Details" button to view parameters used to compute ACN.

3.6.2 PCN.

3.6.2.1 The user—

- Adds the runway traffic mix aircraft to an external file,
- Confirms the physical properties of each individual aircraft in the traffic mix,
- Inputs either annual departures or coverages of the aircraft,
- Inputs the evaluation thickness and the subgrade support strength,
- Inputs the concrete strength if analyzing a rigid pavement,
- Clicks on the "LESS" button to activate the PCN Batch computational mode, and
- Clicks on the PCN Flexible Batch or PCN Rigid Batch button to determine the PCN of the pavement.
- Clicks on the "Details" button to view the Results Tables.
- 3.6.2.2 The program includes a help file to assist users. Figures 3-1, 3-2, and 3-3 summarize the operation of the COMFAA program.

OMFAA 3.0, August 26, 2011 - E:\COMfaastills\5335-5b-table a2-1 example12-12-12.Ext Default Aircraft Edit Wheels Group is the A300-B4 STD <u>A</u>dd Remove External Main Gear Footprint Airbus Boeing McDonne Other Co Library File Move 90 General Avi Military External Libr 80 Load Ext File Save Ext File 70-Library Aircraft A300-84 STD A319-100 std Adv. B727-200 Basic B737-300 C 50-Open Aircraft Window B737-300 B747-400 B767-200 ER B777-200 ER 40 Miscellaneous Functions Default Details Exit Computational Mode is PCN Help 10-Batch Mode Options **▼** Batch PCA Thick PCA MGW Metric Computational Mo Gross Weight (lbs) 365,747 2 GW on Main Gears 94.00 PCN Rigid PCN Flexible No. Main Gears MORE >>> Wheels on Main Gear Batch Batch Tire Pressure (psi) 216.1 Alpha Used 0.000
Pass/Traffic Cycle (P/TC) 1.00 Click MORE ACN Rig Button to Annual Departures Flex 20yr Covs, P/C = 1.82 16,456 Rig 20yr Covs, P/C = 3.65 8,228 Activate ACN Critical Aircraft Computational Flexible Computation Finished Rigid Cutoff (times rrs)

Concrete Flex. Str. (psi) 0.0 Mode 650.0 Evaluation Thickness = 36.00 Stress = OMFAA 3.0, August 26, 2011 - E:\COMfaastills\5335-5b-table a2-1 example12-12-12.Ext X = -24.5 in Y = 54.2 in Edit Wheels Aircraft Group A300-B4 STD Add Generic Airbus Remove Main Gear Footprint Authors
Boeing
McDonnell Douglas
Other Commercial
General Aviation
Military
External Library Select 90 Library Functions 80 Save Ext Load Ext File Click LESS A300-84 STD A319-100 std Adv. 8727-200 Basic 8737-300 8747-400 Button to C 50-Activate PCN Open Aircraft Window Batch B767-200 ER B777-200 ER DC8-63 40 Miscellaneous Functions Computational <u>D</u>etails Exit Mode <u>H</u>elp About 10-Options **▽** Batch PCA Thick PCA MGW Gross Weight (lbs) Computational Modes 365,747 2 GW on Main Gears 94.00 ACN Life Int. Stress Edge Stress Thickness No. Main Gears LESS Wheels on Main Gear Elexible <u>Bigid</u> MGW Tire Pressure (psi) 216.1 Alpha Used 0.00SG CBR Flext, in ACN Flex k, lbs/in^3 Rigt, in ACN Rig Pass/Traffic Cycle (P/TC Annual Departure 1.500 Available Flex 20yr Covs, P/C 1.82 16,456 Calculations. Critical Aircraft Rig 20yr Covs, P/C = 3.65 8,228 Rigid Cutoff (times rrs) 5.00 Click Mode to Flexible Computation Finished Concrete Flex. Str. (psi) Stress = Evaluation Thickness = 36.00 Activate

Figure 3-1. Computational Modes of the COMFAA Program

© COMFAA 3.0, August 26, 2011 - E:\COMfaastills\5335-5b-table a2-1 example12-12-12.Ext X = -25.4 in Edit Wheels Aircraft Group 1. Select A300-B4 STD Add Remove Main Gear Footprint Aircraft McConnell Douglas Othe Commercial General Aviation Military Group. Library Function Load Ext File Save Ext File Library Aircraft Library Aircraft
A300.84 STD
A3197 D0 std
Adv., 727-200 Basic
8731 300
B747-400
577-200 ER
B777-200 ER
DC8-63 40 Open Aircraft Window 2. Select Aircraft from Miscellaneous Functions Library. 5b. Click to <u>D</u>etails Exit Calculate 5a. Click to Rigid ACN. <u>H</u>elp Calculate Flexible ACN. 3. Confirm PCA Thick atch Aircraft PCA MGW Parameters. Computational Mo Gross Weight (lbs) 2 GW on Main Gears 365,747 94.00 Life ACN Thickne Int. Stre Edge Stress No. Main Gears Wheels on Main Gear LESS Elexible **Bigid** PCN MGW Tire Pressure (psi) 216.1 Alpha Used 0.800
Pass/Traffic Cycle (P/TC) Not A 0.800 Rig t, in 16.57 CBR ACN Flex k, lbs/in^3 ACN Rig Annual Departures 3.0 6.0 58.80 79.7 73.7 75.5 Flex 20yr Covs, P/C = 1.82 Rig 20yr Covs, P/C = 3.65 36.07 62.8 147.4 66.9 14.97 Critical Aircraft 10.0 15.0 24.52 18.18 51.6 46.3 294.7 552.6 13.27 57.3 .000 11.69 48.5 Rigid Cutoff (times rrs) Rigid Computation Finished Stress = 6a. Flexible 4. Click ACN **ACN** values 6b. Rigid ACN values for all Subgrade Codes Calculation for all Button. Subgrade Codes

Figure 3-2. Operation of the COMFAA Program in ACN Mode

COMFAA 3.0, August 26, 2011 - E:\COMfaastills\5335-5b-table a2-1 example12-12-12.Ext 1. Select X = -25.4 in Edit Wheels Aircraft Group Aircraft Add Remove Main Gear Footprint Group. nell Douglas Commercial Aviation 90-8. Click to view results. Military

Sternal Library 80ad Ext Save Ext File 70-File Library Aircraft A300-B4 STD A319-109 std Adv. B417-200 Basic B737-200 60-50-7b. Click to en Aircraft Window generate rigid 2. Select Mis 7a. Click to pavement PCN aircraft from generate flexible <u>D</u>etails E<u>x</u>it library. Results Table. pavement PCN Results Table. Help PCA Thick **▽** Batch 3. Confirm all individual PCA MGW Metric aircraft Gross Weight (lbs) 365,747 parameters. 2 GW on Main Gears 94.00 No. Main Gears PCN Flexible PCN^TRigid MORE >>> Wheels on Main Gear Batch Batch Repeat Steps 2 216.1 Tire Pressure (psi) and 3 for each 0.000 Alpha Used SG CBR Flext, in ACN Flex k, bs/in^3 Rigt, in ACN Rig Pass/Traffic Cycle (P/TC) aircraft in the 1.00 1,500 Annual Departures traffic mix. Flex 20yr Covs, P/C 2 16,456 Critical Aircraft Rig 20yr Covs, PV = 3. Rigid Cutoff (times rrs) Concrete Plat. Str. (psi) 3.65 8,228 5.00 650.0 luation Thickness = Stress = 4. Enter the runway P/TC ratio. 6b. Click to enter subgrade 5. Click to k-value for rigid 6c. Click to enter enter pavements. concrete strength for evaluation rigid pavements. 6a. Click to enter thickness. subgrade CBR for flexible pavements.

Figure 3-3. Operation of the COMFAA Program in PCN Batch Mode

CHAPTER 4. DETERMINATION OF PCN NUMERICAL VALUE

4.1 **PCN Concept.**

The determination of a pavement rating in terms of PCN is a process of (1) determining the ACN for each aircraft considered to be significant to the traffic mixture operating of the subject pavement and (2) reporting the ACN value as the PCN for the pavement structure. Under these conditions, any aircraft with an ACN equal to or less than the reported PCN value can safely operate on the pavement subject to any limitations on tire pressure.

Note: PCN values determined in accordance with this AC depend upon the aircraft traffic used to determine the PCN value. Airports should re-evaluate their posted PCN value if significant changes to the original aircraft traffic occur.

4.2 **Determination of Numerical PCN Value.**

Determination of the numerical PCN value for a particular pavement can be based upon one of two procedures: the "Using" aircraft method or the "Technical" evaluation method. ICAO procedures permit member states to determine how PCN values will be determined based upon internally developed pavement evaluation procedures. Either procedure may be used to determine a PCN, but the methodology used must be reported as part of the posted rating.

4.3 Using Aircraft Method to Determine PCN.

The Using aircraft method is a simple procedure where ACN values for all aircraft currently permitted to use the pavement facility are determined and the largest ACN value is reported as the PCN. This method is easy to apply and does not require detailed knowledge of the pavement structure. Figures 4-1 and 4-2 show an example of the Using Aircraft Method. The subgrade support category IS NOT a critical input when reporting PCN based on the Using Aircraft Method. The recommended subgrade support category when information IS NOT available should be Category B.

4.3.1 Assumptions of the Using Aircraft Method.

An underlying assumption with the Using aircraft method is that the pavement structure has the structural capacity to accommodate all aircraft in the traffic mixture, and that each aircraft is capable of operating on the pavement structure without **weight** restriction. From a technical point of view, the Using Aircraft method assumes that the number of total operations is equal to 10,000 coverages of the using aircraft with the highest ACN. The methodology used to determine ACN/PCN does not consider the critical design aircraft used to determine airport dimensional requirements.

4.3.2 Inaccuracies of the Using Aircraft Method.

The accuracy of this method is greatly improved when aircraft traffic information is available. Significant over-estimation of the pavement capacity can result if an excessively damaging aircraft, which uses the pavement on a very infrequent basis, is used to determine the PCN. Likewise, significant under-estimation of the pavement capacity can lead to uneconomic use of the pavement by preventing acceptable traffic

from operating. Although there are no minimum limits on frequency of operation before an aircraft is considered part of the normal traffic, the reporting agency must use a rational approach to avoid overstating or understating the pavement capacity. A consistent method based on a design period minimum frequency is recommended and presented in Appendix C. The frequency recommended is equal to 1,000 coverages of the aircraft with the highest ACN for the Using method.

Note: Use of the Using aircraft method is discouraged on a long-term basis due to the concerns listed above.

 ACN Comp 1.0, August 26, 2011 - C:\Program Files\COMFAA 30\bb5335-5BExample.Ext X = 44.2 in Y = 64.7 in Edit Wheels Aircraft Group A300-B4 STD <u>A</u>dd **Remove** Generic Main Gear Footprint Airbus 100 Boeina Move McDonnell Douglas Other Commercial 90 General Aviation Library Functions 80-Military External Library Load Ext Save Ext Library Aircraft A300-B4 STD B737-300 Aircraft B747-400 B767-200 ER B777-200 ER Open Aircraft Window 40 Miscellaneous Functions <u>D</u>etails E<u>x</u>it 20 <u>H</u>elp Options **▼** Batch Subgrade Category Metric Gross Weight (lbs) 365,747 Computational Mode % GW on Main Gears 94.00 No. Main Gears **ACN Flexible** ACN Rigid Wheels on Main Gear Tire Pressure (psi) 216.1 Alpha Used 0.000 Flex t, in ACN Flex k, lbs/in^3 Rig t, in ACN Rig Annual Departures Flex 20yr Covs, P/C = 1.82 6,385 Rig 20yr Covs, P/C = 3.65 3,193 Rigid Cutoff (times rrs) 5.00 0.00 0.0

Figure 4-1. Operation of COMFAA ACN Only Program, Version in Batch Mode

Single Aircraft ACN Other Calculation Modes Unit Show Flexible C Rigid · ACN Batch Back Alpha Ext File Conversions Flexible ACN at Indicated Gross Weight and Strength. Units = English. . CW on No. Aircraft Name ACN at Indicated Code Gross Tire Weight Main Gear Pressure A(15) B(10) CIGS 0121 1 A300-B4 STD 365,747 94.00 216.1 46.3 \$1.6 62.0 29.2 Flexible PCN 2 B737-300 140,000 90.86 201.0 33.0 34.8 38.8 42.8 3 B747-400 93.32 200.0 53.2 59.3 72.6 877,000 94.2 Using Method 4 B767-200 ER 190.0 80.2 396,000 90.82 44.9 49.6 59.8 5 B777-200 ER 657,000 205.0 91.80 49.1 55.4 68.0 94.8 Single Aircraft ACN Other Calculation Modes Back C Flexible @ Rigid · ACN Batch Alpha Ext File Pigid ACN at Indicated Gross Weight and Strength. Units = English. ACN at Indicated Code No. Aircraft Name Gross & CW on Tire Weight Main Gear Pressure A(552) B(295) C(147) D(74) 1 A300-B4 STD 365,747 94.00 216.1 40.5 Rigid PCN B737-300 40.1 140,000 90.86 201.0 38.2 42.0 43.5 200.0 B747-400 877,000 93.32 52.6 63.0 74.6 85.3 Using Method B767-200 ER 190.0 43.4 51.9 71.4 5 B777-200 ER 205.0 101.2 657,000 91.80 63.6 82.6

Figure 4-2. COMFAA Program, ACN Only Version in Batch Mode

4.4 Technical Evaluation Method to Determine PCN.

- 4.4.1 The strength of a pavement section is difficult to summarize in a precise manner and will vary depending on the unique combination of aircraft loading conditions, frequency of operation, and pavement support conditions. The technical evaluation method attempts to address these and other site-specific variables to determine reasonable pavement strength. In general terms, for a given pavement structure and given aircraft, the allowable number of operations (traffic) will decrease as the intensity of pavement loading increases (increase in aircraft weight). It is entirely possible that two pavement structures with different cross-sections will report similar strength. However, the permissible aircraft operations will be considerably different. This discrepancy must be acknowledged by the airport operator and may require operational limitations administered outside of the ACN-PCN system. All of the factors involved in determining a pavement rating are important, and it is for this reason that pavement ratings should not be viewed in absolute terms, but rather as estimations of a representative value. A successful pavement evaluation is one that assigns a pavement strength rating that considers the effects of all variables on the pavement.
- 4.4.2 The accuracy of a technical evaluation is better than that produced with the Using aircraft procedure but requires a considerable increase in time and resources. Pavement evaluation may require a combination of on-site inspections, load-bearing tests, and engineering judgment. It is common to think of pavement strength rating in terms of ultimate strength or immediate failure criteria. However, pavements are rarely removed from service due to instantaneous structural failure. A decrease in the serviceability of a pavement is commonly attributed to increases in surface roughness or localized distress, such as rutting or cracking. Determination of the adequacy of a pavement structure must not only consider the magnitude of pavement loads but the impact of the accumulated effect of traffic volume over the intended life of the pavement. The

subgrade support category is a necessary input when reporting PCN based on the Technical Method.

Note: There is no recommended subgrade support category when information is not available.

4.4.2.1 **Determination of the PCN Value.**

The PCN numerical value is determined from an allowable load rating. While it is important not to confuse the PCN value with a pavement design parameter, the PCN is developed in a similar fashion. An allowable load rating is determined by applying the same principles as those used for pavement design. The process for determining the allowable load rating takes factors such as frequency of operations and permissible stress levels into account. Allowable load ratings are often discussed in terms of aircraft gear type and maximum gross aircraft weight, as these variables are used in the pavement design procedure. Missing from the allowable load rating, but just as important, is frequency of operation. In determining an allowable load rating, the evaluation must address whether the allowable load rating represents the pavement strength over a reasonable frequency of operation. Once the allowable load rating is established, the determination of the PCN value is a simple process of determining the ACN of the aircraft representing the allowable load and reporting the value as the PCN.

4.4.2.2 Concept of Equivalent Traffic.

The ACN-PCN method is based on design procedures that evaluate one aircraft against the pavement structure. Calculations necessary to determine the PCN can only be performed for one aircraft at a time. The ACN-PCN method does not directly address how to represent a traffic mixture as a single aircraft. To address this limitation, the FAA uses the equivalent annual departure concept to consolidate entire traffic mixtures into equivalent annual departures of one representative aircraft. The procedure for evaluating equivalent annual departures for a given aircraft from a traffic mixture is based on the cumulative damage factor concept discussed in Appendix A.

4.4.2.3 Counting Aircraft Operations.

When evaluating or designing a pavement section, it is important to account for the number of times the pavement will be stressed. As discussed in paragraph 2.2, an aircraft may have to pass over a given section of pavement numerous times before the portion of pavement considered for evaluation receives one full stress application. While statistical procedures exist to determine the passes required for one full stress application, the evaluation of a pavement section for PCN determination must also consider how aircraft use the pavement in question. The FAA uses a conservative approach for pavement design procedures by assuming that each aircraft using the airport must land and take off once per cycle. Since the arrival or landing weight of the aircraft is usually less than the departure weight, the design procedure only counts one pass at the departure weight for analysis. The one pass at departure weight is considered as one annual

departure and the arrival event is ignored. Appendix A provides a detailed discussion of traffic analysis.

4.5 Limitations of the PCN.

The PCN value should not be used for pavement design or as a substitute for evaluation. Pavement design and evaluation are complex engineering problems that require detailed analyses. They cannot be reduced to a single number. The PCN rating system uses a continuous scale to compare pavement capacity where higher values represent pavements with larger load capacity.

4.6 **Reporting the PCN.**

The PCN system uses a coded format to maximize the amount of information contained in a minimum number of characters and to facilitate computerization. The PCN for a pavement is reported as a five-part number where the following codes are ordered and separated by forward slashes: Numerical PCN value / Pavement type / Subgrade category / Allowable tire pressure / Method used to determine the PCN. An example of a PCN code is 80/R/B/W/T, which is further explained in paragraph 4.6.6.

4.6.1 Numerical PCN Value.

The PCN numerical value indicates the load-carrying capacity of a pavement in terms of a standard single wheel load at a tire pressure of 181 psi (1.25 MPa). The PCN value should be reported in whole numbers, rounding off any fractional parts to the nearest whole number. For pavements of diverse strengths, the controlling PCN numerical value for the weakest segment of the pavement should normally be reported as the strength of the pavement. Engineering judgment may be required in that if the weakest segment is not in the most heavily used part of the runway, then another representative segment may be more appropriate to determine PCN.

4.6.2 Pavement Type.

For the purpose of reporting PCN values, pavement types are considered to function as either flexible or rigid structures. Table 4-1 lists the pavement codes for the purposes of reporting PCN.

Table 4-1. Pavement Codes for Reporting PCN

Pavement Type	Pavement Code
Flexible	F
Rigid	R

4.6.2.1 Flexible Pavement.

Flexible pavements support loads through bearing rather than flexural action. They comprise several layers of selected materials designed to gradually distribute loads from the surface to the layers beneath. The

design ensures that load transmitted to each successive layer does not exceed the layer's load-bearing capacity.

4.6.2.2 **Rigid Pavement.**

Rigid pavements employ a single structural layer, which is very stiff or rigid in nature, to support the pavement loads. The rigidity of the structural layer and resulting beam action enable rigid pavement to distribute loads over a large area of the subgrade. The load-carrying capacity of a rigid structure is highly dependent upon the strength of the structural layer, which relies on uniform support from the layers beneath.

4.6.2.3 **Composite Pavement.**

Various combinations of pavement types and stabilized layers can result in complex pavements that could be classified as between rigid or flexible. A pavement section may comprise multiple structural elements representative of both rigid and flexible pavements. Composite pavements are most often the result of pavement surface overlays applied at various stages in the life of the pavement structure. If a pavement is of composite construction, the pavement type should be reported as the type that most accurately reflects the **structural behavior** of the pavement. The method used in computing the PCN is the best guide in determining how to report the pavement type. For example, if a pavement is composed of a rigid pavement with a bituminous overlay, the usual manner of determining the load-carrying capacity is to convert the pavement to an equivalent thickness of rigid pavement. In this instance, the pavement type should be reported as a rigid structure. A general guideline is that when the bituminous overlay reaches 75 to 100 percent of the rigid pavement thickness the pavement can be considered as a flexible pavement. It is permissible to include a note stating that the pavement is of composite construction but only the rating type, "R" or "F", is used in the assessment of the pavement load capacity.

4.6.3 Subgrade Strength Category.

As discussed in paragraph 2.1, there are four standard subgrade strengths identified for calculating and reporting ACN or PCN values. Tables 2-1 and 2-2 list the values for rigid and flexible pavements.

4.6.4 Allowable Tire Pressure.

Table 4-2 lists the allowable tire pressure categories identified by the ACN-PCN system. The tire pressure codes apply equally to rigid or flexible pavement sections; however, the application of the allowable tire pressure differs substantially for rigid and flexible pavements.

Table 4-2. Tire Pressure Codes for Reporting PCN

Category	Code	Tire Pressure Range
Unlimited	W	No pressure limit
High	X	Pressure limited to 254 psi (1.75 MPa)
Medium	Y	Pressure limited to 181 psi (1.25 MPa)
Low	Z	Pressure limited to 73 psi (0.50 MPa)

4.6.4.1 Tire Pressures on Rigid Pavements.

Aircraft tire pressure will have little effect on pavements with Portland cement concrete (concrete) surfaces. Rigid pavements are inherently strong enough to resist tire pressures higher than currently used by commercial aircraft and can usually be rated as code W.

4.6.4.2 Tire Pressures on Flexible Pavements.

Tire pressures may be restricted on asphaltic concrete (asphalt), depending on the quality of the asphalt mixture and climatic conditions. Tire pressure effects on an asphalt layer relate to the stability of the mix in resisting shearing or densification. A poorly constructed asphalt pavement can be subject to rutting due to consolidation under load. The principal concern in resisting tire pressure effects is with stability or shear resistance of lower quality mixtures. A properly prepared and placed mixture that conforms to FAA specification Item P-401 can withstand substantial tire pressure in excess of 218 psi (1.5 Mpa). Item P-401, Hot Mix Asphalt (HMA) Pavements, is provided in the current version of AC 150/5370-10, Standards for Specifying Construction of Airports. Improperly prepared and placed mixtures can show distress under tire pressures of 100 psi (0.7) MPa) or less. Although these effects are independent of the asphalt layer thickness, pavements with well-placed asphalt of 4 to 5 inches (10.2 to 12.7 cm) in thickness can generally be rated with code X or W, while thinner pavement of poorer quality asphalt should not be rated above code Y.

4.6.5 Method Used to Determine PCN.

The PCN system recognizes two pavement evaluation methods. If the evaluation represents the results of a technical study, the evaluation method should be coded T. If the evaluation is based on "Using aircraft" experience, the evaluation method should be coded U. Technical evaluation implies that some form of technical study and computation were involved in the determination of the PCN. Using aircraft evaluation means the PCN was determined by selecting the highest ACN among the aircraft currently using the facility and not causing pavement distress. PCN values computed by the technical evaluation method should be reported to the NASR database and shown on the FAA Form 5010, Airport Master Record. Publication of a Using aircraft evaluation in the Airport Master Record, Form 5010, and the NASR database is permitted only by mutual agreement between the airport owner and the FAA.

4.6.6 <u>Example PCN Reporting.</u>

An example of a PCN code is 80/R/B/W/T—with 80 expressing the PCN numerical value, R for rigid pavement, B for medium strength subgrade, W for high allowable tire pressure, and T for a PCN value obtained by a technical evaluation.

4.6.7 Report PCN Values to FAA (See Appendix E).

Once a PCN value and the coded entries are determined, the PCN code should be reported to the appropriate regional FAA Airports Division, either in writing or as part of the annual update to the Airport Master Record, FAA Form 5010-l. The PCN code will be disseminated by the National Flight Data Center through aeronautical publications such as the Airport/Facility Directory (AFD) and the Aeronautical Information Publication (AIP). An aircraft's ACN can then be compared with published PCN's to determine if pavement strength places any restrictions on the aircraft operating on that pavement, such as the aircraft's tire pressure or load.

APPENDIX A. EQUIVALENT TRAFFIC

A.1 Equivalent Traffic.

- A.1.1 A detailed method based on the cumulative damage factor (CDF) procedure allows the calculation of the combined effect of multiple aircraft in the traffic mix for an airport. This combined traffic is brought together into the equivalent traffic of a critical aircraft. This is necessary since the procedure used to calculate ACN allows only one aircraft at a time. By combining all of the aircraft in the traffic mix into an equivalent critical aircraft, calculation of a PCN that includes the effects of all traffic becomes possible. The methodology used to determine ACN/PCN does not consider the critical design aircraft used to determine airport dimensional requirements.
- A.1.2 The assessment of equivalent traffic, as described in this section, is needed only in the process of determining PCN using the technical method and may be disregarded when the Using aircraft method is employed.
- A.1.3 In order to arrive at a technically derived PCN, it is necessary to determine the maximum allowable gross weight of each aircraft in the traffic mixture, which will generate the known pavement structure. This in turn requires that the pavement cross-section and aircraft loading characteristics be examined in detail. Consequently, the information presented in this appendix appears at first to apply to pavement design rather than a PCN determination. However, with this knowledge in hand, an engineer will be able to arrive at a PCN that will have a solid technical foundation.

A.2 Equivalent Traffic Terminology.

In order to determine a PCN, based on the technical evaluation method, it is necessary to define common terms used in aircraft traffic and pavement loading. The terms arrival, departure, pass, coverage, load repetition, operation, and traffic cycle are often used interchangeably by different organizations when determining the effect of aircraft traffic operating on a pavement. It is important to determine which aircraft movements need be counted when considering pavement stress and how the various movement terms apply in relation to the pavement design and evaluation process. For the purposes of this document, they are differentiated as follows:

A.2.1 <u>Arrival (Landing) and Departure (Takeoff).</u>


Typically, aircraft arrive at an airport with a lower amount of fuel than is used at takeoff. As a consequence, the stress loading of the wheels on the runway pavement is less when landing than at takeoff due to the lower weight of the aircraft as a result from the fuel used during flight and the lift on the wings. This is true even at the touchdown impact in that there is still lift on the wings, which alleviates the dynamic vertical force. Because of this, the FAA pavement design procedure only considers departures and ignores the arrival traffic count. However, if the aircraft do not receive additional fuel at the airport, then the landing weight will be substantially the same as the takeoff weight (discounting the changes in passenger count and cargo), and the landing operation should be counted as a takeoff for pavement stress loading cycles. In this latter scenario, there are two equal load stresses on the pavement for each traffic count

(departure), rather than just one. Regardless of the method of counting load stresses, a traffic cycle is defined as one takeoff and one landing of the same aircraft, subject to a further refinement of the definition in the following text.

A.2.2 Pass.

A pass is a one-time movement of the aircraft over the runway pavement. It could be an arrival, a departure, a taxi operation, or all three, depending on the loading magnitude and the location of the taxiways. Figure A-1 shows typical traffic patterns for runways having either parallel taxiways or central taxiways. A parallel taxiway requires that none or very little of the runway be used as part of the taxi movement. A central taxiway requires that a large portion of the runway be used during the taxi movement.

Figure A-1. Traffic Load Distribution Patterns



A.2.2.1 Parallel Taxiway Scenario.

In the case of the parallel taxiway, shown as Figure A1-1a in Figure A-1, two possible loading situations can occur. Both of these situations assume that the passenger count and cargo payload are approximately the same for the entire landing and takeoff cycle:

- 1. If the aircraft obtains fuel at the airport, then a traffic cycle consists of only one pass since the landing stress loading is considered at a reduced level, which is a fractional equivalence. For this condition only the takeoff pass is counted, and the ratio of passes to traffic cycles (P/TC) is 1.
- 2. If the aircraft does not obtain fuel at the airport, then both landing and takeoff passes should be counted, and a traffic cycle consists of two passes of equal load stress. In this case, the P/TC ratio is 2.

A.2.2.2 Central Taxiway Scenario.

For a central taxiway configuration, shown as Figure A1-1b in Figure A-1, there are also two possible loading situations that can occur. As was done for the parallel taxiway condition, both of these situations assume that the payload is approximately the same for the entire landing and takeoff cycle:

- 1. If the aircraft obtains fuel at the airport, then both the takeoff and taxi to takeoff passes should be counted since they result in a traffic cycle consisting of two passes at the maximum load stress. The landing pass can be ignored in this case. It is recognized that only part of the runway is used during some of these operations, but it is conservative to assume that the entire runway is covered each time a pass occurs. For this situation, the P/TC ratio is 2.
- 2. If the aircraft does not obtain fuel at the airport, then both the landing and takeoff passes should be counted, along with the taxi pass, and a traffic cycle consists of three passes at loads of equal magnitude. In this case, the P/TC ratio is 3.
- A.2.2.3 A simplified, but less conservative, approach would be use a P/TC ratio of 1 for all situations. Since a landing and a takeoff only apply full load to perhaps the end third of the runway (opposite ends for no shift in wind direction), this less conservative approach could be used to count one pass for both landing and takeoff. However, the FAA recommends conducting airport evaluations on the conservative side, which is to assume any one of the passes covers the entire runway.
- A.2.2.4 Table A-1 summarizes the standard P/TC ratio discussion.

Table A-1. Standard P/TC Ratio Summary (see Note)

	P/TC	P/TC	
Taxiway Serving the	Fuel Obtained at the Airport	No Fuel Obtained at the Airport	
Runway	(i.e. departure gross weight more than arrival gross weight.)	(i.e. departure gross weight same as arrival gross weight.)	
Parallel	1	2	
Central	2	3	

Note: The standard P/TC ratios are whole numbers 1, 2, and 3. The range of values that can be entered in the software is 0.001 thru 10.0. This feature allows flexibility in those instances where a fraction of the total traffic may use different runways or other pavements. For example, a P/TC ratio of 0.5 multiplies the coverages of each aircraft by 0.5, which will increase the PCN of the pavement.

A.2.3 Coverage.

A.2.3.1 When an aircraft moves along a runway, it seldom travels in a perfectly straight line or over the exact same wheel path as before. It will wander on the runway with a statistically normal distribution. One coverage occurs when a unit area of the runway has been traversed by a wheel of the aircraft main gear. Due to wander, this unit area may not be covered by the wheel every time the aircraft is on the runway. The number of passes required to statistically cover the unit area one time on the pavement is expressed by the pass to coverage (P/C) ratio.

- A.2.3.2 Although the terms coverage and P/C ratio have commonly been applied to both flexible and rigid pavements, the P/C ratio has a slightly different meaning when applied to flexible pavements as opposed to rigid pavements. This is due to the manner in which flexible and rigid pavements are considered to react to various types of gear configurations. For gear configurations with wheels in tandem, such as dual tandem (2D) and triple dual tandem (3D), the ratios are different for flexible and rigid pavements, and using the same term for both types of pavements may become confusing. It is incumbent upon the user to select the proper value for flexible and rigid pavements.
- A.2.3.3 Aircraft passes can be determined (counted) by observation but coverages are used by the COMFAA program. The P/C ratio is necessary to convert passes to coverages for use in the program. This ratio is different for each aircraft because of the different number of wheels, main gear configurations, tire contact areas, and load on the gear. Fortunately, the P/C ratio for any aircraft is automatically determined by the COMFAA program and the user only need be concerned with passes.

A.2.4 Operation.

The meaning of this term is unclear when used in pavement design or evaluation. It could mean a departure at full load or a landing at minimal load. It is often used interchangeably with pass or traffic cycle. When this description of an aircraft activity is used, additional information should be supplied. It is usually preferable to use the more precise terms described in this section.

A.2.5 Annual Departure and Traffic Cycle Ratio.

A.2.5.1 The FAA standard for counting traffic cycles at an airport for pavement design purposes is to count one landing, one taxi, and one take-off as a single event called a departure. For pavement evaluation related to determination of PCN, it may be necessary to adjust the number of traffic cycles (departures) based upon the scenarios discussed in paragraph 1.1b of this appendix. Similar to the discussion above regarding P/C ratio, the traffic cycle to coverage (TC/C) ratio is needed to finalize the equivalent traffic determination. The TC/C ratio differs when applied to flexible pavements as opposed to rigid pavements. The ratio in flexible pavement, rather than passes to coverages, is required since there could be one or more

passes per traffic cycle. When only one pass on the operating surface is assumed for each traffic count, then the P/C ratio is sufficient. However, when situations are encountered where more than one pass is considered to occur during the landing to takeoff cycle, then the TC/C ratio is necessary in order to properly account for the effects of all of the traffic. These situations occur most often when there are central taxiways or fuel is not obtained at the airport.

A.2.5.2 Equation A-1 translates the P/C ratio to the TC/C ratio for flexible and rigid pavements by including the previously described ratio of passes to traffic cycles (P/TC):

$$TC/C = P/C \div P/TC$$
 (Equation A-1)

Where:

TC = Traffic Cycles

C = Coverages

P = Passes

A.2.5.3 Since the COMFAA program will automatically determine passes to coverages and convert annual departures to coverages, the conditions described in paragraph A.2.2 can be addressed by simply multiplying annual departures by the pass to traffic cycle (P/TC) ratio. COMFAA requires the P/TC ratio parameter and will automatically perform this multiplication.

A.3 Equivalent Traffic Calculations.

A.3.1 In order to complete the equivalent traffic calculations for converting one of the aircraft in the mix to another, a procedure based on cumulative damage factor (CDF) is used. The CDF method is similar to the one used in the design procedures embodied in the design program FAARFIELD, required by AC 150/5320-6, and provides more consistent results than the wheel load method (as in FAA's CBR and Westergaard methods) when the traffic mix contains a wide range of gear geometries and strut loads. The primary difference between the CDF procedure used here and the one in FAARFIELD is that in FAARFIELD, the CDF is summed over all aircraft to produce the criterion for design whereas in the procedure used here the CDF methodology is used to convert the traffic for the complete mix into an equivalent number of coverages of one of the aircraft in the mix. That aircraft is designated the "critical" aircraft or "most demanding" aircraft for PCN determination or the "design" aircraft for thickness design (FAA's CBR and Westergaard methods). The wheel load method is briefly described before describing the CDF method.

A.3.2 In the wheel load method, select one of the aircraft in the mix to be the critical aircraft and then convert the traffic of the remaining aircraft into equivalent traffic of the critical aircraft. First, with equation A-1, convert the traffic for the gear type of each of the conversion aircraft into equivalent traffic for the same gear type as the critical aircraft.

$$TC_{CRTGE} = TC_{CNV} \times 0.8^{(M-N)}$$
 (Equation A-2)

Where:

 TC_{CNV} = the number of traffic cycles of the conversion aircraft.

 TC_{CRTGE} = the number of traffic cycles of the critical aircraft

equivalent to the number of traffic cycles of the conversion aircraft due to gear type equivalency.

N = the number of wheels on the main gear of the

conversion aircraft.

 $_{M}$ = the number of wheels on the main gear of the critical

aircraft.

A.3.3 Second, with equation A-3, convert the gear equivalency traffic cycles into equivalent traffic based on load magnitude.

$$\label{eq:continuous} \begin{split} & \operatorname{Log}\left(TC_{CRTE}\right) = \operatorname{Log}\left(TC_{CRTGE}\right) \times \sqrt{\frac{W_{CRT}}{W_{CNV}}} \\ & \operatorname{Or} \\ & TC_{CRTE} = \left(TC_{CRTGE}\right)^{\sqrt{W_{CRT}/W_{CNV}}} \end{split} \tag{Equation A-3}$$

Where:

 TC_{CRTE} = the number of traffic cycles of the critical aircraft

equivalent to the number of traffic cycles of the

conversion aircraft due to gear type and load magnitude

equivalencies.

 W_{CNV} = the wheel load of the conversion aircraft.

 W_{CRT} = the wheel load of the critical aircraft.

A.3.4 Alternatively, both operations can be combined into a single equation:

$$TC_{CRTE} = \left(TC_{CNV} \times 0.8^{(M-N)}\right)^{\sqrt{W_{CRT}/W_{CNV}}}$$
 (Equation A-4)

A.3.5 Finally, the equivalent traffic cycles of all of the conversion aircraft are added to the original traffic cycles of the critical aircraft to give the total equivalent traffic cycles of the critical aircraft.

- A.3.6 In the CDF method, the number of equivalent traffic cycles of the critical aircraft is defined as the number of traffic cycles of the critical aircraft that will cause the same amount of damage to the pavement as the number of traffic cycles of the conversion aircraft, where damage is defined by CDF.
- A.3.7 CDF is derived from Miner's Rule, which states the damage induced in a structural element is proportional to the number of load applications divided by the number of load applications required to fail the structural element. In airport pavement design, load applications are counted in coverages, so the relationship for calculating equivalent traffic is first derived in terms of coverages.

$$CDF_{CNV} = \frac{C_{CNV}}{C_{CNVF}} = \frac{\text{coverages of the conversion aircraft}}{\text{coverages to fail the pavement when loaded by the conversion aircraft}}$$

= cumulative damage factor resulting from the coverages of the conversion aircraft

$$CDF_{CRTE} = \frac{C_{CRTE}}{C_{CRTF}} = \frac{\text{equivalent coverages of the critical aircraft}}{\text{coverages to fail the pavement when loaded by the critical aircraft}}$$

= cumulative damage factor resulting from the equivalent coverages of the critical aircraft

A.3.8 CDF is the fraction of the total pavement life used up by operating the indicated aircraft on the pavement. It therefore follows that the CDF for the equivalent critical aircraft is equal to the CDF for the conversion aircraft. Or:

$$\begin{split} \frac{C_{CRTE}}{C_{CRTF}} &= \frac{C_{CNV}}{C_{CNVF}}, \text{ and} \\ C_{CRTE} &= \frac{C_{CRTF}}{C_{CNVF}} C_{CNV} \\ &\qquad \qquad \text{(Equation A-5)} \\ TC_{CNV} &= PC_{CNV} \times C_{CNV}, \text{ and} \\ But: &\qquad TC_{CRTE} = PC_{CRT} \times C_{CRTE} \end{split}$$

Where:

 TC_{CNV} = the number of traffic cycles of the conversion aircraft.

 TC_{CRTE} = the number of traffic cycles of the critical aircraft equivalent to the number of traffic cycles of the conversion aircraft.

 PC_{CNV} = pass-to-coverage ratio for the conversion aircraft.

 PC_{CRT} = pass-to-coverage ratio for the critical aircraft.

A.3.9 Therefore, the equivalent traffic cycles of the critical aircraft by the CDF method is given by:

$$TC_{CRTE} = \frac{PC_{CRT}}{PC_{CNV}} \frac{C_{CRTF}}{C_{CNVF}} TC_{CNV}$$
 (Equation A-6)

A.3.10 Equation A-6 can be rewritten as:

$$C_{CRTEI} = C_{CRTE} \times CDF_{CNVI}$$

Where:

 C_{CRTEI} = the number of equivalent coverages of the Ith aircraft in the

list, including the critical aircraft.

 CDF_{CNVI} = the CDF of the Ith aircraft in the list, including the critical aircraft.

A.3.11 Summing over all aircraft in the list gives the total number of equivalent coverages of the critical aircraft, *C*_{CRTETotal}, as:

$$C_{CRTETotal} = \sum_{I=1}^{N} C_{CRTEI} = \sum_{I=1}^{N} C_{CRTF} \times CDF_{CNVI} = C_{CRTF} \sum_{I=1}^{N} CDF_{CNVI}$$

Where N = the total number of aircraft in the list, including the critical aircraft.

A.3.12 Defining the total CDF for the traffic mix, CDF_T , as the total number of equivalent coverages of the critical aircraft divided by the number of coverages to failure of the critical aircraft, gives the equation:

$$CDF_{T} = \frac{C_{CRTETotal}}{C_{CRTF}} = \sum_{I=1}^{N} CDF_{CNVI}$$
 (Equation A-7)

- A.3.13 The total CDF for the traffic mix is therefore, by this definition, the sum of the CDFs of all of the aircraft in the traffic mix, including that of the critical aircraft.
- A.3.14 Table A-2 shows how the above calculations are combined, using the COMFAA Life calculation with the Batch option checked, to determine the equivalent traffic cycles of the critical aircraft. The pavement is assumed to be a flexible structure 33.80 inches thick on a CBR 8 subgrade. For this example, assume that the B747-400 is the critical aircraft. Also assume that the P/TC ratio is 1.0 so Traffic Cycles equals Annual Departures. Referring to the Top table, the CDF contribution of each aircraft on the pavement is calculated by dividing 20-year Coverages (Column 7) by Life (Column 9), with results shown in the Bottom portion of the table. The B747-400 is the assumed critical aircraft, so the operations of all other aircraft are equated to the B747-400. The results are shown in Column 11 of the Bottom portion of the table. Column 11 results use equation A-6, i.e., (3000/0.6543)*Col. 10. The sum of the equivalent annual departures (Equation A-7) indicates that all other aircraft are equivalent to 468 departures of the B747-400.

CBR = 8.00 Top Evaluation pavement thickness = 33.80 in Col 7 Col 9 esults Table: Life Computations Col 5 Percent Tire 60 Life Coverages Cross Aircraft Name Weight Gross Wc Press Deps Thick Coverages Thick to Failure (Life A300-B4 STD 29.86 365,747 1,500 16,456 94.00 216.1 33.80 1,200 A319-100 std 141,978 92.60 172.6 22.08 6,443 33.80 1,602,794.62+003 Adv. B727-200 Basic 185,200 148.0 400 25.09 2,754 385,343 96.00 33.80 B737-300 140,000 6,000 31,003 2,730,009.4E+002 90.86 201.0 25.19 33.80 3,000 33.15 B747-400 877,000 93.32 200.0 34,410 33.80 52,590 B767-200 ER 396,000 90.82 190.0 2,000 29.44 21,813 33.80 815,894 B777-200 ER 657,000 91.80 205.0 300 28.87 4,375 675,096 DC8-63 330.000 28.10 9.269 1,080,551 Bottom Col 7 Col 9 Col. 1 Col 5 Col 10 Col 11 Example using Equivalent Col 10 = Col 7 / Col 9 CDF B747-400 as the Departures 1,500 critical aircraft A300-B4 STD 16,456 310,137 0.0531 243 1,200 A319-100 std 6,443 1.60E+09 0.0000 n Col 11 converts Adv. B727-200 Basic 400 2,754 385,343 0.0071 33 all to B747-400 6,000 2.73E+08 B737-300 31,003 0.0001 1 departures 3,000 3.000 0.6543 B747-400 52,590 34,410 Col 11 = 3,0002,000 815,894 123 8767-200 ER 21,813 0.0267 multiplied by 675,096 8777-200 ER 300 0.0065 30 4,375 (Col 10) / 0.6543 1,080,551 0.0086 39 DC8-63 9,269 3,468 Totals 0.7564 CBR = 8.00 All Departures 3,468 --> 0.7564 Life Evaluation pavement thickness = 33.80 in converted to B747-400 39778/52590 = 0.7564 Life Results Table: Life Computations Gross Percent. Tire Annual 60 20-yr Life Coverages Aircraft Name Weight Gross Wt. Press Deps Thick Coverages Thick to Failure (Life) 5 B747-400 877,000 39 778 93.32 200.0 3.468 33 38 33 80 52,590

Table A-2. Example of COMFAA Batch Life Calculations

- A.3.15 The Top portion of the table can be viewed in the Details window in the program after executing the Life function for Flexible pavement with all computation features available (shown when the "MORE" button is clicked). Pavement thickness and subgrade strength must be entered in the program for the Life function to work correctly. Results for all aircraft in the list will be computed and displayed if the Batch box is checked. Otherwise, results for only one aircraft are displayed. Detailed instructions are given later for operating the program.
- A.3.16 Coverages to failure for each individual aircraft is computed in the program by changing the number of coverages for that aircraft until the design thickness by the CBR method (for flexible pavements) is the same as the evaluation pavement thickness, in this case 33.8 inches. As explained above, CDF is the ratio of applied coverages to coverages to failure, and is a measure of the amount of damage done to the pavement by that aircraft over a period of 20 years (under the assumptions implicit in the design procedure). If the CDF for any aircraft is equal to one, then the pavement is predicted to fail in 20 years if it is the only aircraft in operation. If the sum of the CDFs for all aircraft in the list is equal to one, then the pavement is predicted to fail in 20 years with all of the aircraft operating at their assumed operating weights and annual departures.

The sum of the CDFs in this example is 0.7564, indicating that the pavement is being operated under a set of conservative assumptions.

It should be noted that the sum of the CDFs as calculated in COMFAA do not strictly provide a prediction of pavement damage caused by the accumulation of damage from all of the aircraft because not all of the aircraft landing gears pass down the same longitudinal path. The summation given here would therefore provide a somewhat conservative result than expected. In comparison with the FAARFIELD computer program, the COMFAA values correspond to the "CDF Max for Aircraft" values from FAARFIELD. The "CDF Contribution" values from FAARFIELD are summed along defined longitudinal paths and do not correspond to the values from COMFAA, except when the Contribution and Max for Aircraft values coincide. This discussion indicates how, all other things being equal, the equivalent critical aircraft concept used in FAA's CBR and Westergaard methods and in COMFAA, produces more conservative designs than the procedure used in FAARFIELD, and why the two methodologies can never be made to produce the same predictions of pavement life for different traffic mixes. For a new design using FAARFIELD in which the design thickness is determined based on CDF=1.0 for the traffic mix, the PCN determined from COMFAA will not reflect the true pavement design life. In this situation, consider setting the PCN = ACN of the highest using aircraft.

APPENDIX B. TECHNICAL EVALUATION METHOD—EVALUATION PAVEMENT PROPERTIES DETERMINATION

B.1 Technical Evaluation Method.

The Technical Evaluation method for determining a PCN requires pavement thickness and cross-sectional properties as well as traffic mix details.

B.2 Flexible Pavement Cross-Section Properties—Equivalent Thickness Determination.

- B.2.1 For evaluation purposes, the actual thickness of the flexible pavement section under consideration must be converted to a standard flexible pavement section. The standard section, which corresponds to the total thickness requirement calculated by the COMFAA program, assumes a defined layer—thickness for the asphalt surface, a defined layer—thickness of aggregate base material with a CBR 80 or higher, and a variable thickness subbase layer with a CBR 20 or greater. For flexible pavement systems, two standard structural reference sections have been defined.
- B.2.2 When no aircraft in the traffic mix have four or more wheels on a main gear, the reference structure to be used is: 3 inches asphalt surface course (P401) and 6 inches crushed aggregate base course (P209). When one or more aircraft in the traffic mix have four or more wheels on a main gear, the reference structure to be used is: 5 inches asphalt surface course (P401) and 8 inches crushed aggregate base course (P209).

Reference Structural Layer Thickness (inches)	Less than Four Wheels on Main Gear	Four or More Wheels on Main Gear
Asphaltic Concrete (FAA Item P-401)	3	5
High Quality Granular Base (FAA Item P-209)	6	8

B.2.3 If the pavement has excess material or improved materials, the total pavement thickness may be increased according to the FAA CBR method summarized herein as Figures B-1 and B-2 and Table B-1. The pavement is considered to have excess asphalt, which can be converted to extra equivalent thickness, when the asphalt thickness is greater than the minimum thickness of asphalt surfacing of the referenced pavement section. The pavement may also be considered to have excess aggregate base thickness when the cross-section has a high quality crushed aggregate base thickness greater than the minimum thickness of high quality crushed aggregate base of the referenced pavement section or when other improved materials, such as asphalt stabilization or cement treated materials, are present. Likewise, additional improved base materials may also be converted to additional subbase material to add to the total pavement thickness.

B.2.4 If the evaluation pavement section is deficient for asphalt pavement surface course (i.e. less than 3 inches) and/or high quality crushed aggregate base course (i.e. less than 6 inches), the subbase thickness is reduced using a slightly more conservative inverse layer equivalency factor for surface course material and/or the subbase thickness is reduced using a slightly more conservative inverse layer equivalency factor for high quality crushed aggregate base material. This is shown in Table B-1.

Range Recommended Recommended Range Structural Item Description Convert to Convert to Convert Convert to P-209 P-209 to P-154 P-154 P-501 Portland Cement Concrete (PCC) 2.3 P-401 Plant Mix Bituminous Pavements (HMA) 1.2 to 1.61.6 1.7 to 2.3P-403 Plant Mix Bituminous Pavements (HMA) 1.2 to 1.6 1.6 1.7 to 2.3 2.3 P-306 1.2 to 1.6 1.2 1.6 to 2.3 1.6 Econocrete Subbase Course (ESC) P-304 Cement Treated Base Course (CTB) 1.2 to 1.6 1.2 1.6 to 2.3 1.6 P-212 Shell Base Course --------P-213 Sand-Clay Base Course --P-220 Caliche Base Course --------P-209 Crushed Aggregate Base Course 1.0 1.0 1.2 to 1.6 1.4 P-208 Aggregate Base Course 1.0 1.0 1.0 to 1.5 1.2 1.2 P-211 1.0 1.0 to 1.5 Lime Rock Base Course 1.0 1.0 to 1.5 P-301 Soil-Cement Base Course 1.2 P-154 Subbase Course 1.0 1.0 Range Convert to P-401 2.2 to 2.5. P-501 Portland Cement Concrete (PCC) 2.5 Recommended

Table B-1. FAA Flexible Pavement Layer Equivalency Factor Range

Note: Engineering judgment may be used to adjust recommended factors for all Structural Items within the ranges shown in the table. Include justification for higher or lower conversion factors than recommended factors when reporting PCN values.

B.3 Rigid Pavement Cross-Section Properties—Improved Subgrade Support Determination.

The rigid pavement characteristics—including subgrade soil modulus, k, the concrete thickness, and flexural strength—are needed for PCN determination. The foundation modulus (k value) is assigned to the material directly beneath the concrete pavement

layer. However, the k value for the subgrade is determined and then adjusted to account for improved layers (subbases) between the subgrade and the concrete layer. There are k value corrections available for uncrushed aggregate subbases, crushed aggregate subbases, and subbases stabilized with asphalt cement or Portland cement. The k value may be increased according to the methods described in the FAA Westergaard method, summarized herein as Figures B-3 through B-6. The thickness of the concrete in a rigid pavement may be increased if an asphalt overlay has been placed on the surface. The thickness may be increased using the factor described in the FAA Westergaard method, summarized herein as Figure B-7. Each 2.5 inches of asphalt may be converted to 1.0 inch of concrete. The references for both improvement subgrade support guidance and additional thickness conversion guidance is summarized in Table B-2.

Table B-2. FAA Rigid Pavement Subbase Effect on Foundation k Value

FAA Pavement Layer	Effect When Uncrushed Aggregate (Bank Run Sand and Gravel) is Used as the Subbase	Effect When Well- Graded Crushed Aggregate is Used as the Subbase	Effect When Asphalt Cement or Portland Cement Stabilized Materials are Used as the Subbase	
P-401 and/or P-403			Ref. Figure B-6	
P-306			Ref. Figure B-6	
P-304			Ref. Figure B-6	
P-209		Ref. Figure B-5, Upper Graph		
P-208 and/or P-211	Ref. Figure B-5, Lower Graph			
P-301	Ref. Figure B-5, Lower Graph			
P-154	Ref. Figure B-5, Lower Graph			
	Effect on Rigid Pavement Thickness			
P-401 Overlay	Ref. Figure B-7			

B.4 Availability of Support Program to Determine Pavement Characteristics.

To facilitate the use of the ACN-PCN system, FAA developed a software application that incorporates the guidance in this appendix and determines the evaluation thickness

for both flexible and rigid pavements and the foundation k value for rigid pavements. The software may be downloaded from the FAA website.

B.5 Using the Support Program.

The support program is a spreadsheet, which may be updated periodically. Examples are shown in Figure C-2 and Figure C-3.

³ See http://www.faa.gov/airports/engineering/design_software/. This software is in the public domain.

Figure B-1. Flexible Pavement Stabilized Base Layer(s) Equivalency Discussion (FAA CBR method)

- STABILIZED BASE AND SUBBASE. Stabilized base and subbase courses are necessary for new pavements designed to accommodate jet aircraft weighing 100,000 pounds (45 350 kg) or more. These stabilized courses may be substituted for granular courses using the equivalency factors discussed in paragraph 322. These equivalency factors are based on research studies which measured pavement performance. See FAA Report No. FAA-RD-73-198, Volumes I, II, and III. Comparative Performance of Structural Layers in Pavement Systems. See Appendix 3. A range of equivalency factors is given because the factor is sensitive to a number of variables such as layer thickness, stabilizing agent type and quantity, location of stabilized layer in the pavement structure, etc. Exceptions to the policy requiring stabilized base and subbase may be made on the basis of superior materials being available, such as 100 percent crushed, hard, closely graded stone. These materials should exhibit a remolded soaked CBR minimum of 100 for base and 35 for subbase. In areas subject to frost penetration, the materials should meet permeability and nonfrost susceptibility tests in addition to the CBR requirements. Other exceptions to the policy requiring stabilized base and subbase should be based on proven performance of a granular material such as lime rock in the State of Florida. Proven performance in this instance means a history of satisfactory airport pavements using the materials. This history of satisfactory performance should be under aircraft loadings and climatic conditions comparable to those anticipated.
- 321. SUBBASE AND BASE EQUIVALENCY FACTORS. It is sometimes advantageous to substitute higher quality materials for subbase and base course than the standard FAA subbase and base material. The structural benefits of using a higher quality material is expressed in the form of equivalency factors. Equivalency factors indicate the substitution thickness ratios applicable to various higher quality layers. Stabilized subbase and base courses are designed in this way. Note that substitution of lesser quality materials for higher quality materials, regardless of thickness, is not permitted. The designer is reminded that even though structural considerations for flexible pavements with high quality subbase and base may result in thinner flexible pavements; frost effects must still be considered and could require thicknesses greater than the thickness for structural considerations.
- a. Minimum Total Pavement Thickness. The minimum total pavement thickness calculated, after all substitutions and equivalencies have been made, should not be less than the total pavement thickness required by a 20 CBR subgrade on the appropriate design curve.
- b. Granular Subbase. The FAA standard for granular subbase is Item P-154, Subbase Course. In some instances it may be advantageous to utilize nonstabilized granular material of higher quality than P-154 as subbase course. Since these materials possess higher strength than P-154, equivalency factor ranges are established whereby a lesser thickness of high quality granular may be used in lieu of the required thickness of P-154. In developing the equivalency factors the standard granular subbase course, P-154, was used as the basis. Thicknesses computed from the design curves assume P-154 will be used as the subbase. If a granular material of higher quality is substituted for Item P-154, the thickness of the higher quality layer should be less than P-154. The lesser thickness is computed by dividing the required thickness of granular subbase, P-154, by the appropriate equivalency factor. In establishing the equivalency factors the CBR of the standard granular subbase, P-154, was assumed to be 20. The equivalency factor ranges are given below in Table 3-6:

TABLE 3-6. RECOMMENDED EQUIVALENCY FACTOR RANGES FOR HIGH QUALITY GRANULAR SUBBASE

Material	Equivalency Factor Range
P-208, Aggregate Base Course	1.0 - 1.5
P-209, Crushed Aggregate Base Course	1.2 = 1.8
P-2 I1, Lime Rock Base Course	1.0 - 1.5

Figure B-2. Flexible Pavement Stabilized Base Layer(s) Equivalency Discussion (Continued) (FAA CBR method)

C. Stabilized Subbase. Stabilized subbases also offer considerably higher strength to the pavement than P-154. Recommended equivalency factors associated with stabilized subbase are presented in Table 3-7.

TABLE 3-7. RECOMMENDED EQUWALENCY FACTOR RANGES FOR STABILIZED SUBBASE

Material	Equivalency Factor Range
P-301, Soil Cement Base Course	1.0 - 1.5
P-304, Cement Treated Base Course	1.6 = 2.3
P-306, Econocrete Subbase Course	1.6 = 2.3
P-401, Plant Mix Bituminous Pavements	1.7 - 2.3

d. Granular Base. The FAA standard for granular base is Item P-209, Crushed Aggregate Base Course. In some instances it may be advantageous to utilize other nonstabilized granular material as base course. Other materials acceptable for use as granular base course are as follows:

TABLE 3-8. RECOMMENDED EQUIVALENCY FACTOR RANGES FOR GRANULAR BASE

Material	Equivalency Factor Range
P-208, Aggregate Base Course	1.0'
P-21 1, Lime Rock Base Course	1.0

'Substitution of P-208 for P-209 is permissible only if the gross weight of the design aircraft is 60,000 lbs (27 000 kg) or less. In addition, if P-208 is substituted for P-209, the required thickness of hot mix asphalt surfacing shown on the design curves should be increased 1 inch (25 mm).

e. Stabilized Base. Stabilized base courses offer structural benefits to a flexible pavement in much the same manner as stabilized subbase. The benefits are expressed as equivalency factors similar to those shown for stabilized subbase. In developing the equivalency factors Item P-209, Crushed Aggregate Base Course, with an assumed CBR of 80 was used as the basis for comparison. The thickness of stabilized base is computed by dividing the granular base course thickness requirement by the appropriate equivalency factor. The equivalency factor ranges are given below in Table 3-9. Ranges of equivalency factors are shown rather than single values since variations in the quality of materials, construction techniques, and control can influence the equivalency factor. In the selection of equivalency factors, consideration should be given to the traffic using the pavement, total pavement thickness, and the thickness of the individual layer. For example, a thin layer in a pavement structure subjected to heavy loads spread over large areas will result in an equivalency factor near the low end of the range. Conversely, light loads on thick layers will call for equivalency factors near the upper end of the ranges.

TABLE 3-9. RECOMMENDED EQUIVALENCY FACTOR RANGES FOR STABILIZED BASE

Material	Eauivalency Factor Range
P-304, Cement Treated Base Course	1.2 - 1.6
P-306, Econocrete Subbase Course	1.2 - 1.6
P-401, Plant Mix Bituminous Pavements	1.2 - 1.6

Note: Reflection cracking may be encountered when P-304 or P-306 is used as base for a flexible pavement. The thickness of the hot mix asphalt surfacing course should be at least 4 inches (100 mm) to minimize reflection cracking in these instances.

f. Example. As an example of the use of equivalency factors, assume a flexible pavement is required to serve a design aircraft weighing 300,000 pounds (91 000 kg) with a dual tandem gear. The equivalent annual departures are 15,000. The design CBR for the subgrade is 7. Item P-401 will be used for the base course and the subbase course.

Figure B-3. Rigid Pavement Stabilized Subbase Layer(s) Discussion (FAA Westergaard method)

324. GENERAL. Rigid pavements for airports are composed of Portland cement concrete placed on a granular or treated subbase course that is supported on a compacted subgrade. Under certain conditions, a subbase is not required (see paragraph 326).

325. CONCRETE PAVEMENT. The concrete surface must provide a nonskid surface, prevent the infiltration of surface water into the subgrade, and provide structural support to the aircraft. The quality of the concrete, acceptance and control tests, methods of construction and handling, and quality of workmanship are covered in Item P-501, Portland Cement Concrete Pavement.

326. SUBBASE. The purpose of a subbase under a rigid pavement is to provide uniform stable support for the pavement slabs. A minimum thickness of 4 inches (100 mm) of subbase is required under all rigid pavements, except as shown in Table 3-10 below:

TABLE 3-10. CONDITIONS WHERE NO SUBBASE IS REQUIRED

Soil	Good Drainage		Poor Drainage	
Classification	No Frost	Frost	No Frost	Frost
GW	X	X	X	X
GP	X	X	X	
GM	X			
GC	X			
SW	X			

Note: X indicates conditions where no subbase is required.

327. SUBBASE QUALITY. The standard FAA subbase for rigid pavements is 4 inches (100 mm) of Item P-154, Subbase Course. In some instances, it may be desirable to use higher-quality materials or thicknesses of P-154 greater than 4 inches (100 mm). The following materials are acceptable for use as subbase under rigid pavements:

Item P-154 - Subbase Course

Item P-208 - Aggregate Base Course

Item P-209 - Crushed Aggregate Base Course

Item P-211 - Lime Rock Base Course

Item P-304 - Cement Treated Base Course

Item P-306 – Econocrete Subbase Course

Item P-401 - Plant Mix Bituminous Pavements

Materials of higher quality than P-154 and/or greater thicknesses of subbase are considered in the design process through the foundation modulus (k value). The costs of providing the additional thickness or higher-quality subbase should be weighed against the savings in concrete thickness.

328. STABILIZED SUBBASE. Stabilized subbase is required for all new rigid pavements designed to accommodate aircraft weighing 100,000 pounds (45 400 kg) or more. Stabilized subbases are as follows:

Item P-304 - Cement Treated Base Course

Item P-306 - Econocrete Subbase Course

Item P-401 - Plant Mix Bituminous Pavements


The structural benefit imparted to a pavement section by a stabilized subbase is reflected in the modulus of subgrade reaction assigned to the foundation. Exceptions to the policy of using stabilized subbase are the same as those given in paragraph 320.


329. SUBGRADE. As with a flexible pavement, the subgrade materials under a rigid pavement should be compacted to provide adequate stability and uniform support; however, the compaction requirements for rigid pavements are not as stringent as for flexible pavement because of the relatively lower subgrade stress. For cohesive soils used in fill sections, the top 6 inches (150 mm) must be compacted to 90 percent maximum density. Fill depths


Figure B-4. Rigid Pavement Stabilized Subbase Layer(s) Discussion (Continued) (FAA Westergaard method)

greater than 6 inches (150 mm) must be compacted to 90 percent maximum density or meet the requirements of Table 3-2. For cohesive soils in cut sections, the top 6 inches (150 mm) of the subgrade must be compacted to 90 percent maximum density. For noncohesive soils used in fill sections, the top 6 inches (150 mm) of fill must be compacted to 100 percent maximum density, and the remainder of the fill must be compacted to 95 percent maximum density or meet the requirements of Table 3-2. For cut sections in noncohesive soils, the top 6 inches (150 mm) of subgrade must be compacted to 100 percent maximum density and the next 18 inches (460 mm) of subgrade must be compacted to 95 percent maximum density. Swelling soils require special considerations. Paragraph 314 contains guidance on the identification and treatment of swelling soils.

- a. Contamination. In rigid pavement systems, repeated loading might cause intermixing of soft subgrade soils and aggregate base or subbase. This mixing can create voids below the pavement in which moisture can accumulate, causing pumping to occur. Chemical and mechanical stabilization of the subbase or subgrade can effectively reduce aggregate contamination (see paragraph 207). Geotextiles have been found to be effective at providing separation between fine-grained subgrade soils and pavement aggregates (FHWA-HI-90-001 Geotextile Design and Construction Guidelines). Geotextiles should be considered for separation between fine-grained soils and overlying pavement aggregates. In this application, the geotextile is not considered to act as a structural element within the pavement. Therefore, the modulus of the base or subbase is not increased when a geotextile is used for stabilization. For separation applications, the geotextile is designed based on survivability properties. FHWA-HI-90-001 contains additional information about design and construction using separation geotextiles.
- 330. **DETERMINATION OF FOUNDATION MODULUS (k VALUE) FOR RIGID PAVEMENT.** In addition to the soils survey and analysis and classification of subgrade conditions, rigid pavement design also requires the determination of the foundation modulus. The k value should be assigned to the material directly beneath the concrete pavement. However, the FAA recommends that a k value be established for the subgrade and then corrected to account for the effects of the subbase.
- a. Determination of k Value for Subgrade. The preferred method of determining the subgrade modulus is by testing a limited section of embankment that has been constructed to the required specifications. The plate bearing test procedures are given in AASHTO T 222, Nonrepetitive Static Plate Load Test of Soils and Flexible Pavement Components for Use in Evaluation and Design of Airport and Highway Pavements. If the construction and testing of a test section of embankment is impractical, the values listed in Table 2-3 may be used. The values in Table 2-3, however, are approximate, and engineering judgment should be used when selecting a design value. Fortunately, rigid pavement is not overly sensitive to k value, and an error in estimating k will not have a large impact on rigid pavement thickness.
- b. Determination of k Value for Granular Subbase. It is usually not practical to determine a foundation modulus on top of a subbase by testing, at least in the design phase. Usually, the embankment and subbase will not be in place in time to perform any field tests, so the k value will have to be assigned without the benefit of testing. The probable increase in k value associated with various thicknesses of different subbase materials is shown in Figure 2-4. The upper graph in Figure 2-4 should be used when the subbase is composed of well-graded crushed aggregate, such as P-209. The lower graph in Figure 2-4 applies to bank-run sand and gravel, such as P-154. Both curves in Figure 2-4 apply to unstabilized granular materials. Values shown in Figure 2-4 are guides and can be tempered by local experience.
- c. Determination of k Value for Stabilized Subbase. As with granular subbase, the effect of stabilized subbase is reflected in the foundation modulus. Figure 3-16 shows the probable increase in k value with various thicknesses of stabilized subbase located on subgrades of varying moduli. Figure 3-16 is applicable to cement stabilized (P-304), Econocrete (P-306), and bituminous stabilized (P-401) layers. Figure 3-16 assumes a stabilized layer is twice as effective as well-graded crushed aggregate in increasing the subgrade modulus. Stabilized layers of lesser quality than P-304, P-306, or P-401 should be assigned somewhat lower k values. After a k value is assigned to the stabilized subbase, the concrete slab thickness design procedure is the same as that described in paragraph 331.










Figure B-7. Flexible Pavement quivalency to Rigid Pavement (FAA Westergaard method)

subbase must be at the equilibrium moisture content when field CBR tests are conducted. Normally, a pavement that has been in place for at least 3 years will be in equilibrium. Procedures for calculating CBR values from NDT tests are also available. Layer conversions (i.e., converting base to subbase, etc.) are largely a matter of engineering judgment. When performing the conversions, it is recommended that any converted thicknesses not be rounded off.

406. HOT MIX ASPHALT OVERLAY ON EXISTING RIGID PAVEMENT. The design of a hot mix asphalt overlay on an existing rigid pavement is also based on a thickness deficiency approach. However, new pavement thickness requirements for rigid pavements are used to compare with the existing rigid pavement. The formula for computing overlay thickness is as follows:

$$t = 2.5(Fh_d - C_bh_e)$$

Where:

t = thickness of hot mix asphalt overlay, inches (mm).

F = a factor which controls the degree of cracking in the base rigid pavement.

h_d = thickness of new rigid pavement required for design conditions, inches (mm). Use the exact value for h_d; do not round off. In calculating h_d use the k value of the existing foundation and the flexural strength of the existing concrete as design parameters.

C_b = a condition factor that indicates the structural integrity of the existing rigid pavement. Values range from 1.0 to 0.75.

h_e = thickness of existing rigid pavement, inches (mm).

- a. F Factor. The "F" factor is an empirical method of controlling the amount of cracking that will occur in the rigid pavement beneath the hot mix asphalt overlay. It is a function of the amount of traffic and the foundation strength. The assumed failure mode for a hot mix asphalt overlay on a existing rigid pavement is that the underlying rigid pavement cracks progressively under traffic until the average size of the slab pieces reaches a critical value. Further traffic beyond this point results in shear failures within the foundation, producing a drastic increase in deflections. Since high strength foundations can better resist deflection and shear failure, the F factor is a function of subgrade strength as well as traffic volume. Photographs of various overlay and base pavements shown in Figure 4-2 illustrate the meaning of the F factor. Figures 4-2a, b, and c show how the overlay and base pavements fail as more traffic is applied to a hot mix asphalt overlay on an existing rigid pavement. Normally an F factor of 1.0 is recommended unless the existing pavement is in quite good condition, see paragraph 406b(1) below. Figure 4-3 should be used to determine the appropriate F factor for pavements in good condition.
- b. C_b Factor. The condition factor " C_b " applies to the existing rigid pavement. The C_b factor is an assessment of the structural integrity of the existing pavement.
- (1) Selection of C_b Factor. The overlay formula is rather sensitive to the C_b value. A great deal of care and judgement are necessary to establish the appropriate C_b . NDT can be a valuable tool in determining a proper value. A C_b value of 1.0 should be used when the existing slabs contain nominal structural cracking and 0.75 when the slabs contain structural cracking. The designer is cautioned that the range of C_b values used in hot mix asphalt overlay designs is different from the " C_r " values used in rigid overlay pavement design. A comparison of C_b and C_r and the recommended F factor to be used for design is shown below:

C_{r}	C _b	Recommended F factor	
0.35 to 0.50	0.75 to 0.80	1.00	
0.51 to 0.75	0.81 to 0.90	1.00	
0.76 to 0.85	0.91 to 0.95	1.00	
0.86 to 1.00	0.96 to 1.00	Use Figure 4.3	

The minimum C_b value is 0.75. A single C_b should be established for an entire area. The C_b value should not be varied along a pavement feature. Figures 4-4 and 4-5 illustrate C_b values of 1.0 and 0.75, respectively.


Page Intentionally Blank


APPENDIX C. PCN DETERMINATION EXAMPLES

- **C.1** The Using Aircraft Method.
- C.1.1 The Using aircraft method of determining PCN is presented in the following steps. This procedure can be used when there is limited knowledge of the existing traffic and runway characteristics. It is also useful when engineering analysis is neither possible nor desired. Airport authorities should be more careful in the application of a Using aircraft PCN in that the rating has not been rigorously determined.
- C.1.2 There are basic steps required to arrive at a Using aircraft PCN:
 - Determine the ACN for each aircraft in the traffic mix currently using the pavement.
 - Assign the highest ACN value as the PCN.
- C.1.3 These steps are explained below in greater detail. Figure C-1 shows the steps needed to automatically perform the ACN calculations using COMFAA along with the results.

Figure C-1. Example of COMFAA ACN Batch Results

- 1. Load Ext file.
- Click More to access ACN Computational Mode.
- Check Batch.
- 4. Click Flexible Button or Rigid Button.
- 5. When calculations finish, click Details Button.
- 6. View results.
- Select highest ACN for the pavement's subgrade category.





- 1. Assign the pavement surface type as code F or R.
- 2. From available records, determine the strength of the pavement subgrade. If the subgrade strength is not known, make a judgment of Medium or Low
- 3. Determine which aircraft has the highest ACN from the list of aircraft that regularly use the pavement, based on the surface type code assigned in Step 1 and the subgrade code in Step 2. ACN values may be determined from the COMFAA program or from ACN graphs found in the manufacturer's published ACAP manuals. Use the same subgrade code for each of the aircraft when determining the maximum ACN. Base ACNs on the highest operating weight of the aircraft at the airport if the data is available; otherwise, use an estimate or the published maximum allowable gross weight of the aircraft in question. Report the ACN from the aircraft with the highest ACN that *regularly uses the pavement* as the PCN for the pavement. NOTE: The FAA recommends that an aircraft be considered to 'regularly use' the pavement if the 20-year total of coverages exceeds 1,000. The number of annual departures of the aircraft corresponding to this coverage level can be obtained from COMFAA by switching to PCN or Thickness mode and entering 1000 in the 'Flex 20yr Coverages' or 'Rigid 20yr Coverages' field, as appropriate. In

- COMFAA, coverages are independent of subgrade strength, so an arbitrary CBR or k value can be entered in the appropriate field to compute coverages.
- 4. The PCN is simply the highest ACN with appropriate tire pressure and evaluation codes added. The numerical value of the PCN may be adjusted up or down at the preference of the airport authority. Adjustments are not considered standard practice but reasons for adjustment may include local restrictions, allowances for certain aircraft, or pavement conditions.
- 5. The tire pressure code (W, X, Y, or Z) should represent the highest tire pressure of the aircraft fleet currently using the pavement. For flexible pavements, code X should be used if no higher tire pressure is evident from among the existing traffic. It is commonly understood that concrete can tolerate substantially higher tire pressures, so the rigid pavement rating should normally be given as W.
- 6. The evaluation method for the Using aircraft method is reported as U.

C.2 Using Aircraft Example for Flexible Pavements.

- C.2.1 The following example illustrates the Using aircraft PCN process for flexible pavements:
- C.2.2 An airport has a runway with the known traffic mix shown in Table C-1. The runway has a flexible (asphalt-surfaced) pavement with an estimated subgrade strength of CBR 9, which puts it in subgrade category B. The flexible pavement ACNs for each aircraft in the mix are shown in Table C-1.

Single Aircraft ACN Other Calculation Modes Hnit Show Show Flexible ○ Rigid C PCN C ACN Batch @ Thickness C Lif Conversions Alpha Ext File Top Portion Save PCN Output to a Text File Flexible Pavement Thickness Design by the CBR Method - Units are English Gross Wt. Ann. Deps. ESWL Des. Thickness Aircraft Name Coverages CBR 1 A300-B4 STD 364,747 1.500 16,434 Recommended A319-100 std 141,978 1,200 6,443 6,000 20-yr Coverages 3 B737-300 140,000 31,003 877,000 1,000 4 B747-400 11,470 For Regular Using B767-200 ER 396,000 2,000 21,813 B777-200 ER 657,000 1,000 14,583 Aircraft is About 1,000 DC8-63 330,000 3,000 34.581 Single Aircraft ACN Other Calculation Modes Unit Show Show C PCN @ ACN Batch C Thickness C Life Conversions Alpha Ext File Bottom Portion Save PCN Output to a Text File Flexible ACN at Indicated Gross Weight and Strength. Units = English. Gross & GW on ACN at Indicated Code No. Aircraft Name Tire Weight Main Gear Pressure A(15) B(10) C(6) D(3) 1 A300-B4 STD 364,747 94.00 216.1 46.1 51.4 62.5 79.4 2 A319-100 std 141,978 92.60 172.6 31.9 32.8 36.4 42.1 140,000 34.8 3 B737-300 90.86 201.0 33.0 38.8 42.8 4 B747-400 877,000 93.32 200.0 53.2 59.3 72.6 94.2 5 B767-200 ER 396,000 90.82 190.0 44.9 49.6 59.8 80.2 94.8 Table 6 B777-200 ER 205.0 49.1 55.4 657,000 91.80 68.0 7 DC8-63 330,000 96.12 196.0 43.2 48.8 58.5 73.3 A3-1

Table C-1. Using Aircraft and Traffic for a Flexible Pavement

- Since this is a flexible pavement, the pavement type code is F, (Table 4-1).
- The subgrade strength under the pavement is CBR 9, or Medium category, so the appropriate code is B (Table 2-2).
- The highest tire pressure of any aircraft in the traffic mix is 216.1 psi, so the tire pressure code is X (Table 4-2).
- From the above list, the critical aircraft is the B747-400, because it has the highest ACN of the group at the operational weights shown (59.3/F/B). Additionally, it has regular service.
- Since there was minimal engineering analysis done in this example, and the rating was determined simply by examination of the current aircraft using the runway, the evaluation code from Paragraph 4.6.5 is U.
- Based on the results of the previous steps, the runway pavement should tentatively be rated as PCN 59/F/B/X/U, assuming that the pavement is performing satisfactorily under the current traffic.
- If this pavement was a taxiway, the airport could rate this taxiway as the same PCN.

C.2.3 If the pavement shows obvious signs of distress, this rating should be adjusted downward by the airport authority. If the rating is lowered, then one or more of the aircraft will have ACNs that exceed the assigned rating. This may require the airport to restrict the allowable gross weight for those aircraft or consider pavement strengthening.

C.3 Using Aircraft Example for Rigid Pavements.

An airport has a runway with the known traffic mix shown in Table C-2. The runway has a rigid (concrete-surfaced) pavement with an estimated k-value of 300 lbs/in3, which puts it in subgrade category B. The rigid pavement ACNs for each aircraft in the mix are shown in Table C-2.




Table C-2. Using Aircraft and Traffic for a Rigid Pavement

- Since this is a rigid pavement, the pavement type code is R (Table 4-1).
- The subgrade strength under the pavement is k=300 pci, which is Medium category, so the appropriate code is B (Table 2-1).
- Concrete surfaces can tolerate high tire pressures, so tire pressure code W found in Table 4-2 should be used for rigid pavement.
- The B777-200 has the highest ACN of the group at the operational weights shown (63.6/R/B/W).

• Since there was no engineering analysis done in this example, and the rating was determined simply by examination of the current aircraft using the runway, the evaluation code from Paragraph 4.6.5 is U.

- Based on these steps, the pavement should tentatively be rated as PCN 64/R/B/W/U in order to accommodate all of the current traffic.
- If the pavement shows obvious signs of distress, this rating should be adjusted downward by the airport authority. If the rating is lowered, then one or more of the aircraft will have ACNs that exceed the assigned rating. This may require the airport to restrict the allowable gross weight for those aircraft or consideration of pavement strengthening. The rating could also be adjusted upward, depending on the performance of the pavement under the current traffic.

C.4 The Technical Evaluation Method.

Use the technical evaluation method of determining PCN when there is reliable knowledge of the existing traffic and pavement characteristics. Total thickness and cross-sectional data are needed to determine the equivalent pavement thickness as described in detail in section 2.1. Although the technical evaluation provides a good representation of existing conditions, the airport authority should recognize there are many variables in the pavement structure as well as the method of analysis itself. The objective of the technical method is to consolidate all traffic into equivalent annual departures, determine allowable gross weight, and assess the ACN for each aircraft in the traffic mixture so that a realistic PCN is selected.




Figure C-2. Flexible Layer Equivalency Spreadsheet to Support COMFAA

Existing Rigid Evaluation **ENTER Existing** Ref. AC 150/5335-5B Appendix A-2 Rigid **Pavement Layers** Layer Improved\ k-Arpt LOC-ID rtyu Layer Thickness Thicknes Pavement ID **Pavement Structure Items** werty value Figure A2.7 P.401 Overlay(s) 5.0 in./2.5 P-401 Overlay(s) 5.0 in./2.5 2.0 P.501 18.0 Rigid Pavement Thickness 16.0 in. 2.5 to 1 P.501 16.0 in. Foundation k-Flexural strength 650.0 ThirdPoint Flexural Strength Flexural strength 650.0 psi Maximum k-P-401 and/or P-403 4.0 in. Below or Input P-401 and/or P-403 4.0 in. Figure A2-6, default maximum k-value 500 lb/in^3. (135.7 MN/m^3) OR input k P-306 0.0 P-306 0.0 in 301 value if greater. P.304 0.0 DO in. 2.009 P.209 0 6.0 in. 0.0 P.208 and/or P.211 208 and/or P.2 0.0 in. Combined Top and Bottom Figure A2-5 P.301 0.0 P.301 0.0 in 173 P.154 P.154 6.0 in. **COMFAA Inputs** Subgrade k-value 125.0 250 lb 1 3 18,4 COREAL Thick Subgrade k = 301.0 lb/in^3 @ English Rigid Pavement t = 18.0 in. OMFAA k.va 501.0 Inlin^3 C Metric Flexural strength = 650.0 psi **COMFAA Flex Strength**


Figure C-3. Rigid Layer Equivalency Spreadsheet to Support COMFAA.

C.5 Technical Evaluation for Flexible Pavements.

- C.5.1 The following list summarizes the steps for using the technical evaluation method for flexible pavements:
 - Determine the traffic volume in terms of type of aircraft and number of annual departures/traffic cycles of each aircraft that the pavement will experience over its life.
 - Determine the appropriate reference section to use based on the number of wheels on main gears.
 - Determine pavement characteristics, including the subgrade CBR and equivalent pavement thickness.
 - Calculate the maximum allowable gross weight for each aircraft on that pavement at the equivalent annual departure level.
 - Calculate the ACN of each aircraft at its maximum allowable gross weight.
 - Select the PCN from the ACN data provided by all aircraft.
- C.5.2 These steps are explained in greater detail below. These steps are automated in the COMFAA software. The results file is presented in three tables. (This file is displayed by selecting the 'details' button in the COMFAA support spreadsheet.)
 - Results Table 1 details input traffic data including thickness requirements for each aircraft at evaluation thickness and CBR.
 - Results Table 2 displays the PCN values for each aircraft at the evaluation pavement thickness and subgrade CBR, where each aircraft in turn is considered the critical aircraft (i.e., all operations are converted to operations of the critical aircraft). This

- table also displays the CDF value representing the damage contribution from each aircraft..
- Results Table 3 lists the ICAO standard ACN values for each aircraft in the traffic mix at the appropriate subgrade category.
- C.5.3 Figure C-3 shows an example results file. Several examples using the same traffic mix with different pavement structures at the end of this section further illustrate the process.

Table C-3. Excerpt from COMFAA PCN Batch Results File for Flexible Pavement



1. Determine the traffic volume in terms of annual departures for each aircraft that has used or is planned to use the airport during the pavement life period. Record all significant traffic, including non-scheduled, charter, and military, as accurately as possible. This includes traffic that has occurred since the original construction or last overlay and traffic that will occur before the next planned overlay or

reconstruction. If the pavement life is unknown or undetermined, assume that it will include a reasonable period of time. The normal design life for pavement is 20 years. However, the expected life can vary depending on the existing pavement conditions, climatic conditions, and maintenance practices.

- 2. The information necessary for the traffic volume process is—
 - Past, current, and forecasted traffic cycles of each significant aircraft.
 - Aircraft operational or maximum gross weights.
 - Typical aircraft weight distribution on the main and nose gear. If unknown, AC 150/5320-6 assumes 95 percent weight on the main gear.
 - Main gear type (dual, dual tandem, etc.).
 - Main gear tire pressure.
 - Fuel-loading practices of aircraft at the airport (P/TC ratio).
 - Type of taxiway system parallel or central (P/TC ratio).
- 3. From field data or construction drawings, document the CBR of the subgrade soil. Alternatively, conduct field or laboratory tests of the subgrade soil in order to determine the CBR. Accurate portrayal of the subgrade CBR value is vital to the technical method because a small variation in CBR could result in a disproportionately large variation in the aircraft allowable gross weight and the corresponding PCN.
- 4. The COMFAA program calculates pavement thickness requirements based on annual departures. COMFAA allows the user to directly input either coverages or annual departures. Since the pass-to-coverage ratio for flexible pavement may be different than rigid pavement, the user must enter coverages in the appropriate location for each pavement type.
- 5. Determine the total pavement thickness and cross-sectional properties. The thickness of the pavement section under consideration must be converted to an equivalent pavement thickness based on a standard reference pavement section for evaluation purposes. The equivalent pavement thickness is the total thickness requirement calculated by the COMFAA program assuming minimum layer thickness for the asphalt surface, minimum base layer thickness of material with a CBR 80 or higher, and a variable subbase layer with a CBR 20 or greater. If the pavement has excess material or improved materials, the total pavement thickness may be increased according to the FAA CBR method as detailed in Appendix B. The pavement is considered to have excess asphalt, which can be converted to extra crushed aggregate equivalent thickness, when the asphalt thickness is greater than the minimum thickness of asphalt surfaced. The recommended reference section for this traffic mix is an asphalt surface course thickness of 5 inches. The pavement may also be considered to have excess crushed aggregate base thickness when the cross-section has a high quality crushed aggregate base thickness greater than 8 inches or when other improved materials such as asphalt stabilization or cement treated materials, are present. Likewise, additional subbase thickness or improved subbase materials may also be converted to additional total payement thickness.

- Using the support program facilitates converting existing pavement structures to the requisite standard equivalent structure used in COMFAA.
- 6. Using the annual departures and P/TC ratio for the runway, the equivalent pavement thickness, and the CBR of the subgrade, compute the maximum allowable gross weight for each aircraft at the appropriate ICAO standard subgrade support category using the COMFAA program in the pavement design mode.
- 7. Assign the subgrade CBR strength found in Step 2 to the appropriate standard ACN-PCN subgrade code as given in Table 2-2.
- 8. The ACN of each aircraft at the maximum allowable gross weight is determined from the COMFAA program in the ACN mode. Enter the allowable gross weight of the aircraft, and calculate the ACN based on the standard subgrade code corresponding to the CBR found in Step 2. Alternatively, consult an "ACN versus Gross Weight" chart as published in the manufacturer's ACAP manuals.
- 9. Assign the tire pressure code based on the highest tire pressure in the traffic mix from Table 4-2. Keep in mind the quality of the asphalt surface layer, as discussed in Section 2.1, when assigning this code. NOTE: Code X is recommended for pavements with 5 or more inches of EXISTING asphalt. Code Y is recommended for pavements with 3 or less inches of EXISTING asphalt.
- 10. When the evaluation method is technical, assign the code of *T*, as described in paragraph 4.5e.
- 11. The numerical value of the PCN is selected from the list of values in COMFAA Batch PCN Results Table 2. If all aircraft regularly use the airport, then select the highest PCN value correlated with the subgrade code and report it as the PCN. If some of the aircraft in the traffic mix use the airport infrequently, then further consideration must be given to the selection of the PCN. If an aircraft that operates infrequently at the airport generates a PCN value considerably higher than the rest of the traffic mix, then using this aircraft to determine the PCN may result in an unrealistic value. A more reasonable PCN can be determined if this aircraft's operations are set to 1,000 coverages.
- 12. If the calculated maximum allowable gross weight is equal to or greater than the critical aircraft operational gross weight required for the desired pavement life (Total CDF<1), then the pavement is capable of handling the predicted traffic for the time period established in the traffic forecast. Accordingly, the assigned PCN determined in Step 10 is sufficient. If the allowable gross weight is less than the **critical** aircraft gross weight required for the desired pavement life (Total CDF>1), then the pavement may be assigned a PCN equal to the ACN of the critical aircraft at that gross weight, but with a lower expected pavement life. Additionally, it may then be necessary to develop a relationship of allowable gross weight based on the assigned PCN versus pavement life. Appendix D provides procedures on how to relate pavement life and gross weight for flexible pavements in terms of PCN. Any overload (see Appendix D) should be treated in terms of ACN and equivalent critical aircraft operations per individual operation. Allowance for the overload should be negotiated with the airport authority since pre-approval cannot be assumed. Specific procedures on how to relate pavement life and gross weight for flexible pavements are found in Appendix D.

C.6 Technical Evaluation Examples for Flexible Pavements.

The following four examples demonstrate the technical evaluation method of determining a PCN for flexible pavements. The first example pavement is for an understrength pavement with a traffic volume that has increased to such a level that pavement life is reduced from the original design (Total CDF > 1). The second pavement has a thickness nearly equal to the structural requirement for the 20-year traffic (Total CDF = 1). The third example pavement is the same as the first, except the taxiway has a central configuration rather than parallel, which effectively doubles the number of coverages and reduces the PCN. The fourth example demonstrates a consistent method to report PCN when the pavement under consideration contains significant excess structural capacity relative to the forecast traffic (Total CDF << 1).

C.6.1 Flexible Pavement Example 1.

C.6.1.1 An airport has a flexible (asphalt-surfaced) runway pavement with a subgrade CBR of 8 and a total thickness of 32.0 inches, as shown in Fig. C-4 (5 inch asphalt surface layer, 4 inches of stabilized base, 6 inch base layer and 17 inches subbase layer). The traffic mix is the same as in the Using Aircraft example, section 3.1. It is assumed for the purposes of this example that the traffic level is constant over the 20-year time period. Additional fuel is generally obtained at the airport before departure, and the runway has a parallel taxiway (P/TC ratio = 1). The pavement was designed for a life of 20 years. The combined thickness of the P-304 and P-209 exceeds the minimum standard for the CDF analysis method and is converted to additional P-154 as shown in Figure C-2 and Table C-4 for an equivalent pavement thickness of 31.9 inches.

Figure C-4. Screen Shot of PCN Worksheet in COMFAA Support Spreadsheet for Computing Equivalent Pavement Structure in Flexible Example 1




Table C-4. Conversion to Equivalent Pavement Structure in Flexible Example 1

Existing Pavement Structure. P-304 plus P-209 combined exceed P-209 requirements.	Equivalent Pavement Structure. A portion of P-304 is converted to P-209 and excess P-304 converted to P-154. This conversion results in 1.9 inches added to the equivalent pavement thickness.
5 inch asphalt surface layer (P-401)	5 inch asphalt surface layer (P-401)
4 inch base layer (P-304)	8 inch base layer (P-209)
6 inch base layer (P-209)	20.9 inch subbase layer (P-154)
17 inches subbase layer (P-154)	33.9 inch total thickness
Subgrade CBR 8	Subgrade CBR 8

Figure C-5. Detailed COMFAA Batch PCN Output – Flexible Example 1

CBR = 8.00 (Subgrade Category is C(6)) Evaluation pavement thickness = 31.90 in Pass to Traffic Cycle (PtoTC) Ratio = 1.00 Maximum number of wheels per gear = 6 Maximum number of gears per aircraft = 4 At least one aircraft has 4 or more wheels per gear. The FAA recommends a reference section assuming 5 inches of HMA and 8 inches of crushed aggregate for equivalent thickness calculations. Results Table 1. Input Traffic Data Gross Percent Tire Weight Gross Wt Press Annual 20-vr 6D Coverages Thick No. Aircraft Name Deps 1 A300-B4 STD 364,747 94.00 216.1 1,500 16,434 29.79
2 A319-100 std 141,978 92.60 172.6 1,200 6,443 22.08
3 B737-300 140,000 90.86 201.0 6,000 31,003 25.19
4 B747-400 877,000 93.32 200.0 1,000 11,470 31.28
5 B767-200 ER 396,000 90.82 190.0 2,000 21,813 29.44
6 B777-200 ER 657,000 91.80 205.0 1,000 14,583 30.54
7 DC8-63 330,000 96.12 196.0 3,000 34,581 30.13 Results Table 2. PCN Values Thickness for Total ACN Thick at Critical Maximum Aircraft Total Equiv. Covs. Max. Allowable PCN on Allowable Equiv. Covs. Gross Weight Gross Weight No. Aircraft Name CDF C(6) 1 A300-B4 STD 109,787 32.54 355,252 35.31 0.2454
2 A319-100 std >5,000,000 32.23 139,771 27.19 0.0001
3 B737-300 >5,000,000 32.27 137,402 28.03 0.0021
4 B747-400 26,559 32.73 847,310 37.80 0.7079
5 B767-200 ER 219,389 32.44 387,270 34.61 0.1630
6 B777-200 ER 84,591 32.34 645,067 37.01 0.2826
7 DC8-63 238,096 32.43 322,545 34.27 0.2381
Total CDF = 1.6392 60.1 35.7 37.9 68 9 57.8 66.1 56.6 Results Table 3. Flexible ACN at Indicated Gross Weight and Strength No. Aircraft Name Gross % GW on Tire ACN ACN on Weight Main Gear Pressure Thick 0.060 ______ 1 A300-B4 STD 364,747 94.00 216.1 36.00 2 A319-100 std 141,978 92.60 172.6 27.46 3 B737-300 140,000 90.86 201.0 28.36 4 B747-400 877,000 93.32 200.0 38.81 5 B767-200 KR 396,000 90.82 190.0 35.22 6 B777-200 KR 657,000 91.80 205.0 37.55 7 DC8-63 330,000 96.12 196.0 34.84 216.1 36.00 62.5 172.6 27.46 36.4 38.8 72.6 59.8 68.0 58.5

C.6.1.2 Figure C-5 shows the results of the COMFAA Batch PCN Flexible calculations. The top portion of Figure C-5 (Results Table 1) shows the required thickness in accordance with the FAA CBR method for a flexible pavement with a CBR 8 subgrade. The B747-400 aircraft has the greatest individual pavement thickness requirement (31.3 in.) for its total traffic over 20 years. Note that the thickness requirements for several individual aircraft are approximately equal to, or slightly less than, the evaluation pavement thickness of 31.9 in. This indicates that the pavement thickness may be deficient for existing traffic.

C.6.1.3The middle portion of Figure C-5 (Results Table 2) shows the results of the detailed method based on the cumulative damage factor (CDF) procedure that calculates the combined damage from multiple aircraft in the traffic mix. The numerical values in the CDF column represent damage to a 31.9in. thick flexible payement on a CBR 8 subgrade for each aircraft in the list. The total CDF represents the combined damage from this traffic. Taking each aircraft in turn as the critical aircraft, the program computes total equivalent coverages (based on a CDF analysis), the corresponding thickness for the total equivalent coverages (which is greater than the required thickness for the individual aircraft shown in Results Table 1), and a maximum allowable gross weight. The ACN of the aircraft at the maximum allowable gross weight at 10,000 coverages, at the appropriate ICAO standard CBR, is computed and reported in Results Table 2 as the PCN (last column). In this example, there are two aircraft that can load the payement over 5,000,000 times before the payement fails (critical aircraft total equivalent coverages > 5,000,000). These aircraft have little impact on this pavement's structural performance, and the corresponding PCNs are low. The PCN for this payement can be reported as the highest PCN in the PCN column. Based on the information in Figure C-5, the airport may report a PCN of 69/F/C/W/T or 69/F/C/X/T.

- C.6.1.4 The bottom portion of Figure C-5 shows the ICAO standard ACN of each aircraft at the input values of gross weight, percent gross weight on the main gear, and tire pressure. When the total CDF>1, as is the case in this example, at least one of the ACN values reported in Results Table 3 will exceed all of the PCN values in Results Table 2. In this example, the ACN computed for the B747 is 72.6 on subgrade category C, so the pavement does not have sufficient strength to support existing traffic.
- C.6.1.5 The following notes apply when total CDF > 1:
 - 1. At least one ACN value in Results Table 3 will be greater than all of the PCN values in Results Table 2.
 - 2. For all aircraft, the thickness for total equivalent coverages (Column 3 in Results Table 2) will exceed the evaluation pavement thickness for the input subgrade CBR.
 - 3. For all aircraft that have fewer than 5,000,000 total equivalent coverages as reported in Column 2 of Results Table 2, the corresponding thickness for total equivalent coverages in Column 3 will be greater than the input evaluation thickness.
 - 4. One aircraft in the list will have the fewest equivalent coverages, greatest thickness requirement for total equivalent coverages, and greatest ACN thickness at the maximum allowable gross weight. The largest ACN thickness value in Results Table 2 (the PCN thickness value) will be less than at least one ACN thickness value in Results Table 3.

- 5. A project to strengthen the pavement to support forecast traffic is required.
- 6. An overload analysis should be performed.

C.6.2 Flexible Pavement Example 2.

C.6.2.1 This second example has the same pavement cross section and subgrade CBR as Example 1, but with reduced traffic that results in a total CDF equal to 1. As in Flexible Example 1, the taxiway has a parallel configuration (Figure A-1b) such that the P/TC ratio = 1. Since the pavement cross section is the same as in Example 1, the evaluation thickness is likewise the same (31.9 in.). The traffic is given in Table C-5.

Table C-5. Input Traffic Data for Rigid Example 1

No.	Aircraft Name	Gross Weight, lbs.	Percent GW on Main Gear	Tire Pressure, psi	Annual Departures
1	A300-B4 STD	364,747	94.00	216.1	915
2	A319-100 STD	141,978	92.60	172.6	732
3	B737-300	140,000	90.86	201.0	3,660
4	B747-400	877,000	93.32	200.0	610
5	B767-200 ER	396,000	90.82	190.0	1,220
6	B777-200 ER	657,000	91.80	205.0	610
7	DC8-63	330,000	96.12	196.0	1,830

Figure C-6. Detailed COMFAA Batch PCN Output – Flexible Example 2

```
CBR = 8.00 (Subgrade Category is C(6))
                 Evaluation pavement thickness = 31.90 in
          Pass to Traffic Cycle (PtoTC) Ratio = 1.00
            Maximum number of wheels per gear = 6
         Maximum number of gears per aircraft = 4
At least one aircraft has 4 or more wheels per gear. The FAA recommends a reference section assuming
5 inches of HMA and 8 inches of crushed aggregate for equivalent thickness calculations.
Results Table 1. Input Traffic Data
                               Gross Percent
                                                     Tire
                                                              Annual
                                                                            20-vr
                                                                                         6D
Gross Percent Tire Annual 20-уг ыл No. Aircraft Name Weight Gross Wt Press Deps Coverages Thick
      -----
 1 A300-B4 STD 364,747 94.00 216.1 915 10,025 28.94 2 A319-100 std 141,978 92.60 172.6 732 3,930 21.27 3 B737-300 140,000 90.86 201.0 3,660 18,912 24.44 4 B747-400 877,000 93.32 200.0 610 6,997 30.34 5 B767-200 ER 396,000 90.82 190.0 1,220 13,306 28.65 6 B777-200 ER 657,000 91.80 205.0 610 8,896 29.90 7 DC8-63 330,000 96.12 196.0 1,830 21,095 29.41
Results Table 2. PCN Values
                        Critical Thickness
Aircraft Total for Total
                                                               Maximum
                                                                              ACN Thick at
                                                                            Max. Allowable
                                                                                                           PCN on
                                                               Allowable
 No. Aircraft Name
                         Equiv. Covs. Equiv. Covs. Gross Weight Gross Weight
                                                                                                 CDR
                                                                                                            C(6)
 1 A300-B4 STD
                                 66,969
                                               31 90
                                                                364,749
                                                                                  36.00
                                                                                            0 1497
                                                                                                            62.5
  1 A300-B4 STD
2 A319-100 std
                                                31.90
                                                                                  27.46 0.0001
                           >5,000,000
                                                                141,978
                                                                                                            36.4
 2 A319-100 std >5,000,000 31.90 141,570
3 B737-300 >5,000,000 31.90 140,000
4 B747-400 16,201 31.90 877,004
5 B767-200 ER 133,827 31.90 396,002
6 B777-200 ER 51,600 31.90 657,002
7 DC8-63 145,238 31.90 330,001
                                                                                 28.36
38.81
                                                                                               0.0013
                                                                                                            38.8
                                                                                               0.4318
                                                                                                            72.6
                                                                            35.22 0.0994
37.55 0.1724
34.84 0.1452
                                                                                                            59.8
                                                                                                            68.0
                                                                                                            58.5
                                                                              Total CDF = 0.9999
Results Table 3. Flexible ACN at Indicated Gross Weight and Strength
 No. Aircraft Name Gross % GW on Tire ACN
                                                                            ACN on
                                                                  Thick
                              Weight Main Gear Pressure
                                                                              C(6)
 1 A300-B4 STD 364,747 94.00 210.1
2 A319-100 std 141,978 92.60 172.6
3 B737-300 140,000 90.86 201.0
4 P747-400 877,000 93.32 200.0
 ______
                            364,747 94.00 216.1 36.00 62.5
                                                                  27.46
                                                                               36.4
                                                                  28.36
                                                                               38.8
                                                                  38.81
                                                                               72.6
                                                                  35.22
  5 B767-200 ER 396,000 90.82 190.0
6 B777-200 ER 657,000 91.80 205.0
                                                                              59.8
                                                                   37.55
                                                                                68.0
                              330,000 96.12 196.0 34.84
  7 DC8-63
                                                                               58.5
```

C.6.2.2 Figure C-6 shows the results of the COMFAA Batch PCN Flexible calculations for Example 2. The top portion of Figure C-6 (Results Table 1) shows the required thickness using the CBR thickness design in accordance with the FAA CBR method for a flexible pavement with a CBR 8 subgrade. As in Example 1, the B747-400 aircraft has the greatest individual pavement thickness requirement (30.34 inches) for its total traffic over 20 years. In this case, all the individual aircraft thickness requirements are less than the evaluation thickness.

C.6.2.3 The middle portion of Figure C-6 (Results Table 2) shows the results of the detailed method based on the cumulative damage factor (CDF) procedure that allows the calculation of the combined effect of multiple aircraft in the traffic mix. The various columns are described in Example 1. The PCN for this pavement can be reported as the highest PCN in the last column of Results Table 2. The airport may report a PCN of 73/F/C/W/T or 73/F/C/X/T. Note that the physical structure in this case is the same as Example 1, but the PCN that can be reported is higher than in Example 1, because the technical PCN depends on the anticipated traffic as well as the structure. Results Table 3 shows that all of the aircraft have ACNs at their operating weights that are less than the reported PCN, hence no operating restrictions are needed.

Figure C-7 illustrates a useful feature of the P/TC ratio in COMFAA. In Example 1, the total CDF computed is 1.6392. To determine the reduced level of operations of the same traffic mix that would result in CDF = 1, simple take the reciprocal value of Total CDF (= 1/1.6392 = 0.61). Entering the value 0.61 in the P/TC ratio field instead of 1 results in Total CDF = 1. This allows the user to compute the PCN value applicable to the case where CDF = 1, without having to create a separate external traffic file. As shown in Example 4, this provides a consistent means of reporting PCN for pavements that are extremely strong compared to the traffic-driven structural requirement.

Figure C-7. Detailed COMFAA Batch PCN Output – Flexible Example 2, Computed Using the Traffic Mix from Example 1 and Modified P/TC Ratio

```
CBR = 8.00 (Subgrade Category is C(6))
                      Evaluation pavement thickness = 31.90 in
             Pass to Traffic Cycle (PtoTC) Ratio = 0.61 (non-standard)
               Maximum number of wheels per gear = 6
           Maximum number of gears per aircraft = 4
At least one aircraft has 4 or more wheels per gear. The FAA recommends a reference section assuming
5 inches of HMA and 8 inches of crushed aggregate for equivalent thickness calculations.
Results Table 1. Input Traffic Data
                                         Gross Percent
                                                                     Tire
                                                                                Annual
                                                                                                    20-yr
                                                                                                                    6D
                                        Gross Percent Tire
Weight Gross Wt Press
 No. Aircraft Name
                                                                                  Deps
                                                                                                 Coverages Thick
 1 A300-B4 STD 364,747 94.00 216.1 1,500 10,026 28.94 2 A319-100 std 141,978 92.60 172.6 1,200 3,930 21.27 3 B737-300 140,000 90.86 201.0 6,000 18,914 24.44 4 B747-400 877,000 93.32 200.0 1,000 6,997 30.34 5 B767-200 ER 396,000 90.82 190.0 2,000 13,307 28.65 6 B777-200 ER 657,000 91.80 205.0 1,000 8,897 29.90 7 DC8-63 330,000 96.12 196.0 3,000 21,096 29.41
Results Table 2. PCN Values
                               critical Thickness
Aircraft Total for T--
                                                                                                       ACN Thick at
                                                             for Total
                                                                                   Maximum
                                                                                                   Max. Allowable
                                                                                  Allowable
                                                                                                                                           PCN on
                                 Equiv. Covs. Equiv. Covs. Gross Weight Gross Weight CDF
 No. Aircraft Name
                                                                                                                                            C(6)
 1 A300-B4 STD 66,975 31.90 364,747 36.00 0.1497 62.5
2 A319-100 std >5,000,000 31.90 141,978 27.46 0.0001 36.4
3 B737-300 >5,000,000 31.90 140,000 28.36 0.0013 38.8
4 B747-400 16,203 31.90 876,998 38.81 0.4319 72.6
5 B767-200 ER 133,839 31.90 396,000 35.22 0.0994 59.8
6 B777-200 ER 51,605 31.90 656,999 37.55 0.1724 68.0
7 DC8-63 145,251 31.90 330,000 34.84 0.1452 58.5
                                                                                                      Total CDF = 1.0000
Results Table 3. Flexible ACN at Indicated Gross Weight and Strength
No. Aircraft Name Gross % GW on Tire ACN
Weight Main Gear Pressure Thick
                                                                                                    ACN on
 1 A300-B4 STD 364,747 94.00 216.1 36.00 62.5 2 A319-100 std 141,978 92.60 172.6 27.46 36.4 38.737-300 140,000 90.86 201.0 28.36 38.8 4 B747-400 877,000 93.32 200.0 38.81 72.6 5 B767-200 ER 396,000 90.82 190.0 35.22 59.8 6 B777-200 ER 657,000 91.80 205.0 37.55 68.0 7 DC8-63 330,000 96.12 196.0 34.84 58.5
                                       330,000 96.12 196.0 34.84
  7 DC8-63
                                                                                                      58.5
```

C.6.2.5 The following notes apply when total CDF = 1:

- 1. For all aircraft, the thickness for total equivalent coverages (Results Table 2, Column 3) will be the same as the COMFAA evaluation thickness.
- 2. All maximum allowable gross weights in Results Table 2 will be approximately the same as the COMFAA input gross weights and ACN weights in Results Table 3.
- 3. All PCN values in Results Table 2 will be the same as the ACN values in Results Table 3.

C.6.3 Flexible Pavement Example 3.

C.6.3.1 The only change in this example from the second example is that the taxiway has a central configuration rather than parallel, such as that shown in Figure A-1b. Figure C-8 shows the effect when the P/TC ratio changes from 1 to 2, which results in double the number of coverages for each aircraft in the traffic mix. As expected, the required total pavement thickness for each aircraft in the traffic mix has increased. The B747-400 aircraft still has the greatest individual pavement thickness requirement (31.64 inches) for its total traffic over 20 years. Note the thickness requirements for the B747-400 now approaches the evaluation thickness (31.9 in.).

C.6.3.2 Referring to the results Table 2 in the middle portion of the output, only the B737-300 and the A319-100 std airplanes have little impact on this pavement's performance. It is apparent the pavement is not adequate to accommodate the existing traffic. As expected, changing the taxiway system from parallel to central has lowered the PCN of the pavement by effectively doubling traffic volume. The airport may report 68/F/C/W/T or 68/F/C/X/T. The ACN of two aircraft, the B747-400 and the B777-200 ER exceed the pavement PCN and the airport should plan for a pavement strengthening project or consider placing restrictions on those aircraft. The net effect of the change in taxiway configuration from that of Example 2 is the reduction by 5 in the PCN.

Figure C-8. Detailed COMFAA Batch PCN Output – Flexible Example 3

CBR = 8.00 (Subgrade Category is C(6)) Evaluation pavement thickness = 31.90 in Pass to Traffic Cycle (PtoTC) Ratio = 2.00 Maximum number of wheels per gear = 6 Maximum number of gears per aircraft = 4 At least one aircraft has 4 or more wheels per gear. The FAA recommends a reference section assuming 5 inches of HMA and 8 inches of crushed aggregate for equivalent thickness calculations. Results Table 1. Input Traffic Data Gross Percent Tire Annual 20-wr 6D No. Aircraft Name Weight Gross Wt Press Deps Coverages Thick 1 A300-B4 STD 364,747 94.00 216.1 915 20,049
2 A319-100 std 141,978 92.60 172.6 732 7,860
3 B737-300 140,000 90.86 201.0 3,660 37,824
4 B747-400 877,000 93.32 200.0 610 13,993
5 B767-200 ER 396,000 90.82 190.0 1,220 26,612
6 B777-200 ER 657,000 91.80 205.0 610 17,792
7 DC8-63 330,000 96.12 196.0 1,830 42,189 22.39 25.48 31.64 29.74 30.78 Results Table 2. PCN Values ACN Thick at Critical Thickness Maximum Aircraft Total Equiv. Covs. for Total Allowable Max. Allowable Equiv. Covs. Gross Weight Gross Weight PCN on No. Aircraft Name C(6) 59.2 35.4 37.5 57.0 65.4 56.0 Results Table 3. Flexible ACN at Indicated Gross Weight and Strength No. Aircraft Name Gross % GW on Tire Weight Main Gear Pressure Thick 0.763 ______ 1 A300-B4 STD 364,747 94.00 2 A319-100 std 141,978 92.60 3 B737-300 140,000 90.86 94.00 216.1 36.00 62.5 172.6 27.46 36.4 201.0 28.36 38.8 877,000 93.32 4 B747-400 200.0 38.81 72.6 5 B767-200 ER 6 B777-200 ER 396,000 396,000 90.82 657,000 91.80 190.0 205.0 35.22 37.55 59.8 68.0 330,000 96.12 196.0 34.84 7 DC8-63 58.5

C.6.4 Flexible Pavement Example 4.

C.6.4.1 In some cases, the pavement to be evaluated has significant excess structural capacity compared with the requirement due to forecast traffic. This situation may arise, for example, when an overlay is added for non-structural purposes, or in cold climates where a very thick subbase may be needed to provide frost protection on a frost-susceptible subgrade. This example shows a consistent way to report PCN for flexible pavements that are extremely strong with respect to the input traffic (total CDF<<1). In Figure C-9, the pavement from Example 1 has been strengthened with a 2-inch overlay. Assuming a reference section with 5 inches of P-401 and 8 inches of P-209, the evaluation thickness for COMFAA is 36.4 inches (versus 31.9 in. prior to the overlay).

C.6.4.2 Figure C-10 shows the COMFAA output when PCN is computed using the evaluation thickness 36.4 in. and P/TC=1. For the overlaid pavement subject to the forecast traffic, total CDF is much less than 1 (total CDF= 0.0355), indicating that the 20-year traffic mix causes insignificant damage to the pavement. Similarly, the largest value of thickness for total equivalent coverages in Results Table 2 is much less than the COMFAA evaluation thickness at the evaluation CBR. Hence, it is necessary to use an unrealistic allowable gross weight for the critical aircraft to compute PCN. Using the regular COMFAA procedure without adjustment, the airport could report PCN=97/F/C/X/T for this pavement. However, this PCN is based on an unrealistically high allowable gross weight for the B747-400 (1,060,338 lbs.).

Figure C-9. Screen Shot of Flexible PCN Tab in COMFAA Support Spreadsheet for Computing Equivalent Pavement Structure in Flexible Example 4. The structure is the same as Example 1, but with a 2-inch HMA overlay, for a total P-401 thickness of 7 inches.




Figure C-10. Detailed COMFAA Batch PCN Output – Flexible Example 4 (unadjusted)

CBR = 8.00 (Subgrade Category is C(6)) Evaluation pavement thickness = 36.40 in Pass to Traffic Cycle (PtoTC) Ratio = 1.00 Maximum number of wheels per gear = 6 Maximum number of gears per aircraft = 4 At least one aircraft has 4 or more wheels per gear. The FAA recommends a reference section assuming 5 inches of HMA and 8 inches of crushed aggregate for equivalent thickness calculations. Results Table 1. Input Traffic Data Gross Percent Tire Annual 20-yr 6D
No. Aircraft Name Weight Gross Wt Press Deps Coverages Thick 1 A300-B4 STD 364,747 94.00 216.1 1,500 16,434 29.79
2 A319-100 std 141,978 92.60 172.6 1,200 6,443 22.08
3 B737-300 140,000 90.86 201.0 6,000 31,003 25.19
4 B747-400 877,000 93.32 200.0 1,000 11,470 31.28
5 B767-200 ER 396,000 90.82 190.0 2,000 21,813 29.44
6 B777-200 ER 657,000 91.80 205.0 1,000 14,583 30.54
7 DC8-63 330,000 96.12 196.0 3,000 34,581 30.13 Results Table 2. PCN Values Critical Thickness Maximum ACN Thick at
Aircraft Total for Total Allowable Max. Allowable
No. Aircraft Name Equiv. Covs. Equiv. Covs. Gross Weight Gross Weight PCN on C(6) 1 A300-B4 STD 264,870 33.56 406,912 39.00 0.0022
2 A319-100 std >5,000,000 35.66 146,714 28.03 0.0000
3 B737-300 >5,000,000 35.35 147,191 29.27 0.0000
4 B747-400 12,676 31.46 1,060,338 44.83 0.0321
5 B767-200 ER 1,036,028 34.02 431,320 37.67 0.0007
6 B777-200 ER >5,000,000 36.24 660,776 37.72 0.0000
7 DC8-63 2,881,679 34.56 354,742 36.67 0.0004
Total CDF = 0.0355 73.3 37.9 41.3 96.9 68.4 68.6 64.9 Results Table 3. Flexible ACN at Indicated Gross Weight and Strength No. Aircraft Name Gross % GW on Tire ACM ACN on Weight Main Gear Pressure Thick C(6) 1 A300-B4 STD 364,747 94.00 216.1 36.00 62.5
2 A319-100 std 141,978 92.60 172.6 27.46 36.4
3 B737-300 140,000 90.86 201.0 28.36 38.8
4 B747-400 877,000 93.32 200.0 38.81 72.6
5 B767-200 ER 396,000 90.82 190.0 35.22 59.8
6 B777-200 ER 657,000 91.80 205.0 37.55 68.0
7 DC8-63 330,000 96.12 196.0 34.84 58.5

- C.6.4.3 The regular COMFAA procedure given in section 2.1 is most suitable when the total CDF > 0.15. When the procedure results in CDF < 0.15, as in this example, the FAA recommends adjusting the input traffic such that the PCN is reported for a total CDF = 0.150. Rather than modifying the COMFAA external aircraft file, the P/TC ratio can be used to obtain total CDF=0.150 as follows.
 - 1. Perform a PCN Flexible Batch operation using the appropriate P/TC ratio based on the criteria in Appendix A.
 - 2. Note the value of Total CDF in Results Table 2.
 - 3. Multiply the original value of P/TC ratio by the factor 0.15/Total CDF, where Total CDF is taken from Step 2.

- 4. Enter the new value of P/TC ratio in the P/TC field in COMFAA.
- 5. Repeat the PCN Flexible Batch operation with the new value of P/TC ratio. This will result in a new Total CDF equal to or close to 0.15.
- 6. Note that the maximum value of P/TC ratio allowed in COMFAA is 10. This should be sufficient in most cases. However, if the value computed in Step 3 exceeds 10, increasing the annual departures of all input aircraft by a factor of 10 and repeating steps 1 through 5 will generally result in Total CDF=0.150.
- C.6.4.4 Figure C-11 shows a re-analysis of the overlaid pavement using an adjusted value of the P/TC ratio equal to $1 \times 0.15 / 0.0355 = 4.225$. As indicated in Results Table 2, the adjusted Total CDF = 0.15. The airport can report PCN=84/F/C/X/T at Total CDF=0.150, based on a more reasonable maximum allowable gross weight of the B747-400. Results Table 3 shows that all aircraft in the existing mix operate at ACNs much lower than the reported PCN. There is no need to report a PCN higher than 84/F/C/X/T.

Figure C-11. Detailed COMFAA Batch PCN Output – Flexible Example 4 (with adjustment to P/TC ratio to force Total CDF = 0.15)

CBR = 8.00 (Subgrade Category is C(6)) Evaluation pavement thickness = 36.40 in Pass to Traffic Cycle (PtoTC) Ratio = 4.23 (non-standard) Maximum number of wheels per gear = 6 Maximum number of gears per aircraft = 4 At least one aircraft has 4 or more wheels per gear. The FAA recommends a reference section assuming 5 inches of HMA and 8 inches of crushed aggregate for equivalent thickness calculations. Results Table 1. Input Traffic Data Percent Gross Tire Annual 20-szr 6D Weight Gross Wt Press No. Aircraft Name Deps Coverages Thick 1 A300-B4 STD 364,747 94.00 216.1 1,500 69,439 31.95
2 A319-100 std 141,978 92.60 172.6 1,200 27,223 24.22
3 B737-300 140,000 90.86 201.0 6,000 131,000 27.19
4 B747-400 877,000 93.32 200.0 1,000 48,465 33.68
5 B767-200 ER 396,000 90.82 190.0 2,000 92,169 31.43
6 B777-200 ER 657,000 91.80 205.0 1,000 61,620 32.06
7 DC8-63 330,000 96.12 196.0 3,000 146,118 31.91 Results Table 2. PCN Values Critical Thickness Aircraft Total for Total Maximum ACN Thick at Allowable Max. Allowable PCN on No. Aircraft Name Equiv. Covs. Equiv. Covs. Gross Weight Gross Weight CDF C(6) 1 A300-B4 STD 1,119,172 34.97 385,072 37.46 0.0093
2 A319-100 std >5,000,000 36.02 144,426 27.75 0.0000
3 B737-300 >5,000,000 35.85 143,697 28.83 0.0000
4 B747-400 53,559 33.83 963,201 41.69 0.1357
5 B767-200 ER 4,377,664 35.19 413,121 36.42 0.0032
6 B777-200 ER >5,000,000 36.32 658,812 37.63 0.0000
7 DC8-63 >5,000,000 35.48 342,077 35.74 0.0018 37.2 40.1 83.8 36.42 0.0032 37.63 0.0000 35.74 0.0018 64.0 68.3 61.6 Total CDF = 0.1499 Results Table 3. Flexible ACN at Indicated Gross Weight and Strength No. Aircraft Name Gross % GW on Tire ACN
Weight Main Gear Pressure Thick ACN on 0 (6) 94.00 216.1 92.60 172.6 216.1 36.00 172.6 27.46 62.5 1 A300-B4 STD 364,747 2 A319-100 std 141,978 36.4 140,000 90.86 201.0 28.36 \$77,000 \$93.32 \$200.0 \$8.81 \$5 \$8767-200 \$R \$96,000 \$91.80 \$205.0 \$35.22 \$7 \$108-63\$ 3 B737-300 38.8 72.6 59.8 68.0

C.7 Technical Evaluation for Rigid Pavements.

- C.7.1 The following list summarizes the steps for using the technical evaluation method for rigid pavements:
 - Determine the traffic volume in terms of type of aircraft and number of annual departures of each aircraft.
 - Determine the pavement characteristics, including subgrade soil modulus, k, and the concrete thickness and flexural strength.
 - Perform the CDF calculations to determine the maximum allowable gross weight for each aircraft on that pavement at the equivalent annual departure level.

• Calculate the ACN of each aircraft at its maximum allowable gross weight. Select the PCN from the ACN data provided by all aircraft.

- C.7.2 The above steps are explained in greater detail:
 - C.7.2.1 Determine the traffic volume in the same fashion as noted in Paragraph C.6 for flexible pavements.
 - 1. From field data or construction drawings, document the k value of the subgrade soil. Alternatively, conduct field or laboratory tests of the subgrade soil in order to determine the k value. Accurate portrayal of the subgrade k value is vital to the technical method because a small variation in k value could result in a disproportionately large variation in the aircraft allowable gross weight and the corresponding PCN.
 - 2. Using COMFAA, input annual departure level for each aircraft, input the Pass/Traffic cycle ratio (P/TC) for the runway.
 - 3. The rigid design procedure implemented in the COMFAA program calculates pavement thickness requirements based on the concrete edge stress, which is in turn dependent on load repetitions of the total traffic mix. It is therefore a requirement to convert traffic cycles or passes to coverages repetitions by using a pass-to-coverage ratio. P/C ratios for any aircraft on rigid pavement are calculated in the COMFAA program. COMFAA allows the user to directly input annual departures or coverages and will use aircraft-specific pass-to-coverage ratios to automatically convert to coverages for calculation purposes. Since the pass-to-coverage ratio for rigid pavement may be different than flexible pavement, the user must enter coverages in the appropriate location for each pavement type.
 - 4. Obtain the pavement characteristics including the concrete slab thickness, the concrete modulus of rupture, and average modulus, k-value, of the subgrade. Concrete elastic modulus is set at 4,000,000 psi and Poisson's ratio is set at 0.15 in the COMFAA program. Accurate subgrade modulus determination is important to the technical method, but small variations in the modulus will not affect the PCN results in a disproportionate manner. This is in contrast to flexible pavement subgrade modulus in which strength variations have a significant effect on PCN. If the pavement has a subbase course and/or stabilized subbase layers, then the subgrade modulus is adjusted upwards in the rigid design procedure to an equivalent value in order to account for the improvement in support. Subgrade modulus adjustments are made based on the FAA Westergaard method guidance included herein as Figures B-4 through B-7 and summarized in Table B-2.
 - 5. Using the known slab thickness modified based on overlays (see Figure B-7), subgrade modulus modified based on improvements gained from subbase course(s) (see Figures B-4 and B-6), P/TC ratio for the runway, each individual aircraft's annual departure level, and each aircraft's

- parameters, compute the maximum allowable gross weight of each aircraft using the COMFAA program in the pavement design mode.
- 6. Assign the subgrade modulus (k-value) to the nearest standard ACN-PCN subgrade code. The k-value to be reported for PCN purposes is the improved k-value seen at the top of all improved layers (k-value directly beneath the concrete layer). Subgrade codes for k-value ranges are found in Table 2-1.
- 7. The ACN of each aircraft may now be determined from the COMFAA program. COMFAA calculates the ACN for the appropriate subgrade codes using the allowable gross weight of each aircraft. Alternatively, consult an "ACN versus Gross Weight" chart as published in the manufacturer's ACAP manual.
- 8. Assign the tire pressure code based on the highest tire pressure in the traffic mix from Table 4-2. Since rigid pavements are typically able to handle high tire pressures code W can usually be assigned.
- 9. The evaluation method is technical, so the code T will be used as discussed in Paragraph 4.6.5.
- 10. The numerical value of the PCN is selected from the list of ACN values resulting from Step 6 from all aircraft. If all aircraft regularly use the airport, then select the highest ACN value and report it as the PCN. If some of the aircraft in the traffic mix use the airport infrequently, then further consideration must be given to the selection of the PCN. If an aircraft that operates infrequently at the airport generates a PCN value considerably higher than the rest of the traffic mix, then reporting the ACN of this aircraft as the PCN will require a change to the PCN if the aircraft's usage changes.

Note: The recommended frequency for regularly using aircraft is equivalent to about 20-yr coverages of 1,000.

- 11. The numerical value of the PCN is the same as the numerical value of the ACN of the critical aircraft just calculated in Step 7.
- 12. If the allowable maximum gross weight of Step 11 is equal to or greater than the critical aircraft operational gross weight required for the desired pavement life, then the pavement is capable of handling the predicted traffic for the time period established in the traffic forecast. Accordingly, the assigned PCN determined in Step 11 is sufficient. If the allowable gross weight from Step 11 is less than the critical aircraft gross weight required for the desired pavement life, then the pavement may be assigned a PCN equal to the ACN of the critical aircraft at that gross weight, but with a reduced pavement life. Additionally, it may then be necessary to develop a relationship of allowable gross weight based on the assigned PCN versus pavement life. Appendix D provides procedures on how to relate pavement life and gross weight for rigid pavements in terms of PCN. Any overload (see Appendix D) should be treated in terms of ACN and equivalent critical aircraft operations

per individual operation. Allowances for overloads must be approved by the airport owner on a case by case basis.

C.8 Technical Evaluation Examples for Rigid Pavements.

The following four examples help explain the technical evaluation method of determining a PCN for rigid pavements. The first example pavement is under-designed and the traffic volume has increased to such a level that pavement life is reduced from the original design (Total CDF > 1). The second pavement has more than adequate strength to handle the forecasted traffic (Total CDF < 1). The third example pavement is the same as number two, except that the aircraft generally do not obtain fuel at the airport. The fourth example demonstrates a consistent method to report PCN when the pavement under consideration contains significant excess structural capacity relative to the forecast traffic (Total CDF << 1).

C.8.1 Rigid Pavement Example 1 (Total CDF>1).

C.8.1.1 An airport has a rigid (concrete surfaced) runway pavement with a subgrade *k*-value of 100 pci and a slab thickness of 14.5 inches, with an existing cross section as shown in the lower right portion of Figure C-12. The concrete has a flexural strength of 650 psi. The runway has a parallel taxiway, and additional fuel is obtained at the airport before departure. The pavement life is estimated to be 20 years from the original construction. The traffic shown in Table C-6 regularly uses the pavement. Table C-7 summarizes the existing rigid structure and the computation of the improved *k*-value for input into COMFAA.

Table C-6. Input Traffic Data for Rigid Example 1

No.	Aircraft Name	Gross Weight, lbs.	Percent GW on Main Gear	Tire Pressure, psi	Annual Departures
1	A300-B4 STD	364,747	94.00	216.1	1,500
2	A319-100 STD	141,978	92.60	172.6	1,200
3	B737-300	140,000	90.86	201.0	6,000
4	B747-400	877,000	93.32	200.0	1,000
5	B767-200 ER	396,000	90.82	190.0	2,000
6	B777-200 ER	657,000	91.80	205.0	1,000
7	DC8-63	330,000	96.12	196.0	3,000

Table C-7. Conversion to Equivalent Pavement Structure in Rigid Example 1.

Existing Pavement Structure	Equivalent Pavement Structure
Existing top-of-subgrade k -value = 100 pci	4 inch P-403 improves k-value to 287 pci
	12 inch P-209 improves k-value to 215 pci
14.5 inch concrete layer (P-501)	14.5 inch concrete layer (P-501)
4 inch HMA stabilized subbase layer (P-403)	k-value 287 pci
12 inch crushed aggregate subbase (P-209)	Concrete strength 650 psi
Subgrade k-value 100 pci	
Concrete strength 650 psi	

C.8.1.2 The number of load repetitions depends on the number of traffic cycles, which is calculated using Equation A-1 and then converted to coverages in the COMFAA program. Since additional fuel is generally obtained at the airport, and there is a parallel taxiway, P/TC = 1. This value is entered in the appropriate field on the COMFAA main window, along with appropriate values for the concrete strength, PCC slab thickness and the value of improved k-value determined above, as shown in Figure C-13.

Figure C-12. Screen Sot of Rigid PCN Tab in COMFAA Support Spreadsheet for Computing Equivalent Pavement Structure in Rigid Example 1




Figure C-13. Screen Shot of COMFAA Main Screen Showing the Required Inputs for Rigid Example 1




Figure C-14. Detailed COMFAA Batch PCN Output – Rigid Example 1

k Value = 287.0 lbs/in^3 (Subgrade Category is B(295)) flexural strength = 650.0 psi Evaluation pavement thickness = 14.50 in Pass to Traffic Cycle (PtoTC) Ratio = 1.00 Maximum number of wheels per gear = 6 Maximum number of gears per aircraft = 4 Results Table 1. Input Traffic Data Gross Percent Tire Annual 20-yr Weight Gross Wt Press Deps Coverages Thick No. Aircraft Name 1 A300-B4 STD 364,747 94.00 216.1 1,500 8,217 13.24 2 A319-100 std 141,978 92.60 172.6 1,200 6,443 11.84 3 B737-300 140,000 90.86 201.0 6,000 31,003 13.59 4 B747-400 877,000 93.32 200.0 1,000 5,735 13.44 5 B767-200 KR 396,000 90.82 190.0 2,000 10,907 12.80 6 B777-200 KR 657,000 91.80 205.0 1,000 4,861 11.98 7 DC8-63 330,000 96.12 196.0 3,000 17,291 13.61 Results Table 2. PCN Values Critical Thickness Aircraft Total for Total Maximum ACN Thick at Allowable Max. Allowable PCN on Equiv. Covs. Equiv. Covs. Gross Weight Gross Weight CDF B(295) No. Aircraft Name 1 A300-B4 STD 50,264 14.81 353,550 12.98 0.2332 54.6
2 A319-100 std 268,124 14.78 136,817 10.62 0.0343 35.5
3 B737-300 135,137 14.79 134,639 11.01 0.3273 38.3
4 B747-400 26,352 14.82 848,222 13.55 0.3105 60.0
5 B767-200 RR 122,316 14.79 383,570 12.41 0.1272 49.7
6 B777-200 RR 155,472 14.79 636,945 13.60 0.0446 60.5
7 DC8-63 70,572 14.80 319,394 12.57 0.3496 51.0 Total CDF = 1.4267 Results Table 3. Rigid ACN at Indicated Gross Weight and Strength No. Aircraft Name Gross % GW on Tire ACN ACN on Weight Main Gear Pressure Thick B(295) 364,747 94.00 216.1 13.24 57.1 141,978 92.60 172.6 10.84 37.1 140,000 90.86 201.0 11.25 40.1 877,000 93.32 200.0 13.85 63.0 396,000 90.82 190.0 12.67 51.9 657,000 91.80 205.0 13.92 63.6 330,000 96.12 196.0 12.84 53.4 1 A300-B4 STD 2 A319-100 std 3 B737-300 4 B747-400 5 B767-200 ER 6 B777-200 ER 7 DC8-63

C.8.1.3 Figure C-14 shows the shows the results of the COMFAA Batch PCN Rigid calculations. The top portion of Figure C-14 (Results Table 1) shows the required thickness using the thickness design in accordance with the FAA Westergaard method for a concrete payement with subgrade k-value of 287 pci. Note that the thickness requirements for several traffic aircraft are within about an inch of the evaluation pavement thickness (14.5 in). When the thickness of individual aircraft is close to the evaluation thickness most likely the thickness needed to accommodate the fleet will be more than the evaluation thickness resulting in a PCN of the most demanding aircraft being less than its ACN. The middle portion of Figure C-14 shows the results of the detailed method based on the cumulative damage factor (CDF) procedure that allows the calculation of the combined effect of multiple aircraft in the traffic mix. The numerical values in the CDF column represent damage to a 14.5-in. thick rigid pavement on an equivalent subgrade with k = 287 pci for each aircraft in the list. The total CDF represents the combined damage from this traffic. Total CDF exceeds 1 in this case, indicating that the pavement is under-designed for the given traffic. Taking each aircraft in turn as the critical aircraft, the program computes total equivalent coverages (based on a CDF analysis), the corresponding thickness for the total equivalent coverages (which is greater than the required thickness for the individual aircraft shown in Results Table 1), and a maximum allowable gross weight. The ACN of the aircraft at the maximum allowable gross weight, at the appropriate ICAO standard k-value, is computed and reported in Results Table 2 as the PCN (last column). The PCN for this pavement can be reported as the highest PCN in the PCN column. Based on the information in Figure C-14, the airport may report a PCN of 61/R/B/W/T. Note that the W code should be used for the tire pressure category because this is a rigid pavement.

- C.8.1.4 Referring to the CDF calculation results shown in Results Table 2 of Figure C-14, the A319-100 std and the B777-200 contribute the least to the cumulative damage on this pavement. However, the required thickness in Column 3 of Results Table 2 is consistently greater than the evaluation thickness. This indicates that the pavement does not have sufficient strength to accommodate all existing traffic. The ACNs (Results Table 3) for several aircraft exceed the pavement PCN and the airport should plan for a pavement strengthening project or consider placing restrictions on some aircraft.
- C.8.1.5 The following notes apply when total CDF > 1:
 - 1. At least one ACN value in Results Table 3 will be greater than all of the PCN values in Results Table 2.
 - 2. For all aircraft, the thickness for total equivalent coverages (Column 3 in Results Table 2) will exceed the evaluation pavement thickness for the input subgrade *k*-value.

3. One aircraft in the list will have the greatest thickness requirement for total equivalent coverages, and this "PCN thickness" value will be less than at least one ACN thickness value in Results Table 3.

- 4. A project to strengthen the pavement to support forecast traffic is required.
- 5. An overload analysis should be performed.

C.8.2 Rigid Pavement Example 2 (Total CDF<1).

C.8.2.1 This second example has the same traffic and other input parameters as the first, except the slab thickness is increased by 0.5 inches to 15 inches. As shown in Figure C-15, the equivalent *k*-value is the same as Example 1.

Figure C-15. Screen Shot of Rigid PCN Tab in COMFAA Support Spreadsheet for Computing Equivalent Pavement Structure in Rigid Example 2




Figure C-16. Detailed COMFAA Batch PCN Output – Rigid Example 2

```
k Value = 287.0 lbs/in^3 (Subgrade Category is B(295))
                                         flexural strength = 650.0 psi
                      Evaluation pavement thickness = 15.00 in
             Pass to Traffic Cycle (PtoTC) Ratio = 1.00
                Maximum number of wheels per gear = 6
           Maximum number of gears per aircraft = 4
Results Table 1. Input Traffic Data
                                       Gross Percent
                                                                                 Annual
                                                                    Tire
                                                                                                    20-vr
                                                                                                                     6D
                                      Weight Gross Wt Press
                                                                                  Deps Coverages Thick
 No. Aircraft Name
 1 A300-B4 STD 364,747 94.00 216.1 1,500 8,217 13.24 2 A319-100 std 141,978 92.60 172.6 1,200 6,443 11.84 3 B737-300 140,000 90.86 201.0 6,000 31,003 13.59 4 B747-400 877,000 93.32 200.0 1,000 5,735 13.44 5 B767-200 KR 396,000 90.82 190.0 2,000 10,907 12.80 6 B777-200 KR 657,000 91.80 205.0 1,000 4,861 11.98 7 DC8-63 330,000 96.12 196.0 3,000 17,291 13.61
Results Table 2. PCN Values
                                Critical Thickness
Aircraft Total for Total
                                                                                     Maximum
                                                                                                         ACN Thick at
                                                                                  Allowable Max. Allowable
                                                                                                                                              PCM on
                                  Equiv. Covs. Equiv. Covs. Gross Weight Gross Weight CDF B(295)
 No. Aircraft Name
  ------
 1 A300-B4 STD 49,717 14.80 372,178 13.42 0.1311 58.8
2 A319-100 std 280,968 14.82 145,308 10.98 0.0182 38.1
3 B737-300 138,304 14.81 143,473 11.40 0.1778 41.3
4 B747-400 25,491 14.79 896,164 14.05 0.1784 64.9
5 B767-200 BR 124,753 14.81 403,882 12.84 0.0693 53.4
6 B777-200 BR 159,887 14.81 670,392 14.13 0.0241 65.7
7 DC8-63 70,626 14.80 336,937 13.02 0.1942 55.0
                                                                                                        Total CDF = 0.7931
Results Table 3. Rigid ACN at Indicated Gross Weight and Strength
No. Aircraft Name Gross % GW on Tire ACN
                                                                                                      ACN on
                                         Weight Main Gear Pressure
                                                                                        Thick B(295)
 1 A300-B4 STD 364,747 94.00 216.1 13.24 57.1 2 A319-100 std 141,978 92.60 172.6 10.84 37.1 3 B737-300 140,000 90.86 201.0 11.25 40.1 4 B747-400 877,000 93.32 200.0 13.85 63.0 5 B767-200 ER 396,000 90.82 190.0 12.67 51.9 6 B777-200 ER 657,000 91.80 205.0 13.92 63.6 7 DC8-63 330,000 96.12 196.0 12.84 53.4
```

C.8.2.2 Figure C-16 shows the detailed results from COMFAA. In this case it is seen that the pavement has sufficient strength to support the traffic mix. Results Table 1 (top portion of Figure C-16) shows the required thickness for each aircraft according to the FAA Westergaard method for a concrete pavement with subgrade *k*-value of 287 pci. Note that the individual thickness requirements for all aircraft are less than the evaluation pavement thickness of 15.0 inches. Since thickness required for individual aircraft are all less than the evaluation thickness the pavement should have sufficient capacity to accommodate the entire fleet. However, the results from the cumulative damage factor (CDF) procedure are needed for confirmation.

C.8.2.3 Results Table 2 (middle portion of Figure C-16) shows the results of the detailed method based on the CDF procedure that allows the calculation of the combined effect of multiple aircraft in the traffic mix. Each aircraft in turn is treated as the critical aircraft. For each aircraft, the CDF analysis calculates a maximum allowable gross weight, equivalent coverage level, and corresponding thickness at the evaluation thickness (15.0 in.) and support conditions (287 pci). The total CDF is less than 1 (0.7931) in this case, indicating that there is adequate strength to handle the forecast traffic. The PCN for this pavement can be reported as the highest PCN in the PCN column. Based on the information in Figure C-16, the airport may report a PCN of 66/R/B/W/T. Note that the W code should be used for the tire pressure category because this is a rigid pavement.

- C.8.2.4 Values in Results Table 3 are identical to the corresponding values in Results Table 3 for Example 1. This is because the operating aircraft load data are the same in both examples. All aircraft in the traffic mix have ACNs at their operating weights less than the reported PCN, hence no operating restrictions are needed.
- C.8.2.5 The following notes apply when total CDF < 1:
 - 1. For all aircraft, the thickness for total equivalent coverages (Results Table 2, Column 3) will be the less than the COMFAA evaluation thickness.
 - 2. All maximum allowable gross weights in Results Table 2 will be greater than the corresponding COMFAA input gross weights in Results Table 1 and the ACN weights in Results Table 3.
 - 3. At least one of the PCN values in Results Table 2 will be greater than all ACN values in Results Table 3.

C.8.3 <u>Rigid Pavement Example 3.</u>

- C.8.3.1 This example is the same as Example 2, except that the taxiway has a central configuration rather than parallel, such as that shown in Figure A-1b. It is still assumed that additional fuel is obtained before departure. Referring to Table C-9, the P/TC ratio changes from 1 to 2. The change results in double the number of coverages for each aircraft in the traffic mix as shown in Results Table 1 of Figure C-17. As expected, the required total pavement thickness for each aircraft in the traffic mix has increased. Note that the thickness requirements for several traffic aircraft are within about an inch of the evaluation pavement thickness (15.0 in), indicating that the pavement strength may be inadequate for the increased number of coverages.
- C.8.3.2 Column 3 of Results Table 2 shows that each aircraft requires a thickness greater than the evaluation thickness when using the CDF method. It is apparent the pavement is not adequate to accommodate double the coverages of the existing traffic. As expected, changing the taxiway system from parallel to central has lowered the PCN of the pavement. The airport

may report 60/R/B/W/T. The ACN of two aircraft exceed the pavement PCN and the airport should plan for a pavement strengthening project or consider placing restrictions on those aircraft. The net effect of the change in taxiway configuration from that of Example 2 is the reduction in PCN by 6.

C.8.3.3 As an alternate way of looking at the effect of a parallel versus central taxiway effects, consider how the pavement life would change instead of the PCN. If the reported PCN from this example were to remain at 66/R/B/W/T, then the pavement life would be reduced by 50%. This is due to the change in the P/TC ratio, which effectively doubled the number of loadings. A similar effect would be noticed if fuel was not obtained at the airport. With a P/TC ratio of 3, the PCN is reduced further and the pavement life would be one-third the pavement life of the pavement with the original traffic assumptions given for example 2.

Figure C-17. Detailed COMFAA Batch PCN Output – Rigid Example 3

						ubgrade Cat	egory is	B(295))	
		flexural st	-	_					
		ion pavement thi			n				
	Pass to Traff	ic Cycle (PtoTC)	Ratio =	2.00					
	W			_					
		ber of wheels pe	-						
	maximum number	of gears per ai	rcrait =	4					
Desi	ults Table 1. Input	Troffic Doto							
resc	arcs rable 1. impud	Gross Per	cent T	'iro	ànnua l	20-22	6D		
Mo	Aircraft Name					-			
	. Allcialo Name								
1	A300-B4 STD	364,747 94	.00 2	16.1	1,500	16,434	13.84		
2	A319-100 std	141,978 92	.60 1	.72.6	1,200	12,885	12.39		
3	A319-100 std B737-300 B747-400 B767-200 ER	140,000 90	.86 2	01.0	6,000	62,007	14.15		
4	B747-400	877,000 93	.32 2	:00.0	1,000	11,470	14.07		
5	B767-200 ER	396,000 90	.82 1	.90.0	2,000	21,813 9,722	13.37		
6	B777-200 KR	657,000 91	80 2	05.0	1,000	9,722	12.54		
7	DC8-63	330,000 96	.12 1	.96.0	3,000	34,581	14.20		
Resu	alts Table 2. PCN V								
		Critical Aircraft Total	Thick	ness	Maximum	ACN T	hick at		
									PCN on
No.	Aircraft Name	Equiv. Covs.							
1	A300-B4 STD	99 435				 8 1			
		561 937	15	36	135 508	8 1	0.57	0.0364	35 1
3	A319-100 std B737-300	276 609	15	38	133 32/	5 1	n 95	0.3556	35.1 37.9
	B747-400	276,609 50,983 249,506 319,773	15.	42	841.13	7 1	3.48	0.3569	59.3
	B767-200 ER	249.506	15.	38	380.28	5 1	2.34	0.1387	49.1
	B777-200 ER	319.773	15.	38	632.02	7 1	3.52	0.0482	59.7
	DC8-63	141.252	15.	39	316.78	7 1	2.50	0.3883	
		,			,		CDF =		
Resu	ults Table 3. Rigid	ACN at Indicate	d Gross W	Jeight a	nd Strengtl	h			
	Aircraft Name								
		Weight Ma							
L		_							
1	A300-B4 STD	364,747	94.00	216.1	13.24	57.1			
2									
3	A319-100 std B737-300	140,000	90.86	201.0	11.25	40.1			
4	B747-400	877,000	93.32	200.0	13.85	63.0			
	B767-200 KR	396,000	90.82	190.0	12.67	51.9			
6	B777-200 ER	657,000	91.80	205.0	12.67 13.92	63.6			
7	DC8-63	330,000	96.12	196.0	12.84	53.4			
1		•							

C.8.4 Rigid Pavement Example 4 (Total CDF<<1).

C.8.4.1 This example demonstrates a consistent method of reporting PCN for rigid pavements that are extremely strong with respect to the input traffic. This situation may arise, for example, where an existing rigid pavement is given a HMA overlay for non-structural reasons. Assume that the rigid pavement in Example 1 receives a 5-in P-401 HMA overlay. Using the Rigid PCN tab of the COMFAA Support Spreadsheet (Figure C-18), the evaluation thickness is 16.5 inches versus 14.5 inches prior to the overlay. The traffic for this example is given in Table C-7, and all other input values are as in Example 1.

Table C-8. Input Traffic Data for Rigid Example 4

No.	Aircraft Name	Gross Weight, lbs.	Percent GW on Main Gear	Tire Pressure, psi	Annual Departures
1	A300-B4 STD	364,747	94.00	216.1	400
2	A319-100 STD	141,978	92.60	172.6	300
3	B737-300	140,000	90.86	201.0	1,500
4	B747-400	877,000	93.32	200.0	200
5	B767-200 ER	396,000	90.82	190.0	500
6	B777-200 ER	657,000	91.80	205.0	320
7	DC8-63	330,000	96.12	196.0	750

Figure C-18. Screen Shot of Rigid PCN Tab in COMFAA Support Spreadsheet for Computing Equivalent Pavement Structure in Rigid Example 4




Figure C-19. Detailed COMFAA Batch PCN Output – Rigid Example 4 (unadjusted)

```
k Value = 287.0 lbs/in^3 (Subgrade Category is B(295))
                                    flexural strength = 650.0 psi
                   Evaluation pavement thickness = 16.50 in
           Pass to Traffic Cycle (PtoTC) Ratio = 1.00
              Maximum number of wheels per gear = 6
          Maximum number of gears per aircraft = 4
Results Table 1. Input Traffic Data
                                                                                        20-yr
                                                                                                      6D
                                   Gross
                                             Percent
                                   Weight Gross Wt Press
                                                                        Deps Coverages Thick
No. Aircraft Name
      .....
 1 A300-B4 STD 364,747 94.00 216.1 400 2,191 12.48

2 A319-100 std 141,978 92.60 172.6 300 1,611 11.24

3 B737-300 140,000 90.86 201.0 1,500 7,751 12.45

4 B747-400 877,000 93.32 200.0 200 1,147 12.72

5 B767-200 ER 396,000 90.82 190.0 500 2,727 11.93

6 B777-200 ER 657,000 91.80 205.0 320 1,556 11.57

7 DC8-63 330,000 96.12 196.0 750 4,323 12.49
Results Table 2. PCN Values
                           Critical Thickness
Aircraft Total for Total
                                                                                            ACN Thick at
                                                                          Maximum
                                                                                         Max. Allowable
                                                                                                                             PCN on
                                                                          Allowable
                             Equiv. Covs. Equiv. Covs. Gross Weight Gross Weight CDF
No. Aircraft Name
                                                                                                                            B(295)
  .....
 1 A300-B4 STD 11,697 13.54 487,831 16.06 0.0062
2 A319-100 std 78,605 13.81 198,394 13.03 0.0007
3 B737-300 36,045 13.71 197,844 13.61 0.0071
4 B747-400 5,610 13.42 1,202,217 17.10 0.0068
5 B767-200 ER 32,180 13.69 527,343 15.33 0.0028
6 B777-200 ER 42,279 13.73 857,882 17.04 0.0012
7 DC8-63 17,210 13.60 441,572 15.59 0.0083
                                                                                                                              55 1
                                                                                                                              60.5
                                                                                                                              99.3
                                                                                                                              78.3
                                                                                                                             98.6
                                                                                            15.59 0.0083
Total CDF = 0.0331
                                                                                                                           81.3
Results Table 3. Rigid ACN at Indicated Gross Weight and Strength
 No. Aircraft Name Gross % GW on
                                                                                          ACN on
                                    Weight Main Gear Pressure
                                                                              Thick
                                                                                         B(295)
 ______
 1 A300-B4 STD 364,747 94.00 216.1 13.24 57.1 2 A319-100 std 141,978 92.60 172.6 10.84 37.1 3 B737-300 140,000 90.86 201.0 11.25 40.1 4 B747-400 877,000 93.32 200.0 13.85 63.0 5 B767-200 ER 396,000 90.82 190.0 12.67 51.9 6 B777-200 ER 657,000 91.80 205.0 13.92 63.6 7 DC8-63 330,000 96.12 196.0 12.84 53.4
                                 330,000 96.12 196.0
```

C.8.4.2 Figure C-19 shows the COMFAA output when PCN is computed using the evaluation thickness 16.5 in. and P/TC=1. For the overlaid pavement subject to the forecast traffic, total CDF is much less than 1 (total CDF= 0.0331), indicating that the 20-year traffic mix causes insignificant damage to the pavement. Similarly, the largest value of thickness for total equivalent coverages in Results Table 2 is much less than the COMFAA evaluation thickness at the evaluation *k*-value. Hence, it may be necessary to use an unrealistic allowable gross weight for the critical aircraft to compute PCN. Using the regular COMFAA procedure without adjustment, the airport could report PCN=99/R/B/X/T for this pavement. However, this PCN is based on an unrealistically high allowable gross weight for the B747-400 (1,202,217 lbs.).

C.8.4.3 The regular COMFAA procedure given in section 2.3 is most suitable when the total CDF > 0.15. When the procedure results in CDF < 0.15, as in this example, the FAA recommends adjusting the input traffic such that the PCN is reported for a total CDF = 0.150. Rather than modifying the COMFAA external aircraft file, the P/TC ratio can be used to obtain total CDF=0.150 as follows.

- 1. Perform a PCN Rigid Batch operation using the appropriate P/TC ratio based on the criteria in Appendix A.
- 2. Note the value of Total CDF in Results Table 2.
- 3. Multiply the original value of P/TC ratio by the factor 0.15/Total CDF, where Total CDF is taken from Step 2.
- 4. Enter the new value of P/TC ratio in the P/TC field in COMFAA.
- 5. Repeat the PCN Rigid Batch operation with the new value of P/TC ratio. This will result in a new Total CDF equal to or close to 0.15.
- 6. Note that the maximum value of P/TC ratio allowed in COMFAA is 10. This should be sufficient in most cases. However, if the value computed in Step 3 exceeds 10, increasing the annual departures of all input aircraft by a factor of 10 and repeating steps 1 through 5 will generally result in Total CDF=0.150.
- C.8.4.4 Figure C-20 shows a re-analysis of the overlaid pavement using an adjusted value of the P/TC ratio equal to $1 \times 0.15 / 0.0331 = 4.532$. As indicated in Results Table 2, the adjusted Total CDF = 0.15. The airport can report PCN=83/R/B/X/T or 83/R/B/W/T at Total CDF=0.150, based on a more reasonable maximum allowable gross weight of the B777-200 ER. Results Table 3 shows that all aircraft in the existing mix operate at ACNs much lower than the reported PCN. There is no need to report a PCN higher than 83.

Figure C-20. Detailed COMFAA Batch PCN Output – Rigid Example 4 (with adjustment to P/TC ratio to force Total CDF = 0.15)

k Value = 287.0 lbs/in^3 (Subgrade Category is B(295)) flexural strength = 650.0 psi Evaluation pavement thickness = 16.50 in Pass to Traffic Cycle (PtoTC) Ratio = 4.53 (non-standard) Maximum number of wheels per gear = 6 Maximum number of gears per aircraft = 4 Results Table 1. Input Traffic Data Gross Percent Tire 20-yr Weight Gross Wt Press Deps Coverages Thick No. Aircraft Name 1 A300-B4 STD 364,747 94.00 216.1 400 9,930 13.40 2 A319-100 std 141,978 92.60 172.6 300 7,300 11.94 3 B737-300 140,000 90.86 201.0 1,500 35,127 13.69 4 B747-400 877,000 93.32 200.0 200 5,198 13.36 5 B767-200 ER 396,000 90.82 190.0 500 12,357 12.90 6 B777-200 ER 657,000 91.80 205.0 320 7,050 12.27 7 DC8-63 330,000 96.12 196.0 750 19,590 13.71 Results Table 2. PCN Values Critical Thickness Maximum Aircraft Total for Total Allowable ACN Thick at Maximum Max. Allowable PCN on Equiv. Covs. Equiv. Covs. Gross Weight Gross Weight CDF B(295) No. Aircraft Name ______ 53,012 14.85 422,581 14.60 0.0281 70.5 356,237 15.00 169,542 11.95 0.0031 45.7 1 A300-B4 STD 2 A319-100 std
 356,237
 15.00
 169,542
 11.95
 0.0031

 163,356
 14.95
 168,242
 12.44
 0.0323

 25,424
 14.79
 1,044,448
 15.56
 0.0307

 145,838
 14.94
 459,691
 13.98
 0.0127

 191,606
 14.96
 772,114
 15.72
 0.0055

 77,997
 14.89
 386,745
 14.27
 0.0377
 3 B737-300 49.9 4 B747-400 80.9 5 B767-200 ER 6 B777-200 ER 64.2 82.7 7 DC8-63 67.1 Total CDF = 0.1501 Results Table 3. Rigid ACN at Indicated Gross Weight and Strength No. Aircraft Name Gross % GW on Tire
Weight Main Gear Pressure ACN ACN on Thick B(295) ______ 94.00 216.1 13.24 57.1 92.60 172.6 10.84 37.1 1 A300-B4 STD 364,747 2 A319-100 std 141,978 140,000 90.86 201.0 11.25 877,000 93.32 200.0 13.85 396,000 90.82 190.0 12.67 657,000 91.80 205.0 13.92 3 B737-300 40.1 4 B747-400 63.0 5 B767-200 KR 51.9 6 B777-200 ER 63.6 196.0 7 DC8-63 330,000 96.12 12.84 53.4

Page Intentionally Blank

APPENDIX D. PAVEMENT OVERLOAD EVALUATION BY THE ACN-PCN SYSTEM

D.1 ICAO Pavement Overload Evaluation Guidance.

- D.1.1 In the life of a pavement, it is possible that either the current or the future traffic will load the pavement in such a manner that the assigned pavement rating is exceeded. ICAO provides a simplified method to account for minor pavement overloading in which the overloading may be adjusted by applying a fixed percentage to the existing PCN.
- D.1.2 The ICAO procedure for overload operations is based on minor or limited traffic having ACNs that exceed the reported PCN. Loads that are larger than the defined PCN will shorten the pavement design life, while smaller loads will use up the life at a reduced rate. With the exception of massive overloading, pavements do not suddenly or catastrophically fail. As a result, occasional minor overloading is acceptable with only limited loss of pavement life expectancy and relatively small acceleration of pavement deterioration.
- D.1.3 The following guidelines are recommended when evaluating overloads:
 - For flexible pavements, occasional traffic cycles by aircraft with an ACN not exceeding 10 percent above the reported PCN should not adversely affect the pavement. For example, a pavement with PCN=60 can support some limited traffic of aircraft with ACN=66.
 - For rigid or composite pavements, occasional traffic cycles by aircraft with an ACN not exceeding 5 percent above the reported PCN should not adversely affect the pavement. For example, a pavement with PCN=60 can support some limited traffic of aircraft with ACN=63.
 - The annual number of overload traffic cycles should not exceed approximately 5 percent of the total annual aircraft traffic cycles. There is no exact guidance for choosing a number of operations that represents 5 percent. For consistency, the FAA recommends using 500 coverages of aircraft with ACN=1.1xPCN for flexible pavements ACN=1.05xPCN for rigid pavements. The PCN is 10,000 coverages of an aircraft with a derived ACN=PCN when CDF=1, five percent of this total equivalent operations is 500 coverages.
 - Overloads should not normally be permitted on pavements already exhibiting signs of distress, during periods of thaw following frost penetration, or when the strength of the pavement or its subgrade could be weakened by water.
 - When overload operations are conducted, the airport owner should regularly inspect
 the pavement condition. Periodically the airport owner should review the criteria
 for overload operations. Excessive repetition of overloads can cause in a significant
 reduction in pavement life or accelerate when a pavement will require a major
 rehabilitation.

D.1.4 These criteria provide consistent, repeatable process the airport owner can use to monitor the impact of these overload operations on the pavement in terms of pavement life reduction or increased maintenance requirements. This appendix discusses methods for making overload allowances for both flexible and rigid pavements that will clearly indicate these effects and will give the authority the ability to determine the impact both economically and in terms of pavement life.

D.2 Overload Guidance.

- D.2.1 The overload evaluation guidance in this appendix applies primarily to flexible and rigid pavements that have PCN values that were established by the technical method. Pavements that have ratings determined by the using aircraft method can use the overload guidelines provided very frequent pavement inspection procedures are followed. The procedures presented here rely on the COMFAA program.
- D.2.2 The adjustments for pavement overloads start with the assumption that some of the aircraft in the traffic mix have ACNs that exceed the PCN. If the steps outlined in Appendix C have been followed for the technical method, then most of the necessary data already exists to perform an examination of overloading.
- D.2.3 The recommended PCN is not adequate for the traffic mix when the Total CDF>1. Airports have three options when evaluating what pavement strength rating to publish:
 - 1. Let the PCN remain as derived from the technical evaluation method, but retain local knowledge that there are some aircraft in the traffic mix that can be allowed to operate with ACNs that exceed the published PCN or at a reduced weight to not exceed the PCN.
 - 2. Provide for an increased PCN by adding an overlay or by reconstruction to accommodate aircraft with higher ACNs.
 - 3. Adjust the PCN upward to that of the aircraft with the highest ACN, but recognize the need to expect possible severe maintenance. This will result in earlier and increased costs for reconstruction or overlay projects.


D.3 Adjustments for Flexible Pavement Overloads.

D.3.1 First Option.

The first option requires that the airport owner is constantly aware of the composition of the entire traffic mix in terms of operating gross weights and loading frequency. If the traffic mix has changes that affect the factors involved in developing a technically based PCN, then the PCN will need to be adjusted to reflect the changes. The airport authority will also have to internally make allowance for or prevent aircraft operations that exceed the PCN. A consistent method to determine when aircraft ACN and frequency exceed allowable overloads is presented in the following paragraphs.


D.3.1.1 For flexible pavement example Total CDF>1. The B-747-400 has the highest CDF-PCN combination. The traffic aircraft with the highest CDF-PCN combination is the basis for overload analysis. The PCN=68.9 and the traffic mix is equivalent to 10,000 coverages of a B747-400 with a gross weight, MGW=847,310 lbs. on a 37.8 in. pavement with CBR = 6. Aircraft with PCN=(1.1x68,9)=75.8 can operate at 500 coverages total with minimal impact on the load carrying capacity. The gross weight of a B747-400 at ACN=75.8 is the MGW from COMFAA using 10,000 coverages, 39.65 in., and CBR=6.

Figure D-1. CDF-PCN Results for the B-747-100 – Flexible Pavement Overload Option One



D.3.1.2 COMFAA MGW results at 39.65 in., CBR=6 for the B747-400 traffic aircraft is MGW=901,739 lbs. COMFAA Batch ACN results confirm that increasing MGW from 847,310 lbs. to 901,739 lbs. increases ACN 10 percent.

Figure D-2. COMFAA Batch ACN Results – Flexible Pavement Overload Option One



D.3.1.3 COMFAA PCN results with 500 coverages of the aircraft with 10 percent higher ACN confirms minor impact on this flexible pavement. However, the PCN=74.8, which is less than ACN=75.8. Overloads are occurring at the input traffic gross weight and frequency.


Figure D-3. COMFAA Batch PCN Results - Flexible Pavement Overload Option One

CBR	CBR = 6.00 Subgrade Category is C(6), Thickness = 37.80 in												
Res	Results Table 1. Input Traffic Data												
	Gross Percent Tire Annual 20-yr 6D												
No.	Aircraft Name	Weight Gros	ss Wt Press	Deps Co	overages	Thick							
1	B747-400orig	847,310 93.	.32 200.0	887	10,000	37.80							
2	B747-400		.32 200.0	43	500	30.62							
Res	ults Table 2. PCN	Values											
		Critical	Thickness	Maximum	ACN Th	ick at							
		Aircraft Total	for Total	Allowable	Max. Al	lowable		PCN on					
No.	Aircraft Name	Equiv. Covs.	Equiv. Covs.	Gross Weight	Gross	Weight	CDF	C(6)					
1	B747-400orig	11,022	38.02	840,892	37	. 58	0.9980	68.1					
2	B747-400	5,390	38.06	893,804	39	.38	0.1020	→ 74.8					
				Total CDF>	1 Total	CDF =	1.1000						

D.3.2 Second Option.

The second option alleviates the problems discussed for the first option, but it does require additional expense to bring the pavement up to the strength required by the combination of aircraft in the traffic mix. The two inch overlay increases the PCN from 68.9 to 96.9, providing added pavement strength allows operations at current levels and weights until the overlay project is programmed.

Figure D-4. COMFAA PCN Results – Flexible Pavement Overload Option Two



D.3.3 Third Option.

The third option has the benefit of allowing all aircraft in the traffic mix to operate as necessary. However, by increasing the PCN, which only implies higher pavement

Figure D-5. CDF-PCN Results – Flexible Pavement Overload Option Three

	esults Table 1. put Traffic Dat Aircraft Name	Gross	Total 1.6392 Annual Deps	CDF 1.1001 Annual Deps
1	A300-B4 STD	364,747	1,500	1,007
2	A319-100 std	141,978	1,200	805
3	B737-300	140,000	6,000	4,026
4	B747-400	877,000	1,000	671
5	B767-200 ER	396,000	2,000	1,342
6	B777-200 ER	657,000	1,000	671
7	DC8-63	330,000	3,000	2,013

strength, the pavement life will be reduced by an estimated 40 percent.

COMFAA can be used to analyze the sensitivity of the traffic characteristics on the pavement. In the example the Total CDF=1.6392 for input traffic and Total CDF=1.10 at overload level. Setting P/TC ratio to 1.10/1.6392 shows how limiting the CDF to 1.1. reduces the Annual Departures.


D.4 Adjustments for Rigid Pavement Overloads.

D.4.1 First Option.

The first option requires that the airport authority be constantly aware of the composition of the entire traffic mix in terms of operating gross weights and loading frequency. If the traffic mix has changes that affect the factors involved in developing a technically based PCN, then the PCN will need to be adjusted to reflect the changes. The airport authority will also have to internally make allowance for or prevent aircraft operations that exceed the PCN. A consistent method to determine when aircraft ACN and frequency exceed allowable overloads is presented in the following paragraphs.


D.4.1.1 For rigid pavement example Total CDF>1. The B-747-400 has the highest CDF-PCN combination. The traffic aircraft with the highest CDF-PCN combination is the basis for overload analysis. The PCN=59.4 and the traffic mix is equivalent to 10,000 coverages of a B747-400 with a gross weight, MGW=841,758 lbs. on a 13.49 in. pavement with k-value=295 pci. Aircraft with PCN=(1.05x59.4)=62.4 can operate at 500 coverages total with minimal impact on the load carrying capacity. The gross weight of a B747-400 at ACN=62.4 is the MGW from COMFAA using 10,000 coverages, 13.49 in., and k-value=295 pci.

Figure D-6. CDF-PCN Results for the B-747-400 – Rigid Pavement Overload Option One



D.4.1.2 COMFAA MGW results at 13.8 in., and k-value=295 pci for the B747-400 traffic aircraft is MGW=871,000 lbs. COMFAA Batch ACN results confirm that increasing MGW from 841,758 lbs. to 871,000 lbs. increases ACN 5 percent.

Figure D-7. COMFAA Batch ACN Results – Rigid Pavement Overload Option One



D.4.1.3 COMFAA PCN results with 500 coverages of the aircraft with 5 percent higher ACN confirms minor impact on this rigid pavement. However, the PCN=62.0, which is less than ACN=63.6. Overloads are occurring at the input traffic gross weight and frequency.

Figure D-8. COMFAA PCN Results - Rigid Pavement Overload Option One

Results Table 1. Aircraft	Gross		Tire Press	Annual Deps	,-	6D Thick	
B747-400 orig B747-400 105pct			200.0 200.0	1,779 87	•	13.48 12.24	
Airc	itical raft Total	Thickness	al Allot	able	ACN Thick at Max. Allowable Gross Weight		PCN on B(295)
B747-400 orig 1 B747-400 105pct	•	13.54	867,	.181	13.44 13.75 Total CDF =	0.9843 0.070 - 1.0543	62.0

D.4.2 <u>Second Option</u>.

The second option alleviates the problems discussed for the first option, but it does require additional expense to bring the pavement up to the strength required by the combination of aircraft in the traffic mix. The five-inch flexible overlay is converted to an additional two inches of rigid pavement. The PCN increases from PCN=63.6 to PCN= 98.1. Providing added pavement strength allows operations at current levels and weights until the overlay project is programmed.

Pavement Layers Thickness ACN Thick at Existing Equivalent Allowable Max. Allowable PCN on P-401 Overlay(s) 5.0 Pavement Pavement. Aircraft Gross Weight Gross Weight CDF B(295) P-501 14.5 Overlay A300-B4 STD 485,122 0.0069 P-501 flex Flexural strength 650.0 A319-100 stc 196,884 12.98 0.0007 54.6 650.0 psi 10 P-501 flex B737-300 196,092 13.54 0.0075 59.9 P-401 and/or P-403 4.0 B747-400 1,192,659 17.01 0.0075 98.1 650.0 psi 0.0 P-306 B767-200 ER 524,353 18.27 0.0031 77.7 Stabilized k=281.0 850,329 B777-200 ER 16.92 0.0014 97.1 0.0 € P-304 DC8-63 438,214 15.51 0.0091 80.4 P-401 P-209 Crushed Total CDF = 0.0362 6.0 k=207.0 P-209 Total CDF<<1 P-208 and/or P-211 6.0 6 GW on Aircraft Name Gross Tire ACN ACN on k= 145.0 P-301 0.0 B(295) Weight Main Gear Pressure Thick P.208 P-154 0.0 B747-400 877,000 93.32 200.0 13.85 63.0 B777-200 ER 657,000 91.80 205.0 13.92 - 63.6 Subgrade k-value 100.0

Figure D-9. COMFAA PCN Results -Rigid Pavement Overload Option Two

D.4.3 Third Option.

The third option has the benefit of allowing all aircraft in the traffic mix to operate as necessary. However, by increasing the PCN, which only implies higher pavement

Figure D-10. COMFAA PCN Results – Rigid Pavement Overload Option Three

strength, the pavement life will be reduced by an estimated 40 percent.

k-value=2	81 pci, l	Flex Stre	n=650.0	psi, Th	ick=14.5 in
Traffic Aircraft	Gross Weight	Percent Gross\t	Tire Press	Annual Deps	Annual Deps
A300-B4	364,747	94.00	216.1	1,500	662
A319-100	141,978	92.60	172.6	1,200	821
B737-300	140,000	90.86	201.0	6,000	4,107
B747-400	877,000	93.32	200.0	1,000	685
B767-200	396,000	90.82	190.0	2,000	1,369
B777-200	657,000	91.80	205.0	1,000	685
DC8-63	330,000	96.12	196.0	3,000	2,054
			CDF	-1.5402	CDF=0.9919

COMFAA can be used to analyze the sensitivity of the traffic characteristics on the pavement. In the example the Total CDF=1.5402 for input traffic and Total CDF=1.0543 at overload level. Setting P/TC ratio to 1.0543/1.5402 shows how the additional damage is expressed as an Annual Departure reduction.

APPENDIX E. REPORTING CHANGES TO CERTAIN AIRPORT RUNWAY DATA ELEMENTS

This Advisory Circular affects the following airport runway data.

E.1 Allowable Gross Weight.

Aircraft weight data is reported using this AC based upon the PCN calculated for the pavement being evaluated. With PCN there is not a "design aircraft".

E.1.1 Source of Data.

Runway weight bearing capacity data must be submitted through the FAA Airports Division Regional Office (RO) or FAA Airports District Office (ADO). Information is submitted electronically to the FAA Air Traffic Aeronautical Information Services for publication in FAA Flight Information manuals using the secure web site 5010WEB, monitored by GCR & Associates on behalf the FAA. Currently this data base accepts gross aircraft weight data for single wheel landing gear (S), dual wheel landing gear (D), dual tandem landing gear (2D) and double dual tandem wheel type landing gear (2D/2D2). All other gear types may only be reported with the PCN. Note when reporting PCN it must be all five elements, e.g. 73/F/C/W/T. All changes to Runway Weight Bearing Capacity data must be submitted through the FAA. State airport inspectors may not submit changes to Runway Weight Bearing Capacity Data directly to Aeronautical Information Services for publication. Instead, they must submit the data changes to the RO and ADO for validation, and in turn, the RO or ADO submits changes to Runway Weight Bearing Capacity Data electronically to Aeronautical Information Services using the steps enumerated above on behalf of the State Aviation Agency.

E.1.2 Reporting Allowable Gross Weight.

The allowable gross aircraft weight for each gear configuration that may utilize the subject runway is published on FAA Form 5010. In addition a PCN number should also be published for each Runway at the airport. Note the PCN 'number' to report is the entire PCN string of Pavement Classification Number combined with subgrade category, tire pressure, and method of calculation. A list of PCN-based maximum gross weights for reporting Runway Weight Bearing Capacity Data has been developed. The listing is posted on the FAA website with this AC. Local experience can be considered to report a lower weight, but higher weights are not recommended.

E.2 Pavement Classification Number (PCN).

E.2.1 Source of Data.

The source for Pavement Classification Number (PCN) data is the airport operator. FAA Part 139 airport inspectors and State non-Part 139 airport inspectors are instructed to request PCN data from the airport manager as part of the manager interview before

an airport inspection. If the airport manager has PCN data, the inspector may accept the data for immediate publication in flight information publications; however, if the airport manager does not have PCN data, then the inspector has no PCN data available for publication.

E.2.2 Reporting PCN.

For purposes of airport runway data elements generally published on FAA Form 5010, Airport Master Record, the PCN is a number that expresses the load-carrying capacity of a pavement based on all aircraft traffic that regularly operates on the pavement. The PCN determined earlier (see Appendices 1 through 3) is the PCN to report.

E.3 Assigning Aircraft Gross Weight Data.

E.3.1 Tables E-1 and E-2 summarize the process used to assign allowable aircraft gross weight. Table E-1 shows the flexible ACNs. Table E-2 shows the rigid ACNs. Allowable gross weight is based on aircraft gear configuration as issued in FAA Order 5300.7, Standard Naming Convention for Aircraft Landing Gear Configurations (October 6, 2005), coupled with tire pressure and wheel spacing ranges. The ACN for these standard aircraft results in a recommended maximum gross weight for Runway Weight Bearing Capacity. See Chapter 3 for instructions for using the COMFAA software to determine ACN values under certain conditions. The COMFAA external file will be posted on the FAA website.

Table E-1. Flexible ACN Data Used to Establish Allowable Gross Weight

Results Table 3. Flexible ACN at Indicated Gross Weight and Strength No. Aircraft Name Gross % Gw on Tire Weight Main Gear Pressur Pressure A(15) B(10) C(6) D(3) 5.8 5.2 11.3 17.5 11.8 18.3 23.7 24.8 30.2 36.9 43.2 50.5 51.0 8.8 10.9 15.2 12.9 21.8 24.0 30.7 32.8 37.8 44.5 48.5 52.5 56.8 60.4 65.2 73.5 68.3 76.1 81.7 17.4 13.9 24.2 29.6 35.0 42.9 45.4 56.0 68.1 66.2 80.4 76.2 92.4 85.3 103.8 92.2 96.1 113.8 121.6 46.2 63.1 64.9 85.6 85.9 108.4 131.1 44.4 62.9 62.4 87.4 83.1 113.1 105.9 138.6 38.7 52.5 68.4 86.7 115.4 38.0 52.0 74.1 52.5 97.4 69.0 87.7 121.8

Table E-2. Rigid ACN Data Used to Establish Allowable Gross Weight

Results Table 3. Rigid ACN at Indicated Gross Weight and Strength No. Aircraft Name Gross % GW on Ťire Pressure A(552) B(295) C(147) D(74) Main Gear Weight 1 S-7.5std 7,500 95.00 52.5 2 S-15std 15,000 95.00 60.0 4.3 4.7 4.8 3 S-30std 30,000 95.00 75.0 9.3 10.0 4 S-45std 14.9 45,000 95.00 90.0 15.4 15.8 16.1 21.6 22.1 5 S-60std 60,000 95.00 105.0 21.1 6 S-75std 7 S-90st 75,000 90,000 28.2 95.00 120.0 28.7 29.0 35.2 95.00 135.0 35.6 34.8 35.9 8 S-105std 105,000 95.00 150.0 42.2 42.6 42.9 43.1 120,000 9 S-120std 95.00 165.0 50.0 50.2 50.4 50.5 37,500 50,000 10 D-37.5 95.00 65.0 8.1 11 D-50 95.00 80.0 11.0 13.0 12.1 75,000 20.8 12 D-75 95.00 22.0 110.0 19.4 23.0 100,000 13 D-100 95.00 140.0 28.7 30.3 31.7 32.8 125,000 37.1 39.0 14 D-125 95.00 150.0 35.1 40.4 15 D-150 43.8 95.00 160.0 41.3 46.1 47.9 16 D-175 175,000 95.00 180.0 49.8 52.6 17 D-200 200,000 95.00 200.0 58.6 61.5 225,000 250,000 18 D-225 95.00 220.0 67.4 70.6 73.4 19 D-250 95.00 79.7 240.0 76.4 82.7 100,000 150,000 20 2D-100 21 2D-150 95.00 10.3 18.5 12.2 14.6 16.9120.0 95.00 140.0 22.1 29.6 26.0 200,000 250,000 22 2D-200 95.00 160.0 28.1 33.2 38.5 43.1 2D-250 95.00 170.0 36.6 43.2 49.8 300,000 350,000 400,000 2D-300 95.00 190.0 45.8 53.8 61.7 2D-350 190.0 52.9 95.00 62.4 71.8 26 2D-400 27 2D-450 71.0 95.00 200.0 60.2 81.8 66.3 450,000 78.3 95.00 210.0 90.5 101.0 28 2D-500 29 2D-550 500,000 550,000 95.00 96.6 220.0 83.0 108.5 230.0 72.0 95.00 85.0 99.7 113.0 30 2D/2D2-40 640,000 95.00 210.0 36.2 42.2 49.9 31 2D/2D2-50 800,000 95.00 220.0 49.4 58.4 68.8 960,000 1,120,000 2D/2D2-60 95.00 230.0 64.7 76.5 89.4 100.9 33 2D/2D2-70 95.00 81.9 240.0 96.5 111.7 124.9 34.9 47.3 34 35 3D-40 480,000 95.00 210.0 41.6 53.5 76.7 66.7 3D-50 95.00 59.5 94.0 600,000 220.0 62.9 80.8 103.2 36 3D-60 720,000 95.00 230.0 124.1 80.7 3D-70 840,000 95.00 240.0 104.3 131.4 155.7 38 2D/3D2-40W 800,000 36.75 210.0 31.4 35.1 47.5 1,000,000 2D/3D2-50W 36.75 47.4 220.0 41.5 55.8 36.75 72.5 40 2D/3D2-60W 230.0 53.1 61.5 83.6 41 2D/3D2-70W 42 2D/3D2-40B 43 2D/3D2-50B 36.75 55.75 1,400,000 65.9 77.0 90.7 103.8 240.0 34.0 34.8 42.9 800,000 210.0 1,000,000 55.75 220.0 47.9 76.9 43.3 61.1 1,200,000 1,400,000 55.75 55.75 63.7 82.2 105.9 44 2D/3D2-60B 230.0 52.6 102.2 45 2D/3D2-70B

E.3.2 The data in the tables were used to develop a list of maximum gross weights for Runway Weight Bearing Capacity Data. The listings that correlates gross weights with known PCN values for flexible and rigid pavement (see Appendix F) provide recommended maximum gross weights based on PCN determination.

E.3.3 There will be cases where the gross weight of an aircraft exceeds the gross weight in Tables E-1 and E-2 for a reported PCN determined using the procedures in Appendices 1 through 3. The values in the tables are not as accurate as the gross weights associated with the ACN assigned by the aircraft manufacturer. The reported PCN is the basis for data in the tables, and the airport manager should rely on the reported PCN rather than the gross weight data in the table when the ACN of the departing or landing aircraft is known.

E.3.4 Table E-3 shows the format of the list and brief instructions on its use. The first example shown in the table is for a pavement that supports single, dual, and dual tandem wheel gear aircraft, and the airport can report a PCN of 30 with subgrade category B support. At the intersection of the PCN value with the gear types SW, DW, and DTWS and Subgrade Support Category B, 76,000 pounds is the maximum allowable gross weight for single wheel aircraft, 115,000 pounds is the maximum allowable gross weight for dual wheel aircraft, and 215,000 pounds is the maximum allowable gross weight for dual tandem wheel aircraft. Local experience can be considered to use a lower weight, but higher weights are not recommended.

Table E-3. Excerpt From Listing of Maximum Gross Weight Data

-LEX	IBLE	PCN				RI	GID	PCN				
Airpl	ane g	jross v	veig	ht	(1,000's	lbs)	for (each	Sι	ıbgrade	e Categ	ory B
	SW	DW	DT	W	DDTW	9	SW	DW		DTW	DDTW	
	B(10) B(10) B(1	10)	B(10)	B(295)	B(29	95)	B(295)	B(295)	
PCN												
23	62	9	0 1	80			\$ 4		80	160		
24	64	9	0 1	85			6 6		85	160		
25	*	1	5	90			\$ 9		85	165		
30	76	11:	5 2	15			\$ 0	,	00	190		
35	87	14	0 2	45			91		20	215		
37	91	14	5 2	60	620	1	.5	\	30	225		
40	98	16	0 2	75	660	17	101\	Λ	40	245	630	
45	111	17	5 3	05	720	1	111/	V	160,	265	680	
4^			-! -	^-	7	1 1			0.	^^^	7	
5 5 7	CN =	43RI	3W7	, p	erform	ı st	raig	ht li	ne	interpo	olation	

E.3.5 The second example in the table is for a pavement that supports aircraft with single and dual wheel gear configurations. The pavement has a PCN of 43/R/B/W/T. The gross weights at the intersection of the PCN value for a B category subgrade with each gear type is between PCN values 40 and 45. Straight line interpolation between values is recommended. Single wheel gross weight is 107,000 pounds. Dual wheel gross weight is 152,000. Local experience can be considered to use lower weights, but higher weights are not recommended.

APPENDIX F. MAXIMUM AIRCRAFT GROSS WEIGHT TABLES FOR FAA FORM 5010 REPORTING BASED ON PCN DETERMINATION

Table F-1. Subgrade Strength Category A

FLEXI	BLE PCI	N Subgr	ade Cate	gory A	RIGID PCN Subgrade Category A					
Aircraf	ft gross v	veight (1	,000's lbs): Subgrad	e C	ategory A				
	SW	DW	DTW	DDTW		SW	DW	DTW	DDTW	
	A(15)	A(15)	A(15)	A(15)		A(552)	A(552)	A(552)	A(552)	
PCN										
3	15									
4	18					14				
5	21					17				
6	25	40				21				
7	27	45				23	35			
8	30	45				27	40			
9	33	50				30	45			
10	36	55	95			32	50	100		
12	41	60	110			38	55	115		
13	44	65	120			41	60	120		
14	47	65	125			43	60	125		
15	49	70	130			46	65	135		
16	51	75	140			49	65	140		
17	53	75	145			51	70	145		
18	56	80	150			53	70	150		
19	58	80	160			56	75	155		
20	60	85	165			58	80	160		
25	71	100	195			70	90	190		
30	81	120	230			81	110	220		
34	89	140	260			89	125	245	625	

FLEXI	BLE PC	N Subgr	ade Cate	gory A	RIGID PCN Subgrade Category A					
Aircrat	ft gross v	veight (1	,000's lbs): Subgrad	le C	ategory A				
	sw	DW	DTW	DDTW		SW	DW	DTW	DDTW	
	A(15)	A(15)	A(15)	A(15)		A(552)	A(552)	A(552)	A(552)	
PCN										
35	91	145	265	630		92	130	250	635	
40	102	165	295	700		102	150	275	700	
45	111	185	335	770		112	165	310	765	
48	116	195	355	810		116	175	335	800	
49		195	360	820			175	340	810	
50		200	370	835			180	350	825	
55		220	410	900			195	385	880	
60		240	460	960			210	425	930	
65			520	1015			225	485	980	
70				1065			240		1030	
71				1075			240		1040	
72				1085					1050	
75									1080	

Note: When the PCN falls between two values, use straight line interpolation to determine the allowable gross weight for the gear types.

Table F-2. Subgrade Strength Category B

FLEXI	BLE PC	N Subgra	ade Cate	gory B		RIGID P	CN Subg	rade Cate	gory B
Airplar	ne gross	weight (1	,000's lbs	s): Subgra	de C	ategory B	1		
	SW	DW	DTW	DDTW		SW	DW	DTW	DDTW
	B(10)	B(10)	B(10)	B(10)		B(295)	B(295)	B(295)	B(295)
PCN									
3	15					14			
6	23	35				22			
7	26	40				25	35		
8	29	45	100			28	40		
9	32	50	105			32	45		
10	34	50	110			34	50		

FLEXIBLE PCN Subgrade Category B					RIGID PCN Subgrade Category B				
Airplane gross weight (1,000's lbs): Subgrad					de Category B				
	SW	DW	DTW	DDTW	SW	DW	DTW	DDTW	
PCN	B(10)	B(10)	B(10)	B(10)	B(295)	B(295)	B(295)	B(295)	
11	36	55	120		37	50	100		
12	38	60	125		39	55	105		
13	41	60	130		42	55	110		
14	43	65	135		45	60	115		
16	48	70	150		50	65	130		
18	52	75	160		55	70	140		
20	57	80	170		59	75	150		
22	62	90	180		64	80	160		
24	66	95	190		69	85	165		
25	76	115	215		80	100	190		
30	87	140	245		91	120	215		
35	91	145	260	620	95	130	225		
37	98	160	275	660	101	140	245	630	
40	111	175	305	720	111	160	265	680	
45	116	185	325	755	116	165	280	715	
48		190	335	780		170	290	735	
50		210	370	835		185	325	785	
55		225	400	885		200	355	835	
60			440	935		215	385	880	
65			505	985		230	420	925	
70				1005		235	435	940	
72				1015		240	440	950	
73				1025		240	450	960	
74				1035			455	965	
75				1045			470	975	
76				1055			490	985	
77				1065			515	990	
78				1080				1010	
80								1050	
85								1085	
89			 U- b - t						

Note: When the PCN falls between two values, use straight line interpolation to determine the allowable gross weight for the gear types.

Table F-3. Subgrade Strength Category C

			rade Ca		RIGID PCN Subgrade Category C			
Airplar	_	-		-	ade Category			
	SW	DW	DTW	DDTW	SW	DW	DTW	DDTW
	C(6)	C(6)	C(6)	C(6)	C(147)	C(147)	C(147)	C(147)
PCN								
4	12				13			
6	17				19			
8	22				25			
10	27	40			31	40		
12	32	50			36	50		
13	35	50	100		38	50		
14	37	55	105		41	55	100	
15	40	60	110		44	55	105	
20	52	70	135		56	70	130	
25	64	85	160		68	85	150	
30	76	100	180		79	100	170	
35	87	120	205		90	115	190	
40	99	140	230		100	135	215	
43	106	150	245	625	107	145	230	
45	111	155	255	640	111	150	235	
46	113	160	260	650	113	155	240	
47	115	165	265	660	115	155	245	625
48	116	165	270	670	116	160	250	635
50		170	280	690		165	260	655
55		190	305	735		180	280	700
60		205	330	780		195	305	745
65		220	355	820		205	330	785
70		240	385	860		220	355	830
71		240	390	870		225	360	835
75			415	900		235	385	870
76			420	905		240	390	875
77			425	915		240	395	885
80			440	940			410	910
85			480	975			440	945
88			520	1000			465	970
90				1015			490	985
92				1030			525	1000
95				1050				1025
100				1085				1060
100								1075
102								1075
Note: When the PCN falls between two values, use straight line interpolation to determine the allowable gross weight for the gear types.								

F-4

Table F-4. Subgrade Strength Category D

FLEXI Airplai	FLEXIBLE PCN Subgrade Category D Airplane gross weight (1,000's lbs): Subg					RIGID PCN Subgrade Category D				
	SW	DW	DTW	DDTW	SW	DW	DTW	DDTW		
	D(3)	D(3)	D(3)	D(3)	D(74	1) D(74)	D(74)	D(74)		
PCN										
4					13					
5	13				16					
6	16				19					
8	21				24					
10	26				30	40				
11	29	40			32	45				
12	31	40			35	45				
15	38	50			43	55				
16	40	55			46	55	100			
20	50	65	115		55	70	115			
25	62	80	135		67	80	135			
30	74	95	155		78	95	155			
35	85	110	175		89	110	175			
40	97	125	195		100	130	195			
45	109	145	215		111	145	215			
48	116	155	225		116	155	225			
50		160	235			160	235			
54		170	250			170	250	625		
59		185	270	625		185	270	665		
60		190	275	630		185	275	675		
65		205	295	670		200	295	715		
70		220	320	705		215	320	755		
75		235	340	740		230	345	790		
77		245	350	755		235	350	810		
80			360	780		240	365	830		
85			380	815			390	865		
90			405	850			415	905		
95			425	885			440	940		
100			450	920			475	975		
105			475	960			530	1010		
110			510	995				1045		
113			530	1015				1065		
115				1030				1080		
116				1040				1085		
120				1065						
122				1080						
Note: When the PCN falls between two values, use straight line interpolation to determine the allowable gross weight for the gear types.										

Page Intentionally Blank

APPENDIX G. RELATED READING MATERIAL

The following publications were used during the development of this AC:

- 1. AC 150/5320-6, Airport Pavement Design and Evaluation. The FAA makes this publication available for free on the FAA website at http://www.faa.gov.
- 2. ICAO Bulletin, Official Magazine of International Civil Aviation, Airport Technology, Volume 35, No. 1, Montreal, Quebec, Canada H3A 2R2, January 1980.