


30 Days | Tues May 1, 2018 – Thurs May 31, 2018

### Name's Overlay View week 1

Tue May 1, 2018 - Thurs May 31, 2018

Sun Mon Tue Wed Thu Fri Sat



#### Clinician's Notes

---

---

---

30 Days | Tues May 1, 2018 – Thurs May 31, 2018

# Devices



## Dexcom G6 Mobile App

### CGM ID

Serial Number **Android**  
 Uploaded On **May 31, 2018**  
 Model **G6**

### Alert Settings for Device

#### General

Low	<input checked="" type="radio"/>	100 mg/dL
Low Repeat	<input type="radio"/>	0 min
High	<input checked="" type="radio"/>	200 mg/dL
High Repeat	<input type="radio"/>	0 min
Fall Rate	<input checked="" type="radio"/>	3 mg/dL/min
Rise Rate	<input type="radio"/>	3 mg/dL/min
Urgent Low	<input checked="" type="radio"/>	55 mg/dL
Urgent Low Repeat	<input checked="" type="radio"/>	30 min
Urgent Low Soon	<input checked="" type="radio"/>	55 mg/dL
Urgent Low Soon Repeat	<input checked="" type="radio"/>	30 min
Signal Loss	<input checked="" type="radio"/>	30 min

### Scheduled - Night

Status:   
 Sun, Mon, Tue, Wed, Thu, Fri, Sat  
 12:00 AM - 6:00 AM

Low	<input checked="" type="radio"/>	100 mg/dL
Low Repeat	<input checked="" type="radio"/>	30 min
High	<input checked="" type="radio"/>	200 mg/dL
High Repeat	<input checked="" type="radio"/>	120 min
Fall Rate	<input checked="" type="radio"/>	3 mg/dL/min
Rise Rate	<input type="radio"/>	3 mg/dL/min
Urgent Low	<input checked="" type="radio"/>	55 mg/dL
Urgent Low Repeat	<input checked="" type="radio"/>	30 min
Urgent Low Soon	<input checked="" type="radio"/>	55 mg/dL
Urgent Low Soon Repeat	<input checked="" type="radio"/>	30 min
Signal Loss	<input checked="" type="radio"/>	20 min



## Dexcom G5 Mobile App

### CGM ID

Serial Number **Android**  
 Uploaded On **April 26, 2018**  
 Model **G5**

### Alert Settings for Device

#### General

Low	<input checked="" type="radio"/>	100 mg/dL
Low Repeat	<input type="radio"/>	0 min
High	<input checked="" type="radio"/>	220 mg/dL
High Repeat	<input type="radio"/>	0 min
Fall Rate	<input checked="" type="radio"/>	3 mg/dL/min
Rise Rate	<input type="radio"/>	3 mg/dL/min
Urgent Low	<input checked="" type="radio"/>	55 mg/dL
Urgent Low Repeat	<input checked="" type="radio"/>	30 min
Signal Loss	<input checked="" type="radio"/>	30 min