

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 10/02/2025	APWS Task ID: 0048AEDDCFB9451C857F8A27AA7F1EC8	APWS Project ID: 8A5710120A334AB5BB1D7170ACBE4512
Procedure: RNAV (GPS) RWY 15 ORIG		Enroute: NO	Specialist: Bruce, Richard		Agreement Number:
Airport ID: KFOK			Airport City: WESTHAMPTON BEACH		State: NY
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE DATA USED FOR KFOK AIRPORT AND RUNWAYS. CONTACT RAKE MCGRAW, AJV-A422, (405) 954-8711. QUALITY 41 CHECKED QUALITY 10 CHECKED					

[illegible]


APP CRS	Rwy Ldg	5002
145°	TDZE	63
	Apt Elev	66

RNAV (GPS) RWY 15


FRANCIS S GABRESKI (F'OK)


RNP APCH - GPS.	▼ ▲ Rwy 15 helicopter visibility reduction below 1 SM NA. When local altimeter setting not received, use HWV altimeter setting and increase all MDAs 40 feet and LNAV visibility Cats C and D ½ SM, and Circling visibility Cat C ¼ SM. Circling Rwy 19 NA at night. Straight-in and Circling Rwy 15 NA at night.	MISSED APPROACH: Climb to 500 then climbing right turn to 2000 direct CCC VOR/DME and hold.
-----------------	---	---


ASOS	NEW YORK APP CON	SUFFOLK TOWER ★	GND CON
119.925	125.975 343.65	125.3 (CTAF) 0 236.6	121.8 225.4



	500		2000		CCC
CATEGORY	A		B		D
LNAV MDA	460-1		397 (400-1)		460-1½ 397 (400-1½)
CIRCLING	600-1 534 (600-1)	620-1 554 (600-1)	700-1¾ 634 (700-1¾)	740-2¼ 674 (700-2¼)	







FRANCIS S GABRESKI (FOK)
WESTHAMPTON BEACH,
NEW YORK
RNAV (GPS) RWY 15, ORIG
LNAV, CIRCLING
100,000