

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 07/09/2026	APWS Task ID: 01A7ACBAAB844F76BFD3C437C28CA5B1	APWS Project ID: 9A60D2526D854522956E246C8EDC489C
Procedure: ILS Y OR LOC Y RWY 22L AMDT 0A		Enroute: NO	Specialist: Tyler, George		Agreement Number:
Airport ID: KMHR			Airport City: SACRAMENTO		State: CA
Facility ID: MHR	Facility Type: ILS	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE AIRNAV DATA UTILIZED FOR KMHR AND RWYS. ACTIVE AIRNAV DATA UTILIZED FOR BAB TACAN. ACTIVE AIRNAV DATA UTILIZED FOR MHR ILS. ACTIVE AIRNAV DATA UTILIZED FOR LIN VOR/DME. ACTIVE AIRNAV DATA UTILIZED FOR SAC VORTAC. CANCELS NOTAM FDC 5/9803. CONTACT CASEY HILL, AJV-A421, 405-954-0624. QUALITY 41 CHECKED QUALITY 18 CHECKED					

FIPC BASIC FORM						
PROCEDURE: ILS Y OR LOC Y RWY 22L AMDT 0A			AIRPORT NAME: SACRAMENTO MATHER		AIRPORT ID: KMHR	SPECIAL CONTROL NO: SP-05-156-26
FAC ID: MHR		CITY: SACRAMENTO			ST: CA	ORIG CHART DATE: 09/03/2026
DFL TYPE: PROC/A	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:	PTS TASK ID: 01A7ACBAAB844F76BFD3C437C28CA5B1		
PREFLIGHT NOTES						
REVIEWER:					DATE:	
COMMENTS:					CHECK ONE:	
					☐ FLT CK REQ ☐ NFCR ☐ REJECT	
						YES
					CPV COMPLETE?	X
PROCEDURE RESULTS						
INSPECTION DATE: 06/11/2026	CREW #: VN555	N #: N72	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: robert t perkins @ 06/11/2026 20:07			PRINTED NAME: PERKINS, ROBERT TAHTÉ			NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS: New Cat E circling obstacle verified. Procedure is Sat.						
IN-FLIGHT OBSTACLE REPORT						
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:		

ILS Y or LOC Y RWY 22L
SACRAMENTO MATHER (MHR)

MALSR

MISSED APPROACH: Climb to 1000, then climbing left turn to 3500 on heading 090° and SAC VORTAC R-058 to COSKA INT/ SAC 24.2 DME and hold, continue climb-in-hold to 3500.

ALTERNATE MISSED APCH FIX

COSKA
LIN 28.4

158°
338°
114.8 LIN
R-338
Chan 95

MSA SAC 25 NM

130°
040°

4100 3100

SACRAMENTO
115.2 SAC
Chan 99

BEALE
Chan 23
BAB (108.6)

(IAF) MOHOK
BAB 25.5

(IF) NANEY
I-MHR 13.4
BAB 32.2
SAC 25.8

1800 (1.3)

235

JEKAX
I-MHR 4.2

LOCALIZER 111.35
I-MHR
Chan 50(Y)

GADBE
I-MHR 7.3

ERNIF
I-MHR 8.6

3000
133° (25.5)

2100
333°
2100
R-133

041°

2100
221°
2100
R-133

058°
238°

COSKA INT
SAC 24.2

114.8 LIN
R-338
Chan 95

ELEV 98

TDZE 98

Diagram of HIRL Rwy 4R-22L. The runway is oriented 221°. Dimensions are 6081 X 150 and 11301 X 150. Navigation aids include VOR, TWR, and A5.

SW-2, 25 DEC 2025 to 22 JAN 2026

SW-2, 25 DEC 2025 to 22 JAN 2026