




Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 05/16/2024	APWS Task ID: 02D0DCE87A784006AF43FA328FBBF689	APWS Project ID: EDF0B3D1E6A04C1DB55534C16000F48C
Procedure: VOR-A AMDT 17A		Enroute: NO	Specialist: Strickland, Dallin		Agreement Number:
Airport ID: KMEI			Airport City: MERIDIAN		State: MS
Facility ID: MEI	Facility Type: VORTAC	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: PENDING AIRPORT AND MEI VORTAC DATA USED. GQE VOR/DME VORMON. REMOVED IAF NOSRY. NEW CIRCLING CAT A CONTROLLING OBSTACLE: 547 TREE 321939.00N/0884642.00W. NEW CIRCLING CAT B CONTROLLING OBSTACLE: 573 TREE 322039.00N/0884709.00W. NEW CIRCLING CAT C CONTROLLING OBSTACLE: 652 TREE 321839.00N/0884800.00W. NEW CIRCLING CAT D CONTROLLING OBSTACLE: 811 AAO 322227.00N/0884839.00W. NEW CIRCLING CAT E CONTROLLING OBSTACLE: 811 AAO 322227.00N/0884839.00W. NEW MA LVL SFC CONTROLLING OBSTACLE: 810 TOWER (28-020366) 321825.76N/0885028.75. CIRCLING AND MA LVL SFC MINIMA DID NOT CHANGE WITH NEW CONTROLLING OBSTACLES. CONTACT DAVID DANNER, AJV-A421, 405-954-5077. QUALITY 33 CHECKED QUALITY 19 CHECKED					

FIPC BASIC FORM							
PROCEDURE: VOR-A AMDT 17A			AIRPORT NAME: KEY FLD		AIRPORT ID: KMEI	SPECIAL CONTROL NO: AP-02-201-24	
FAC ID: MEI		CITY: MERIDIAN			ST: MS	ORIG CHART DATE: 05/16/2024	
DFL TYPE: PROC/A	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER: AC0721		PTS TASK ID: 02D0DCE87A784006AF43FA328FBBF689		
PREFLIGHT NOTES							
REVIEWER:					DATE:		
COMMENTS:					CHECK ONE:		
					☐ FLT CK REQ ☐ NFCR ☐ REJECT		
							YES
					CPV COMPLETE?		X
PROCEDURE RESULTS							
INSPECTION DATE: 03/07/2024		CREW #: VN532	N #: N86	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: ryan caramanica @ 03/07/2024 15:48			PRINTED NAME: CARAMANICA, RYAN DANIEL				NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS:							
IN-FLIGHT OBSTACLE REPORT							
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:

VORTAC MEI	APP CRS	Rwy Idg	N/A
117.0	131°	TDZE	N/A
Chan 117		Apt Elev	298

VOR-A
KEY FLD (MEI)

Circling NA east of Rwy 01 and southeast of Rwy 22. Procedure turn NA for Cat E.		MISSED APPROACH: Climbing right turn to 3000 on heading 260° and MEI VORTAC R-216 to PAULD INT/MEI 13.3 DME and hold.			
ATIS	MERIDIAN APP CON ★	KEY TOWER ★	GND CON	CLNC DEL	UNICOM
126.475 291.675	120.5 269.325	133.975 (CTAF) 0 257.8	121.9 348.6	121.9 348.6	122.95



VORTAC MEI	APP CRS	Rwy Idg	N/A
117.0	131°	TDZE	N/A
Chan 117		Apt Elev	298

OLD

VOR-A
KEY FLD (MEI)

⚠ Circling to Rwy 22 NA at night. Circling NA southeast of Rwy 1 and 22.
⚠ When local altimeter setting not received, use Hattiesburg/Laurel Rgnl altimeter setting and increase all MDA 140 feet, increase Cat C visibility ½ mile and Cat D visibility ¼ mile. Procedure turn NA for Cat E.

MISSED APPROACH: Climbing right turn to 3000 on heading 260° and MEI R-216 to PAULD INT/MEI 13.3 DME and hold.

ATIS	MERIDIAN APP CON ★	KEY TOWER ★	GND CON	CLNC DEL	UNICOM
126.475 291.675	120.5 269.325	133.975 (CTAF) 0 257.8	121.9 348.6	121.9 348.6	122.95

