

RADIO FIX AND HOLDING DATA RECORD

NAME: DARBY

STATE: KY

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 373915.59N/0845712.37W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	LOUISVILLE	IIU	VORTAC	H	131.05	132.05	40.04	40.04	3000	45000
2	LIVINGSTON	LVT	VOR/DME	VL	011.00	009.00		64.92	5000	12000

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
IIU	VORTAC	R-131	41	3000	15300
LVT	VOR/DME	R-011	65	5000	12000

FIX RESTRICTIONS:

MRA ALL 5000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	SE	IIU	VORTAC	131.05	311.05	R	1		3000	23000	6	21
2	NW		WP	315.05	135.05	R		4	3000	6000	5	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	373145.00N/0845133.00W	1654	4E
2	200	AAO	373527.00N/0845039.00W	1549	4E

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

LOUISVILLE (FAC 1) AND LIVINGSTON (FAC 2) USED TO ESTABLISH FIX COORDINATES.
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V310	1, 2				(US)
IAP	LOC RWY 31	1, 2	1	KDVK	DANVILLE	KY (US)
IAP	RNAV (GPS) RWY 31		2	KDVK	DANVILLE	KY (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 10

DATE OF REVISION: 09/05/2024

REASON FOR REVISION:

FIX USE: DELETED STARS DARBY FOR KSDF, KJVY AND KLOU.
REQUIRED CHARTING: DELETED STAR.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A421

NAME: TIA FERONTI

APPROVED BY:

DATE: 09/05/2024

OFFICE: AJV-A420

NAME: DAVID DANNER

SIGNATURE:

Digitally signed by

DAVID DANNER

Jun 20, 2024

QUALITY
14
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: HINCH MOUNTAIN VOR/DME

STATE: TN

COUNTRY: US

ICAO REGION CODE: K7

LATITUDE/LONGITUDE: 354651.65N/0845842.43W

TYPE:

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	HINCH MOUNTAIN	HCH	VOR/DME	VL							17500

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG TIME	LENGTH DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	SW		WP	211.02	031.02			5	5000	6000	6	6
2	SE	HCH	VOR/DME	155.04	335.04	R	1		5000	6000	6	6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	354651.00N/0845842.00W	3206	4E
2	200	AAO	354651.00N/0845842.00W	3206	4E

PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
1	200	120
2	200	120

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN(S)

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
MAGVAR 2W/1985.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	HUNTSVILLE			KHSV	HUNTSVILLE	AL (US)
DP	KINGS			KTRI	BRISTOL/JOHNSON/KINGSPORT	TN (US)
DP	CHATTANOOGA			KCHA	CHATTANOOGA	TN (US)
DP	KNOXVILLE			KTYS	KNOXVILLE	TN (US)
EN ROUTE	V136					(US)
EN ROUTE	V16					(US)
EN ROUTE	V311					(US)
EN ROUTE	V333					(US)
EN ROUTE	V347					(US)
EN ROUTE	V51					(US)
IAP	ILS Y OR LOC Y RWY 26		2	KCSV	CROSSVILLE	TN (US)
IAP	ILS Y OR LOC Y RWY 26 (ALT MA)		1	KCSV	CROSSVILLE	TN (US)
IAP	ILS Z OR LOC Z RWY 26		2	KCSV	CROSSVILLE	TN (US)
IAP	RNAV (GPS) RWY 26		1	KCSV	CROSSVILLE	TN (US)
IAP	VOR-A		2	KCSV	CROSSVILLE	TN (US)
IAP	HI-ILS OR LOC RWY 23L			KTYS	KNOXVILLE	TN (US)
IAP	HI-ILS OR LOC RWY 23R			KTYS	KNOXVILLE	TN (US)
IAP	HI-ILS OR LOC RWY 5L			KTYS	KNOXVILLE	TN (US)
IAP	HI-VOR OR TACAN RWY 23R			KTYS	KNOXVILLE	TN (US)
IAP	HI-VOR OR TACAN RWY 5L			KTYS	KNOXVILLE	TN (US)
IAP	ILS OR LOC RWY 23L			KTYS	KNOXVILLE	TN (US)
IAP	ILS OR LOC RWY 23R			KTYS	KNOXVILLE	TN (US)
IAP	ILS OR LOC RWY 5L			KTYS	KNOXVILLE	TN (US)
IAP	ILS RWY 23R (CAT II)			KTYS	KNOXVILLE	TN (US)
IAP	ILS RWY 23R (SA CAT I)			KTYS	KNOXVILLE	TN (US)
IAP	VOR RWY 23L			KTYS	KNOXVILLE	TN (US)
IAP	VOR/DME RWY 22			KRKW	ROCKWOOD	TN (US)

REQUIRED CHARTING: DP, MILITARY IAP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 18

DATE OF REVISION: 09/05/2024

REASON FOR REVISION:

HOLDING PATTERNS: FAC 2 TEMPLATES MIN/MAX CHANGED FROM 5/5 TO 6/6.
FIX USE: DELETED STARS DARBY FOR KSDF, KJVV AND KLOU.
REQUIRED CHARTING: DELETED STAR.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

QUALITY
14
CHECKED

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A421

NAME: TIA FERONTI

APPROVED BY:

DATE: 09/05/2024

OFFICE: AJV-A420

NAME: DAVID DANNER

SIGNATURE:

*Digitally signed by***DAVID DANNER**

Jun 20, 2024

QUALITY
14
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: LIVINGSTON VOR/DME STATE: TN COUNTRY: US ICAO REGION CODE: K7

LATITUDE/LONGITUDE: 363504.23N/0850959.84W TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	LIVINGSTON	LVT	VOR/DME	VL						17500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	NW	LVT	VOR/DME	325.00	145.00	R	1	3300 14000	4 10

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	363301.43N/0850654.00W	1916	2C

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
ASSIGNED FACILITY MAG VAR: W2/1985.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	HUNTSVILLE			KHSV	HUNTSVILLE	AL (US)
DP	KINGS			KTRI	BRISTOL/JOHNSON/KINGSPORT	TN (US)
DP	KNOXVILLE			KTYS	KNOXVILLE	TN (US)
EN ROUTE	V140					(US)
EN ROUTE	V321					(US)
EN ROUTE	V384					(US)
EN ROUTE	V493					(US)
EN ROUTE	V51					(US)
EN ROUTE	V513					(US)
IAP	LOC RWY 31			KDVK	DANVILLE	KY (US)
IAP	ILS OR LOC RWY 5			KSME	SOMERSET	KY (US)
IAP	RNAV (GPS) RWY 4			KTZV	TOMPKINSVILLE	KY (US)
IAP	VOR/DME RWY 21		1	8A3	LIVINGSTON	TN (US)
IAP	ILS OR LOC RWY 2C			KBNA	NASHVILLE	TN (US)
IAP	VOR/DME-A			KSCX	ONEIDA	TN (US)
STAR	PASLY (RNAV)			KBNA	NASHVILLE	TN (US)

REQUIRED CHARTING: DP, STAR, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 15 DATE OF REVISION: 09/05/2024

REASON FOR REVISION:

FIX USE: DELETED STARS DARBY FOR KSDF, KJVY AND KLOU.

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A421 NAME: TIA FERONTI

APPROVED BY: DATE: 09/05/2024 OFFICE: AJV-A420 NAME: DAVID DANNER

SIGNATURE: Digitally signed by
DAVID DANNER
Jun 20, 2024

QUALITY
14
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: LONDON VOR/DME

STATE: KY

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 370159.34N/0840636.27W

TYPE:

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	LONDON	LOZ	VOR/DME	H						45000

FIX RESTRICTIONS:

MCA V517 6000 NORTHBOUND

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	NE	LOZ	VOR/DME	065.88	245.88	R	1	3500 14000	4 10
2	SW	LOZ	VOR/DME	205.32	025.32	R	1	3500 14000	4 10
3	E	LOZ	VOR/DME	088.61	268.61	R	1	3700 14000	4 10
4	N	LOZ	VOR/DME	019.77	199.77	R	1	3300 6000	4 5

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (21-001307)	370901.00N/0835932.00W	1933	5E
1	310	TOWER (21-020043)	370341.04N/0835128.32W	1975	1A
2	200	AAO	365436.00N/0840615.00W	1897	4E
2	310	AAO	365109.00N/0840533.00W	2153	4E
3	200	AAO	370239.00N/0835651.00W	1788	4E
4	200	TOWER (21-001967)	370745.00N/0840541.00W	1696	1A

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	ILS OR LOC RWY 6	KLOZ	LONDON	KY (US)
2	VOR RWY 6	KLOZ	LONDON	KY (US)

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
ASSIGNED FACILITY MAG VAR: W03/1990.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	KINGS			KTRI	BRISTOL/JOHNSON/KINGSPORT	TN (US)
DP	CHATTANGOOGA			KCHA	CHATTANOOGA	TN (US)
DP	KNOXVILLE			KTYS	KNOXVILLE	TN (US)
DP	NASHVILLE			KBNA	NASHVILLE	TN (US)
EN ROUTE	V140					(US)
EN ROUTE	V310					(US)
EN ROUTE	V347					(US)
EN ROUTE	V517					(US)
EN ROUTE	V97					(US)
IAP	ILS OR LOC RWY 6		1	KLOZ	LONDON	KY (US)
IAP	VOR RWY 6		2	KLOZ	LONDON	KY (US)
IAP	ILS OR LOC RWY 5 (ALT MISS)		3	KSME	SOMERSET	KY (US)
IAP	LOC RWY 20		4	KBYL	WILLIAMSBURG	KY (US)
IAP	VOR RWY 20		4	KBYL	WILLIAMSBURG	KY (US)

REQUIRED CHARTING: DP, IAP, AREA, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 16

DATE OF REVISION: 09/05/2024

REASON FOR REVISION:

FIX MAKE-UP FACILITIES: FAC 1 MAA CHANGED FROM 17500 TO 45000.
FIX USE: DELETED STARS DARBY FOR KSDF, KJVY AND KLOU.
REQUIRED CHARTING: DELETED STAR.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A421

NAME: TIA FERONTI

QUALITY
14
CHECKED

APPROVED BY:

DATE: 09/05/2024

OFFICE: AJV-A420

NAME: DAVID DANNER

SIGNATURE:

Digitally signed by

DAVID DANNER

Jun 20, 2024

QUALITY
14
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: UNCKL

STATE: KY

COUNTRY: US

ICAO REGION CODE: K5

LATITUDE/LONGITUDE: 372852.88N/0844258.79W

TYPE: DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	LONDON	LOZ	VOR/DME	H	315.95	312.95	39.56	39.56		3300	45000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

LONDON (FAC 1) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	Q68					(US)
EN ROUTE	V310	1				(US)

REQUIRED CHARTING: EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 7

DATE OF REVISION: 09/05/2024

REASON FOR REVISION:

FIX MAKE-UP FACILITIES: DELETED FAC 1 IIU VORTAC; FAC 2 LOZ VOR/DME CHANGED TO FAC 1 AND MAA CHANGED FROM 17500 TO 45000.

EXPANDED SERVICE VOLUME: DELETED IIU VORTAC.

REMARKS: LONDON (FAC 2) USED TO ESTABLISH FIX COORDINATES CHANGED TO (FAC 1); DELETED DO NOT CHART FAC 1 ON EN ROUTE LOW CHARTS.

FIX USE: DELETED STARS DARBY FOR KSDF, KJVY AND KLOU.

REQUIRED CHARTING: DELETED STAR.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A421

NAME: TIA FERONTI

APPROVED BY:

DATE: 09/05/2024

OFFICE: AJV-A420

NAME: DAVID DANNER

SIGNATURE:

Digitally signed by

DAVID DANNER

Jun 20, 2024



RADIO FIX AND HOLDING DATA RECORD

NAME: VOLUNTEER VORTAC STATE: TN COUNTRY: US ICAO REGION CODE: K7

LATITUDE/LONGITUDE: 355417.42N/0835340.99W TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	VOLUNTEER	VXV	VORTAC	H						45000

FIX RESTRICTIONS:

MCA V136 5000 EASTBOUND

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG TIME	LENGTH DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	NE		WP	236.00	236.00	L		6	4000 6000	7 8
2	NE	VXV	VORTAC	056.00	236.00	R	1		4100 6000	7 13

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	TOWER (47-000184)	360019.00N/0835623.00W	2849	3C
1	310	TOWER (47-000184)	360019.00N/0835623.00W	2849	3C
2	230	TOWER (47-000184)	360019.00N/0835623.00W	2849	3C
2	310	TOWER (47-000192)	360806.00N/0834329.00W	3049	1D

REASON FOR NONSTANDARD HOLDING:

PAT 1 AIR TRAFFIC REQUEST

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	RNAV (GPS) RWY 5R	KTYS	KNOXVILLE	TN (US)
2	RADAR-1	KTYS	KNOXVILLE	TN (US)

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
HOLDING EVALUATED AT 230 KIAS TO SUPPORT MILITARY AIRCRAFT (KC-135) BASED AT KTYS.
PAT 1 230 KIAS CONTROLLING OBSTACLE LIES IN SECONDARY AREA 9359 FT FROM EDGE OF PRIMARY.
MAGVAR W03/1985.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	ASHEVILLE			KAVL	ASHEVILLE	NC (US)
DP	KINGS			KTRI	BRISTOL/JOHNSON/KINGSPORT	TN (US)
DP	CHATTANOOGA			KCHA	CHATTANOOGA	TN (US)
DP	TAKEOFF MINIMUMS			KJAU	JACKSBORO	TN (US)
DP	KNOXVILLE			KTYS	KNOXVILLE	TN (US)
DP	NASHVILLE			KBNA	NASHVILLE	TN (US)
DP	TAKEOFF MINIMUMS			KGKT	SEVIERVILLE	TN (US)
EN ROUTE	J43					(US)
EN ROUTE	J46					(US)
EN ROUTE	J99					(US)
EN ROUTE	V115					(US)
EN ROUTE	V136					(US)
EN ROUTE	V16					(US)
EN ROUTE	V185					(US)
EN ROUTE	V384					(US)
EN ROUTE	V466					(US)
EN ROUTE	V519					(US)
EN ROUTE	V97					(US)
IAP	LOC RWY 26			KDKX	KNOXVILLE	TN (US)
IAP	VOR-B			KDKX	KNOXVILLE	TN (US)
IAP	HI-ILS OR LOC RWY 23L			KTYS	KNOXVILLE	TN (US)
IAP	HI-ILS OR LOC RWY 23R			KTYS	KNOXVILLE	TN (US)
IAP	HI-ILS OR LOC RWY 5L			KTYS	KNOXVILLE	TN (US)
IAP	HI-VOR OR TACAN RWY 23R			KTYS	KNOXVILLE	TN (US)
IAP	HI-VOR OR TACAN RWY 5L			KTYS	KNOXVILLE	TN (US)
IAP	ILS OR LOC RWY 23L			KTYS	KNOXVILLE	TN (US)
IAP	ILS OR LOC RWY 23R			KTYS	KNOXVILLE	TN (US)
IAP	ILS OR LOC RWY 5L			KTYS	KNOXVILLE	TN (US)
IAP	ILS RWY 23R (CAT II)			KTYS	KNOXVILLE	TN (US)
IAP	ILS RWY 23R (SA CAT I)			KTYS	KNOXVILLE	TN (US)
IAP	RADAR-1		2	KTYS	KNOXVILLE	TN (US)
IAP	RNAV (GPS) RWY 5L		1	KTYS	KNOXVILLE	TN (US)

QUALITY
14
CHECKED

IAP	RNAV (GPS) RWY 5R	1	KTYS	KNOXVILLE	TN (US)
IAP	VOR RWY 23L		KTYS	KNOXVILLE	TN (US)
IAP	VOR RWY 23R		KTYS	KNOXVILLE	TN (US)
IAP	RNAV (GPS) RWY 23		KMNV	MADISONVILLE	TN (US)
IAP	RNAV (GPS) RWY 10		KGKT	SEVIERVILLE	TN (US)
IAP	VOR/DME RWY 10		KGKT	SEVIERVILLE	TN (US)
STAR	JAKIE (RNAV)		KCVG	COVINGTON	KY (US)
STAR	LIINN		KCLT	CHARLOTTE	NC (US)
STAR	LIINN		KAKH	GASTONIA	NC (US)
STAR	LIINN		KIPJ	LINCOLNTON	NC (US)
STAR	LIINN		KEQY	MONROE	NC (US)
STAR	LIINN		KEHO	SHELBY	NC (US)
STAR	LIINN		KAFF	WADESBORO	NC (US)
STAR	LIINN		N52	WAXHAW	NC (US)
STAR	LIINN		KDCM	CHESTER	SC (US)
STAR	LIINN		KLKR	LANCASTER	SC (US)
STAR	LIINN		KUZA	ROCK HILL	SC (US)
STAR	SWFFT (RNAV)		KBNA	NASHVILLE	TN (US)

REQUIRED CHARTING: DP, STAR, MILITARY IAP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 31

DATE OF REVISION: 09/05/2024

REASON FOR REVISION:

FIX USE: DELETED STARS DARBY FOR KSDF, KJVY AND KLOU.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A421

NAME: TIA FERONTI

APPROVED BY:

DATE: 09/05/2024

OFFICE: AJV-A420

NAME: DAVID DANNER

SIGNATURE:

Digitally signed by

DAVID DANNER

Jun 20, 2024

