



SPECIAL IAP	RNAV VISUAL RWY 31		PVU	PROVO	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 10	8	UT51	PROVO	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 27	8	3UT6	RIVERTON	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 31	8	3UT6	RIVERTON	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 34	8	UT08	SALT LAKE CITY	UT (US)
DP	PROVO	5	PVU	PROVO	UT (US)
DP	FAIRFIELD		SLC	SALT LAKE CITY	UT (US)
DP	SALT LAKE	1	SLC	SALT LAKE CITY	UT (US)
DP	TEXTUAL DEPARTURE		SLC	SALT LAKE CITY	UT (US)
DP	SOUTH VALLEY (RNAV)	3	SVR	SALT LAKE CITY	UT (US)
DP	TEXTUAL DEPARTURE	2	SVR	SALT LAKE CITY	UT (US)
DP	SPANISH FORK (OBSTACLE)	7	SPK	SPANISH FORK	UT (US)
EN ROUTE	J11				(US)
EN ROUTE	J116				(US)
EN ROUTE	J12				(US)
EN ROUTE	J202				(US)
EN ROUTE	J9				(US)
EN ROUTE	V134				(US)
EN ROUTE	V200				(US)
EN ROUTE	V21				(US)
EN ROUTE	V235				(US)
IAP	RNAV (GPS) RWY 17		U14	NEPHI	UT (US)
IAP	RNAV (GPS) RWY 35		U14	NEPHI	UT (US)
IAP	ILS OR LOC RWY 13	5	PVU	PROVO	UT (US)
IAP	RNAV (GPS) RWY 13	3	PVU	PROVO	UT (US)
IAP	ILS OR LOC RWY 16L	1	SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34L		SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34R		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II-III)	1	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I-II)	1	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II-III)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II-III)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)		SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 35		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L	3	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L	3	SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17	1	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17	3	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 17	3	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 34	6	SVR	SALT LAKE CITY	UT (US)
STAR	BEARR		SLC	SALT LAKE CITY	UT (US)
STAR	BRIGHAM CITY		SLC	SALT LAKE CITY	UT (US)
STAR	CARR (RNAV)	4	SLC	SALT LAKE CITY	UT (US)
STAR	JAMMN		SLC	SALT LAKE CITY	UT (US)
STAR	PITTT (RNAV)		SLC	SALT LAKE CITY	UT (US)
STAR	SKEES (RNAV)	4	SLC	SALT LAKE CITY	UT (US)
STAR	SPANE		SLC	SALT LAKE CITY	UT (US)
STAR	YUTES (RNAV)	4	SLC	SALT LAKE CITY	UT (US)

**REQUIRED CHARTING:** SECTIONAL, DP, STAR, IAP, EN ROUTE LOW, EN ROUTE HIGH, SPECIAL IAP, CONTROLLER LOW, CONTROLLER HIGH

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 40

**DATE OF REVISION:** 05/14/2026

**REASON FOR REVISION:**

1. FIX USE: CHANGED SLC IAPS: RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35 AND REMOVED RNAV (RNP) Z RWY 35.

**INITIATED BY:**                      **DATE:**                      **ORGANIZATION:**                      **NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:**                      AJV-A422                      **NAME:** JANTZEN TAYLOR

**APPROVED BY:**                      **DATE:** 04/09/2026                      **OFFICE:** AJV-A422                      **NAME:** RAKE MCGRAW

**SIGNATURE:**

# RADIO FIX AND HOLDING DATA RECORD

**NAME:** FORXS **STATE:** UT **COUNTRY:** US **ICAO REGION CODE:** K2

**LATITUDE/LONGITUDE:** 404558.59N/1115743.45W **TYPE:** WP, DME

**AIRSPACE DOCKET:** **FIX TYPE OF ACTION:** MODIFY

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	MRA	MAA
								NM FEET		
1	SALT LAKE CITY	I-UTJ	LOC/DME		163.95	174.95	0.19	1.17	4560	8700

**HOLDING:** **HOLDING TYPE OF ACTION:** NO CHANGE

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	RNAV (GPS) RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35	1		SLC	SALT LAKE CITY	UT (US)

**REQUIRED CHARTING:** IAP

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 4 **DATE OF REVISION:** 05/14/2026

**REASON FOR REVISION:**

1. FIX USE: CHANGED SLC IAP RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35.
2. FIX MAKE UP: REMOVED FAC 2, MOVED DME DISTANCE TO FAC 1, AND CHANGED FAC 1 TYPE FROM LOC TO LOC/DME.

<b>INITIATED BY:</b>	<b>DATE:</b>	<b>ORGANIZATION:</b>	<b>NAME:</b>
<b>OFFICE OF PRIMARY RESPONSIBILITY:</b>		AJV-A422	<b>NAME:</b> JANTZEN TAYLOR
<b>APPROVED BY:</b>	<b>DATE:</b> 04/09/2026	<b>OFFICE:</b> AJV-A422	<b>NAME:</b> RAKE MCGRAW
	<b>SIGNATURE:</b>		

# RADIO FIX AND HOLDING DATA RECORD

NAME: HLMET

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402520.86N/1115520.34W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	MRA	MAA
								NM FEET		
1	SALT LAKE CITY	I-UTJ	LOC/DME		163.95	174.95	20.89	21.86	11000	13000

**EXPANDED SERVICE VOLUME (ESV):**

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-UTJ	LOC/DME	R-164	22	11000	13000

**HOLDING:**

HOLDING TYPE OF ACTION: NO CHANGE

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	RNAV (GPS) RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35	1		SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4

DATE OF REVISION: 05/14/2026

**REASON FOR REVISION:**

1. FIX USE: REMOVED RNAV (RNP) Z RWY 35 AND CHANGED RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35.
2. FIX MAKE UP: REMOVED FAC 2 AND MOVED DME DISTANCE TO FAC 1, AND CHANGED FAC 1 TYPE FROM LOC TO LOC/DME.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JANTZEN TAYLOR

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

# RADIO FIX AND HOLDING DATA RECORD

NAME: JAZZZ

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402041.27N/1115246.55W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			SLC	SALT LAKE CITY	UT (US)
STAR	JAZZZ (RNAV)			SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 05/14/2026

**REASON FOR REVISION:**

1. FIX USE: ADDED SLC ILS RWY 34R (SA CAT I), ILS RWY 34R (CAT II), ILS RWY 34R (CAT III), ILS RWY 34L (SA CAT I), ILS RWY 34L (CAT II), ILS RWY 34L (CAT III).
2. CHANGED KSLC RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35.
3. REMOVED KSLC RNAV (RNP) Z RWY 35.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: BRITNEY ARMENTROUT

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

# RADIO FIX AND HOLDING DATA RECORD

NAME: KERNN

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 404043.03N/1115706.83W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	FAC	MRA	MAA
								NM	FEET		
1	SALT LAKE CITY	I-UTJ	LOC/DME		163.95	174.95	5.47	6.44	39146	6100	8700

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	RNAV (GPS) RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35	1		SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 10

DATE OF REVISION: 05/14/2026

**REASON FOR REVISION:**

1. FIX USE: CHANGED SLC IAP RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35.
2. FIX MAKE UP: REMOVED FAC 2 AND MOVED DME DISTANCE TO FAC 1, AND CHANGED FAC 1 TYPE FROM LOC TO LOC/DME.

INITIATED BY:                      DATE:                      ORGANIZATION:                      NAME:

OFFICE OF PRIMARY RESPONSIBILITY:                      AJV-A422                      NAME: JANTZEN TAYLOR

APPROVED BY:                      DATE: 04/09/2026                      OFFICE: AJV-A422                      NAME: RAKE MCGRAW

SIGNATURE:



IAP	ILS RWY 16L (CAT II-III)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II-III)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I - II)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II-III)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II-III)	1	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)	1	SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35	3	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 35	5	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R	2	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R	2	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV(GPS) RWY 16R		SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17		TVY	TOOELE	UT (US)
STAR	TAYTR (RNAV)		PVU	PROVO	UT (US)
STAR	BEARR		SLC	SALT LAKE CITY	UT (US)
STAR	BRIGHAM CITY		SLC	SALT LAKE CITY	UT (US)
STAR	JAMMN		SLC	SALT LAKE CITY	UT (US)
STAR	SPANE		SLC	SALT LAKE CITY	UT (US)

**REQUIRED CHARTING:** SECTIONAL, DP, STAR, MILITARY IAP, IAP, EN ROUTE LOW, SPECIAL IAP, CONTROLLER LOW

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 37                      **DATE OF REVISION:** 05/14/2026

**REASON FOR REVISION:**

1. FIX USE: CHANGED SLC IAPS RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35 AND REMOVED RNAV (RNP) Z RWY 35.
2. HOLDING: CHANGED PAT 2, 4, 5 CONTROLLING OBSTACLE ELEVATION AND ACCURACY CODE FROM 7195/AC 4E TO 7271/AC 4B.

**INITIATED BY:**                      **DATE:**                      **ORGANIZATION:**                      **NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:**                      AJV-A422                      **NAME:** JANTZEN TAYLOR

**APPROVED BY:**                      **DATE:** 04/09/2026                      **OFFICE:** AJV-A422                      **NAME:** RAKE MCGRAW

**SIGNATURE:**

# RADIO FIX AND HOLDING DATA RECORD

NAME: PEDLE

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402828.86N/1115541.98W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	MRA	MAA
								NM FEET		
1	SALT LAKE CITY	I-UTJ	LOC/DME		163.95	174.95	17.74	18.72	10000	12000

## EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-UTJ	LOC/DME	R-164	19	10000	12000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	RNAV (GPS) RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35	1		SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4

DATE OF REVISION: 05/14/2026

## REASON FOR REVISION:

1. FIX USE: REMOVED RNAV (RNP) Z RWY 35 AND CHANGED RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35.
2. FIX MAKE UP: REMOVED FAC 2 AND MOVED DME DISTANCE TO FAC 1, AND CHANGED FAC 1 TYPE FROM LOC TO LOC/DME.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JANTZEN TAYLOR

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

# RADIO FIX AND HOLDING DATA RECORD

NAME: QWENN

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 401914.43N/1115800.86W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

**REMARKS:**

FIX NAME RETAINED PER ATC FOR OPERATIONAL NECESSITY.

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II - III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II - III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			SLC	SALT LAKE CITY	UT (US)
STAR	QWENN (RNAV)			SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 05/14/2026

**REASON FOR REVISION:**

1. FIX LAT/LONG: FIX MOVED 4.22 NM SOUTH FROM 402324.41N/1115704.78W TO 401914.43N/1115800.86W.
2. FIX USE: ADDED SLC IAPS: ILS RWY 34L (SA CAT I), ILS RWY 34L (CAT II - III), ILS RWY 34R (SA CAT I), AND ILS RWY 34R (CAT II - III).
3. FIX USE: CHANGED SLC IAPS: RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35 AND REMOVED RNAV (RNP) Z RWY 35.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JANTZEN TAYLOR

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:



EN ROUTE	V32		(US)
EN ROUTE	V484		(US)
IAP	RNAV (GPS)-A	KHCR	UT (US)
IAP	ILS OR LOC RWY 3	KOGD	OGDEN UT (US)
IAP	RNAV (GPS) RWY 3	KOGD	OGDEN UT (US)
IAP	ILS OR LOC RWY 16L	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 16R	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 17	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 34L	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 34R	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 16L (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 16R (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 16R (SA CAT I)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 17 (SA CAT I - SA CAT II)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34L (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34L (SA CAT I)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34R (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34R (SA CAT I)	KSLC	SALT LAKE CITY UT (US)
IAP	LDA RWY 35	KSLC	SALT LAKE CITY UT (US)
IAP	RNAV (GPS) RWY 34R	KSLC	SALT LAKE CITY UT (US)
IAP	RNAV (RNP) Z RWY 34R	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 17	KTVY	TOOELE UT (US)
STAR	BEARR	KSLC	SALT LAKE CITY UT (US)
STAR	BONNEVILLE	KSLC	SALT LAKE CITY UT (US)
STAR	BRIGHAM CITY	KSLC	SALT LAKE CITY UT (US)
STAR	DELTA (RNAV)	KSLC	SALT LAKE CITY UT (US)
STAR	JAMMN	KSLC	SALT LAKE CITY UT (US)
STAR	LEEHY (RNAV)	KSLC	SALT LAKE CITY UT (US)
STAR	WAATS (RNAV)	KSLC	SALT LAKE CITY UT (US)

**REQUIRED CHARTING:** DP, STAR, IAP, AREA, EN ROUTE LOW, EN ROUTE HIGH, SPECIAL IAP, CONTROLLER LOW, CONTROLLER HIGH

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 24                      **DATE OF REVISION:** 05/14/2026

**REASON FOR REVISION:**  
1. ADDED SLC RNAV (RNP) Z RWY 34R TO FIX USE.

**INITIATED BY:**                      **DATE:**                      **ORGANIZATION:**                      **NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:**                      AJV-A422                      **NAME:** BRITNEY ARMENTROUT

**APPROVED BY:**                      **DATE:** 04/09/2026                      **OFFICE:** AJV-A422                      **NAME:** RAKE MCGRAW

**SIGNATURE:**

# RADIO FIX AND HOLDING DATA RECORD

NAME: WEEEL

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 404428.34N/1115732.97W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	FAC	MRA	MAA
								NM	FEET		
1	SALT LAKE CITY	I-UTJ	LOC/DME		163.95	174.95	1.70	2.68		4660	8700

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	RNAV (GPS) RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35	1		SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4

DATE OF REVISION: 05/14/2026

**REASON FOR REVISION:**

1. FIX USE: CHANGED SLC IAP RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35.
2. FIX MAKE UP: REMOVED FAC 2 AND MOVED DME DISTANCE TO FAC 1, AND CHANGED FAC 1 TYPE FROM LOC TO LOC/DME.

INITIATED BY:                      DATE:                      ORGANIZATION:                      NAME:

OFFICE OF PRIMARY RESPONSIBILITY:                      AJV-A422                      NAME: JANTZEN TAYLOR

APPROVED BY:                      DATE: 04/09/2026                      OFFICE: AJV-A422                      NAME: RAKE MCGRAW

SIGNATURE:

