

RADIO FIX AND HOLDING DATA RECORD

NAME: ATLANTIC CITY VORTAC

STATE: NJ

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 392721.15N/0743434.73W

TYPE:

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	ATLANTIC CITY	ACY	VORTAC	L							17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG TIME	LENGTH DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	W	ACY	VORTAC	280.00	100.00	R	1		2000	17500	4	16
2	SE	ACY	VORTAC	120.00	300.00	R	1		2000	17500	4	16
3	SW	ACY	VORTAC	246.00	066.00	R	1		2000	17500	4	16

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (34-000648)	392738.00N/0744107.00W	359	3C
2	200	BLDG (34-000981)	392303.20N/0742541.50W	537	1A
3	200	TOWER (34-000101)	392235.79N/0743342.20W	371	4D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
HOLDING BELOW 5000' OVERLIES ACY ILS COURSE.
ACY MAG VAR: 1970/W10

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	ATLANTIC CITY			KACY	ATLANTIC CITY	NJ (US)
DP	LEEAH			KMIV	MILLVILLE	NJ (US)
EN ROUTE	T315					(US)
EN ROUTE	V184					(US)
EN ROUTE	V229					(US)
IAP	COPTER ILS OR LOC/DME RWY 13			KACY	ATLANTIC CITY	NJ (US)
IAP	HI-ILS Y OR LOC Y RWY 13			KACY	ATLANTIC CITY	NJ (US)
IAP	HI-VOR OR TACAN RWY 31			KACY	ATLANTIC CITY	NJ (US)
IAP	ILS OR LOC/DME RWY 31			KACY	ATLANTIC CITY	NJ (US)
IAP	ILS Z OR LOC Z RWY 13			KACY	ATLANTIC CITY	NJ (US)
IAP	VOR RWY 13			KACY	ATLANTIC CITY	NJ (US)
IAP	VOR RWY 31			KACY	ATLANTIC CITY	NJ (US)
IAP	VOR RWY 4			KACY	ATLANTIC CITY	NJ (US)
IAP	VOR/DME RWY 22			KACY	ATLANTIC CITY	NJ (US)
IAP	VOR-B			N81	HAMMONTON	NJ (US)
IAP	RNAV (GPS) RWY 28			KMIV	MILLVILLE	NJ (US)
IAP	RNAV (GPS) RWY 32			KMIV	MILLVILLE	NJ (US)
IAP	LOC RWY 19			KWWD	WILDWOOD	NJ (US)
IAP	RNAV (GPS) RWY 19			KWWD	WILDWOOD	NJ (US)
IAP	VOR -A			KWWD	WILDWOOD	NJ (US)
IAP	RNAV (GPS) RWY 19			KOBI	WOODBINE	NJ (US)
IAP	VOR-A			KOBI	WOODBINE	NJ (US)
STAR	CAMRN			KJFK	NEW YORK	NY (US)

REQUIRED CHARTING: STAR, MILITARY IAP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 19

DATE OF REVISION: 09/05/2024

REASON FOR REVISION:

1. REMOVED PALEO DP FROM FIX USE.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: BARBARA GORMAN

APPROVED BY:

DATE: 07/11/2024

OFFICE: AJV-A430

NAME: CASIMIR TABAKA

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: CEDAR LAKE VOR/DME

STATE: NJ

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 393215.62N/0745801.72W

TYPE:

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	CEDAR LAKE	VCN	VOR/DME	L							33000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG TIME	LENGTH DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	SW	VCN	VOR/DME	226.00	046.00	L	1		8000	14000	6	8
2	NE	VCN	VOR/DME	038.00	218.00	R	1		2000	4000	4	4
3	S	VCN	VOR/DME	193.00	013.00	R	1		2000	4000	4	4
4	SW	VCN	VOR/DME	241.00	061.00	R	1		2000	4000	4	4
5	NE	VCN	WP	038.00	218.00	R		4	2000	4000	4	5
6	NE	VCN	VOR/DME	035.65	215.65	R	1		2000	4000	4	4

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	210	TOWER (34-000253)	393506.20N/0750244.37W	434	1A
2	200	TOWER (34-000253)	393506.20N/0750244.37W	434	1A
3	200	TOWER (34-000654)	392512.00N/0745707.00W	376	5D
4	200	TOWER (34-000132)	392953.00N/0750430.00W	433	5D
5	200	TOWER (34-000253)	393506.20N/0750244.37W	434	1A
6	200	TOWER (34-000253)	393506.20N/0750244.37W	434	1A

REASON FOR NONSTANDARD HOLDING:

PAT 1 ATC REQUEST

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

CHART HOLD PATTERN 1 ON LOW ENROUTE CHART.
PRECIPITOUS TERRAIN EVALUATION COMPLETED.
FACILITY MAGVAR: 10W/1980

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	ATLANTIC CITY			KACY	ATLANTIC CITY	NJ (US)
DP	LEEAH			KMIV	MILLVILLE	NJ (US)
DP	PHILADELPHIA			KPHL	PHILADELPHIA	PA (US)
EN ROUTE	V16					(US)
EN ROUTE	V184					(US)
EN ROUTE	V284					(US)
EN ROUTE	V577					(US)
IAP	COPTER ILS OR LOC/DME RWY 13			KACY	ATLANTIC CITY	NJ (US)
IAP	ILS OR LOC/DME RWY 31			KACY	ATLANTIC CITY	NJ (US)
IAP	ILS Z OR LOC Z RWY 13			KACY	ATLANTIC CITY	NJ (US)
IAP	RNAV (GPS) RWY 22			KACY	ATLANTIC CITY	NJ (US)
IAP	RNAV (RNP) Z RWY 13			KACY	ATLANTIC CITY	NJ (US)
IAP	VOR RWY 4			KACY	ATLANTIC CITY	NJ (US)
IAP	RNAV (GPS) RWY 5			19N	BERLIN	NJ (US)
IAP	VOR-B		3	19N	BERLIN	NJ (US)
IAP	RNAV (GPS) RWY 3			N81	HAMMONTON	NJ (US)
IAP	VOR-B		4	N81	HAMMONTON	NJ (US)
IAP	ILS OR LOC RWY 10			KMIV	MILLVILLE	NJ (US)
IAP	RNAV (GPS) RWY 32			KMIV	MILLVILLE	NJ (US)
IAP	RNAV (GPS) RWY 14			KMIV	MILLVILLE	NJ (US)
IAP	RNAV (GPS) RWY 28			KMIV	MILLVILLE	NJ (US)
IAP	VOR-A			KMIV	MILLVILLE	NJ (US)
IAP	LOC RWY 19			KWWD	WILDWOOD	NJ (US)
IAP	RNAV (GPS) RWY 19			KWWD	WILDWOOD	NJ (US)
IAP	RNAV (GPS) RWY 19			KOBI	WOODBINE	NJ (US)
IAP	VOR-A			KOBI	WOODBINE	NJ (US)
IAP	ILS Z OR LOC RWY 17			KPHL	PHILADELPHIA	PA (US)

REQUIRED CHARTING: DP, STAR, MILITARY IAP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 30

DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

DELETED STAR CEDAR LAKE FOR KPHL, KPNE, KTTN AND KMQS FROM FIX USE.

ADDED KMIV: ILS OR LOC RWY 10, RNAV (GPS) RWY 32, RNAV (GPS) RWY 14, RNAV (GPS) RWY 28 AND VOR-A TO FIX USE.

INITIATED BY:**DATE:****ORGANIZATION:****NAME:****OFFICE OF PRIMARY RESPONSIBILITY:**

AJV-A432

NAME: HOPE DENTON**APPROVED BY:****DATE:** 02/20/2025**OFFICE:** AJV-A432**NAME:** JOSEPH ZEDER**SIGNATURE:**

RADIO FIX AND HOLDING DATA RECORD

NAME: COYLE VORTAC **STATE:** NJ **COUNTRY:** US **ICAO REGION CODE:** K6
LATITUDE/LONGITUDE: 394902.42N/0742553.85W **TYPE:**
AIRSPACE DOCKET: 23-AEA-10 **FIX TYPE OF ACTION:** NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	COYLE	CYN	VORTAC	H						45000

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	NE	CYN	VORTAC	067.00	247.00	R	1	2000 8000	4 8
2	W	CYN	VORTAC	260.00	080.00	L	1	2000 8000	4 8
3	NE	CYN	VORTAC	067.00	247.00	R	4	3000 8000	4 8

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	395122.20N/0742406.20W	418	2A
2	200	TOWER (34-000091)	395152.00N/0743240.00W	499	5D
3	200	AAO	395118.00N/0742412.00W	414	4E

REASON FOR NONSTANDARD HOLDING:

PAT 2 TO PROVIDE SEPARATION FROM R-5002.

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

SECTIONAL CHARTING PER ATC REQUEST.
 ASSIGNED FACILITY MAGVAR: 10W (1965).
 PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	ATLANTIC CITY			KACY	ATLANTIC CITY	NJ (US)
DP	LEEAH			KMIV	MILLVILLE	NJ (US)
DP	LA GUARDIA			KLGA	NEW YORK	NY (US)
DP	PHILADELPHIA			KPHL	PHILADELPHIA	PA (US)
EN ROUTE	J110					(US)
EN ROUTE	Q409					(US)
EN ROUTE	T224					(US)
EN ROUTE	T303					(US)
EN ROUTE	T416					(US)
EN ROUTE	V1					(US)
EN ROUTE	V16					(US)
EN ROUTE	V312					(US)
IAP	COPTER ILS OR LOC/DME RWY 13			KACY	ATLANTIC CITY	NJ (US)
IAP	ILS OR LOC/DME RWY 31			KACY	ATLANTIC CITY	NJ (US)
IAP	ILS Z OR LOC Z RWY 13			KACY	ATLANTIC CITY	NJ (US)
IAP	VOR RWY 13			KACY	ATLANTIC CITY	NJ (US)
IAP	VOR RWY 31			KACY	ATLANTIC CITY	NJ (US)
IAP	VOR RWY 4			KACY	ATLANTIC CITY	NJ (US)
IAP	VOR-B			N81	HAMMONTON	NJ (US)
IAP	NDB RWY 24			KNEL	LAKEHURST	NJ (US)
IAP	RNAV (GPS) RWY 24			KNEL	LAKEHURST	NJ (US)
IAP	RNAV (GPS) RWY 33			KNEL	LAKEHURST	NJ (US)
IAP	TACAN RWY 24			KNEL	LAKEHURST	NJ (US)
IAP	TACAN RWY 33			KNEL	LAKEHURST	NJ (US)
IAP	RNAV (GPS) RWY 6			N12	LAKEWOOD	NJ (US)
IAP	VOR-A		1	N14	LUMBERTON	NJ (US)
IAP	VOR RWY 26		1	KVAY	MOUNT HOLLY	NJ (US)
IAP	ILS OR LOC RWY 6			KMJX	TOMS RIVER	NJ (US)
IAP	VOR RWY 24			KMJX	TOMS RIVER	NJ (US)
IAP	VOR RWY 6		2	KMJX	TOMS RIVER	NJ (US)
IAP	ILS OR LOC RWY 6			KWRI	WRIGHTSTOWN	NJ (US)
IAP	ILS RWY 6 (CAT II)			KWRI	WRIGHTSTOWN	NJ (US)
IAP	RNAV (GPS) RWY 6			KWRI	WRIGHTSTOWN	NJ (US)
IAP	VOR/DME OR TACAN RWY 18			KWRI	WRIGHTSTOWN	NJ (US)
IAP	VOR/DME OR TACAN RWY 24			KWRI	WRIGHTSTOWN	NJ (US)
IAP	ILS OR LOC RWY 27L			KPHL	PHILADELPHIA	PA (US)
IAP	ILS RWY 27L (SA CAT II)			KPHL	PHILADELPHIA	PA (US)
IAP	ILS V RWY 17 (CONVERGING)			KPHL	PHILADELPHIA	PA (US)
IAP	RNAV (GPS) RWY 33			KPNE	PHILADELPHIA	PA (US)
STAR	WAALK (RNAV)		3	KBLM	BELMAR/FARMINGDALE	NJ (US)
STAR	WAALK (RNAV)		3	KNEL	LAKEHURST	NJ (US)
STAR	WAALK (RNAV)		3	N14	LUMBERTON	NJ (US)

STAR	WAALK (RNAV)	3	KVAY	MOUNT HOLLY	NJ (US)
STAR	WAALK (RNAV)	3	N87	ROBBINSVILLE	NJ (US)
STAR	WAALK (RNAV)	3	KMJX	TOMS RIVER	NJ (US)
STAR	HARRISBURG		KWRI	WRIGHTSTOWN	NJ (US)
STAR	WAALK (RNAV)	3	KWRI	WRIGHTSTOWN	NJ (US)
STAR	CAMRN		KFRG	FARMINGDALE	NY (US)
STAR	CAMRN		KJFK	NEW YORK	NY (US)
STAR	BOUNO		KHPN	WHITE PLAINS	NY (US)

REQUIRED CHARTING: SECTIONAL, DP, STAR, MILITARY IAP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 34

DATE OF REVISION: 05/16/2024

REASON FOR REVISION:

1. DOCKET: ADDED "23-AEA-10"
2. REMARKS: ADDED "SECTIONAL CHARTING PER ATC REQUEST"
3. FIX USE: ADDED "EN ROUTE T303"; UPDATED "IAP TACAN Z RWY 33 KNEL" TO "IAP TACAN RWY 33 KNEL"; REMOVED "IAP VOR OR VOR/DME OR TACAN Y RWY 33 KNEL"
4. CHARTING: ADDED "SECTIONAL"

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A423

NAME: HENRY BRADSHAW

APPROVED BY:

DATE: 05/16/2024

OFFICE: AJV-A423

NAME: MICHAEL GARRITY

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: MAYBN

STATE: NJ

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 392959.43N/0744039.02W

TYPE: WP, RADAR, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	ATLANTIC CITY	I-PVO	LOC/DME		307.99	297.99	4.39	6.37	38691	1600	4500
2	COYLE	CYN	VORTAC	H	220.99	210.99		22.18		1600	4500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

REMOVED RNP FORMULA USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	COPTER ILS OR LOC/DME RWY 13	1		KACY	ATLANTIC CITY	NJ (US)
IAP	HI - ILS Y OR LOC Y RWY 13	1		KACY	ATLANTIC CITY	NJ (US)
IAP	ILS Z OR LOC Z RWY 13	1, 2		KACY	ATLANTIC CITY	NJ (US)
IAP	RNAV (GPS) Y RWY 13			KACY	ATLANTIC CITY	NJ (US)
IAP	RNAV (RNP) Z RWY 13			KACY	ATLANTIC CITY	NJ (US)

REQUIRED CHARTING: MILITARY IAP, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5

DATE OF REVISION: 08/10/2023

REASON FOR REVISION:

1. FIX USE - UPDATED IAP TITLE TO READ HI-ILS Y OR LOC Y RWY 13 AT KACY.
2. FIX USE - UPDATED IAP TITLE TO READ ILS Z OR LOC Z RWY 13 AT KACY.
3. REMARKS: REMOVED I-PVO DME COORDINATES 392757.97N/0743536.68W

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A421

NAME: RAYMOND JOHNSON

APPROVED BY:

DATE: 08/10/2023

OFFICE: AJV-A420

NAME: MARLON ROBINSON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: SMITS

STATE: NJ

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 392915.00N/0742035.14W

TYPE: WP, RADAR, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	ATLANTIC CITY	ACY	VORTAC	L	090.00	080.00	11.00	11.00	2000	17500
2	COYLE	CYN	VORTAC	H	178.25	168.25		20.20	2000	17500
3	CEDAR LAKE	VCN	VOR/DME	L	105.73	095.73	29.13	29.13	2000	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	E	ACY	VORTAC	090.00	270.00	R	1		2000	4000	8	9
2	E	VCN	VOR/DME	105.73	285.73	R	1		2000	4000	8	9
3	E	ACY	VORTAC	090.00	270.00	L	1		2000	4000	8	9
4	E	VCN	VOR/DME	105.73	285.73	L	1		2000	4000	8	9
5	E		WP	090.00	270.00	R		6	2000	4000	8	9

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	265	AAO	392907.59N/0742622.62W	269	2C
2	265	AAO	392930.10N/0742546.67W	264	2C
3	265	AAO	392907.59N/0742622.62W	269	2C
4	265	AAO	392907.59N/0742622.62W	269	2C
5	265	AAO	392907.59N/0742622.62W	269	2C

REASON FOR NONSTANDARD HOLDING:

PAT 3 PROXIMITY OF R-5002

PAT 4 ATC REQUEST

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

ATLANTIC CITY (FAC 1) AND CEDAR LAKE (FAC 3) USED TO ESTABLISH FIX COORDINATES.

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

ENROUTE LOW CHARTING REQUESTED BY ATC.

PAT 3 AND 4 FOR ATC USE (NOT CHARTED).

PAT 2, 3, AND 4 HOLDING OVERLIES W107 AT ALTITUDES ABOVE 2000. PRIOR PERMISSION FROM ATC AND RADAR MONITORING REQUIRED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	COPTER ILS OR LOC/DME RWY 13	1, 2, 3	1, 2	KACY	ATLANTIC CITY	NJ (US)
IAP	HI - ILS Y OR LOC Y RWY 13	1, 3		KACY	ATLANTIC CITY	NJ (US)
IAP	ILS OR LOC/DME RWY 31	1, 2		KACY	ATLANTIC CITY	NJ (US)
IAP	ILS Z OR LOC Z RWY 13	1, 2		KACY	ATLANTIC CITY	NJ (US)
IAP	RNAV (GPS) RWY 04		5	KACY	ATLANTIC CITY	NJ (US)
IAP	VOR RWY 31	1, 2, 3		KACY	ATLANTIC CITY	NJ (US)
IAP	VOR RWY 4	1, 2	1	KACY	ATLANTIC CITY	NJ (US)

REQUIRED CHARTING: MILITARY IAP, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 13

DATE OF REVISION: 07/11/2024

REASON FOR REVISION:

FIX USE: REMOVED - VOR RWY 13, KACY.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: CHRISTOPHER SCHONES

APPROVED BY:

DATE: 07/11/2024

OFFICE: AJV-A432

NAME: CASIMIR TABAKA

SIGNATURE: