

RADIO FIX AND HOLDING DATA RECORD

NAME: CAMRI

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402828.59N/1115738.56W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	SALT LAKE CITY	I-UUH	LOC/DME		163.95	174.95	17.91	20.22		9000	10000

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-UUH	LOC/DME	R-164	21	9000	10000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

DME ANT: I-UAT 404619.63N/1115946.36W (PAIRED DME SOURCE WITH I-UUH).

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L	1		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)	1		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II - III)	1		SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 7

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX USE: CHANGED ILS RWY 34L (CAT II) AND ILS RWY 34L (CAT III) TO ILS RWY 34L (CAT II - III).

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JANTZEN TAYLOR

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: CFRGG

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 403449.43N/1120121.22W

TYPE: CNF

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:

USE TYPE
IAP

USE TITLE
RNAV (RNP) Z RWY 34L

FAC

PAT

AIRPORT IDENT
SLC

CITY
SALT LAKE CITY

STATE
UT (US)

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 02/20/2025

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: JOHN KEEFER

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A430

NAME: JOSEPH ZEDER

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: DUNLP

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 403137.73N/1115800.36W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	SALT LAKE CITY	I-UUH	LOC/DME		163.95	174.95	14.75	17.06		8000	8700

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-UUH	LOC/DME	R-164	18	8000	8700

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

DME ANT: I-UAT 404619.63N/1115946.36W (PAIRED DME SOURCE WITH I-UUH)

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L	1		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)	1		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II - III)	1		SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 9

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX USE: CHANGED ILS RWY 34L (CAT II) AND ILS RWY 34L (CAT III) TO ILS RWY 34L (CAT II - III).

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JANTZEN TAYLOR

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: FLLAG

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 404048.90N/1115904.10W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	SALT LAKE CITY	I-UUH	LOC/DME		163.95	174.95	5.53	7.84	47657	6100	8700

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

DME ANT: I-UAT 404619.63N/1115946.36W (PAIRED DME SOURCE WITH I-UUH)

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L	1		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)	1		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II - III)	1		SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 8

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX USE: CHANGED ILS RWY 34L (CAT II) AND ILS RWY 34L (CAT III) TO ILS RWY 34L (CAT II - III).

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JANTZEN TAYLOR

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: HEP SO

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 403501.40N/1115823.82W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:

USE TYPE
IAP

USE TITLE
RNAV (RNP) Z RWY 34L

FAC

PAT

AIRPORT IDENT
SLC

CITY
SALT LAKE CITY

STATE
UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 02/20/2025

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: JOHN KEEFER

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A430

NAME: JOSEPH ZEDER

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: JAZZZ

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402041.27N/1115246.55W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			SLC	SALT LAKE CITY	UT (US)
STAR	JAZZZ (RNAV)			SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX USE: ADDED SLC ILS RWY 34R (SA CAT I), ILS RWY 34R (CAT II), ILS RWY 34R (CAT III), ILS RWY 34L (SA CAT I), ILS RWY 34L (CAT II), ILS RWY 34L (CAT III).
2. CHANGED KSLC RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35.
3. REMOVED KSLC RNAV (RNP) Z RWY 35.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: BRITNEY ARMENTROUT

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: PEFNO

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 403437.70N/1120418.64W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:

USE TYPE
IAP

USE TITLE
RNAV (RNP) Z RWY 34L

FAC

PAT

AIRPORT IDENT
SLC

CITY
SALT LAKE CITY

STATE
UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 02/20/2025

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: JOHN KEEFER

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A430

NAME: JOSEPH ZEDER

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: PUTER

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402606.75N/1115722.23W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	SALT LAKE CITY	I-UUH	LOC/DME		163.95	174.95	20.28	22.59		10000	14000

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-UUH	LOC/DME	R-164	23	10000	14000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

DME ANT: I-UAT 404619.63N/1115946.36W (PAIRED DME SOURCE WITH I-UUH)

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L	1		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)	1		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II - III)	1		SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 9

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX USE: ADDED KSLC IAP RNAV (RNP) Z RWY 34L AND CHANGED ILS RWY 34L (CAT II) AND ILS RWY 34L (CAT III) TO ILS RWY 34L (CAT II - III).

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JANTZEN TAYLOR

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: QWENN

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 401914.43N/1115800.86W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

FIX NAME RETAINED PER ATC FOR OPERATIONAL NECESSITY.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II - III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II - III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			SLC	SALT LAKE CITY	UT (US)
STAR	QWENN (RNAV)			SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX LAT/LONG: FIX MOVED 4.22 NM SOUTH FROM 402324.41N/1115704.78W TO 401914.43N/1115800.86W.
2. FIX USE: ADDED SLC IAPS: ILS RWY 34L (SA CAT I), ILS RWY 34L (CAT II - III), ILS RWY 34R (SA CAT I), AND ILS RWY 34R (CAT II - III).
3. FIX USE: CHANGED SLC IAPS: RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35 AND REMOVED RNAV (RNP) Z RWY 35.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JANTZEN TAYLOR

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: STACO STATE: UT COUNTRY: US ICAO REGION CODE: K2
 LATITUDE/LONGITUDE: 404919.91N/1122510.55W TYPE: WP, INT, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	WASATCH	TCH	VORTAC	VH	249.32	265.32	20.00	20.00	8100	17500
2	OGDEN	OGD	VORTAC	VL	197.30	211.30	28.17	28.17	8100	17500
3	MALAD CITY	MLD	VOR/DME	VH	162.00	179.00	82.63	82.63	13000	17500
4	FAIRFIELD	FFU	VORTAC	VH	310.42	326.42	39.46	39.46	12100	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
MLD	VOR/DME	R-162	83	13000	17500

FIX RESTRICTIONS:

MCA V257 10500 SOUTHBOUND
 MCA V200 11000 SOUTHEAST BOUND

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	W	TCH	VORTAC	249.32	069.32	R	1		9000	17500	11	18
2	W		WP	251.32	071.32	R		7	9000	17500	10	17
3	W	TCH	VORTAC	249.32	069.32	L	1		8100	14000	10	11
4	W		WP	251.32	071.32	L		7	8100	17500	10	17
5	W		WP	252.32	072.32	R		7	9000	12000	10	10

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	AAO	403920.79N/1123720.86W	8239	2C
2	230	AAO	403920.79N/1123720.86W	8239	2C
3	230	AAO	405048.00N/1122957.00W	6847	4B
4	230	AAO	405048.00N/1122957.00W	6847	4B
4	310	AAO	403921.00N/1123721.00W	8235	4B
5	230	AAO	403920.79N/1123720.86W	8239	2C

PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
1	230	145
2	230	260
3	230	140
4	230	160
4	310	220
5	230	260

REASON FOR NONSTANDARD HOLDING:

PAT 3 AVOID RISING TERRAIN TO THE SOUTH.
 PAT 4 AVOID RISING TERRAIN TO THE SOUTH

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
4	RNAV (GPS) Y RWY 16R	KSLC	SALT LAKE CITY	UT (US)

REMARKS:

WASATCH (FAC 1) AND OGDEN (FAC 2) USED TO ESTABLISH FIX COORDINATES.
 PRECIPITOUS TERRAIN EVALUATION COMPLETED.
 PAT 3 AND 4 HOLDING ALTITUDES TO REMAIN AT 8100 FOR KSLC ILS OR LOC RWY 34L, ILS OR LOC RWY 16R, AND RNAV (GPS) RWY 34L.
 FAC 1 ALTITUDE BELOW AIRWAY MEA FOR HOLDING AT KSLC.
 DISTANCE OF 39.46 USED TO DERIVE TEMPLATES FOR PAT 1.
 PAT 2 CONTROLLING OBSTACLE LOCATED 2698 FT INTO SECONDARY AREA.
 PAT 5 CONTROLLING OBSTACLE LOCATED 3355 FT INTO SECONDARY AREA.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	STACO (RNAV)		5	TVY	TOOELE	UT (US)
DP	TAKEOFF MINS	1, 2		TVY	TOOELE	UT (US)
EN ROUTE	V200	1, 2, 4				(US)
EN ROUTE	V257	1, 3, 4				(US)

EN ROUTE	V32	1, 2, 4	1			(US)
IAP	RNAV (GPS) RWY 3			OGD	OGDEN	UT (US)
IAP	ILS OR LOC RWY 16R	1, 2	3	SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34L	1, 2	3	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II - III)	1, 2	3	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)	1, 2	3	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II - III)	1, 2	3	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)	1, 2	3	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 34L		4	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16R		4	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L		4	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16R		4	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L		4	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 34		2	SVR	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: DP, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 27

DATE OF REVISION: 04/17/2025

REASON FOR REVISION:

1. FIX USE: CHANGED AIRPORT IDENT FROM "KU42" TO "SVR."

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: JUDITH TUTTLE

APPROVED BY:

DATE: 03/13/2025

OFFICE: AJV-A431

NAME: ERIC N SUSKI

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: SURYP

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 404152.31N/1120508.31W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:

USE TYPE

USE TITLE

FAC

PAT

AIRPORT IDENT

CITY

STATE

IAP RNAV (RNP) Z RWY 34L
STAR CARTR (RNAV)
STAR SKEES (RNAV)
STAR YUTES (RNAV)

SLC SALT LAKE CITY
SLC SALT LAKE CITY
SLC SALT LAKE CITY
SLC SALT LAKE CITY

UT (US)
UT (US)
UT (US)
UT (US)

REQUIRED CHARTING: STAR

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 02/20/2025

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: GUY COPELAND

APPROVED BY:

DATE: 12/26/2024

OFFICE: AJV-A430

NAME: BEV L BORDY

SIGNATURE: