

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 12/26/2024	APWS Task ID: 0F596E0909E942ECB2473EE79410D9B5	APWS Project ID: AEF37D7E777D4046A1034F8FD953467D
Procedure: VOR-A AMDT 13		Enroute: NO	Specialist: Townsend, Matthew		Agreement Number:
Airport ID: KMAI			Airport City: MARIANNA		State: FL
Facility ID: MAI	Facility Type: VORTAC	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: UTILIZED ACTIVE AIRNAV DATA FOR AIRPORT KMAI AND THE VOR AT KMAI. CIRCLING NA AT NIGHT NOTE. RWY 8 AND 26 RUNWAYS UNLIT AT NIGHT. CONTACT ROBERT HAMILTON, AJV-A433, 405-954-4608. QUALITY 9 CHECKED BEGUE QUALITY 39 CHECKED					



FIPC BASIC FORM						
PROCEDURE: VOR-A AMDT 13			AIRPORT NAME: MARIANNA MUNI		AIRPORT ID: KMAI	SPECIAL CONTROL NO: AP-08-136-24
FAC ID: MAI		CITY: MARIANNA			ST: FL	ORIG CHART DATE: 12/26/2024
DFL TYPE: PROC/A	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:	PTS TASK ID: 0F596E0909E942ECB2473EE79410D9B5		
PREFLIGHT NOTES						
REVIEWER:					DATE:	
COMMENTS:					CHECK ONE:	
					☐ FLT CK REQ ☐ NFCR ☐ REJECT	
						YES
					CPV COMPLETE?	X
PROCEDURE RESULTS						
INSPECTION DATE: 01/23/2025	CREW #: VN258	N #:	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: james hawley @ 01/23/2025 13:09			PRINTED NAME: HAWLEY, JAMES MICHAEL			NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS: No flight check required SAT as proposed.						
IN-FLIGHT OBSTACLE REPORT						
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:	

VORTAC MAI	APP CRS	Rwy Idg	N/A
114.0	316°	TDZE	N/A
Chan 87		Apt Elev	111

VOR-A
MARIANNA MUNI (MAI)

⚠ Circling to Rwy 8, 26 NA at night. When local altimeter setting not received, use BGE altimeter setting: increase all MDAs 80 feet and Circling Cat D visibility ¼ SM.	MISSED APPROACH: Climbing left turn to 2000 on heading 230° and MAI VORTAC R-272 to CHEWS INT/MAI 21.5 DME and hold.
--	--

ASOS 133.525	CAIRNS APP CON ★ 133.75 270.35	UNICOM 123.0 (CTAF) 0
------------------------	--	---------------------------------



2000 hdg 230°		MAI R-272	CHEWS △	MAI VORTAC		One Minute Holding Pattern	
MAJHY MAI 4				1800	(136°T) 136° 316° (316°T)	6000 2000	
4 NM							
CATEGORY		A		B		C	D
C CIRCLING		620-1 509 (600-1)		620-1½ 509 (600-1½)		900-2½ 789 (800-2½)	

MARIANNA, FLORIDA

AL-248 (FAA)

23166

VORTAC MAI 114.0 Chan 87	APP CRS 316°	Rwy ldg TDZE Apt Elev 110	N/A N/A 110
--	------------------------	--	--------------------------

OLD



VOR-A

MARIANNA MUNI (MAI)

⚠ Helicopter visibility reduction below 1 SM NA. When local altimeter setting not received, use Bainbridge altimeter setting; Increase all MDA 80 feet and Circling Cat D visibility ¼ SM. Circling Rwy 26 NA at night.

MISSED APPROACH: Climbing left turn to 2000 via heading 230° and MAI R-272 to CHEWS INT/MAI 21.5 DME and hold.

ASOS 133.525	CAIRNS APP CON ★ 133.75 270.35	UNICOM 123.0 (CTAF) 0
------------------------	--	---------------------------------



FAF to MAP 4 NM					CATEGORY	A	B	C	D
Knots	60	90	120	150	180	620-1	510 (600-1)	620-1½	900-2½
Min:Sec	4:00	2:40	2:00	1:36	1:20	510 (600-1½)	790 (800-2½)		

MARIANNA, FLORIDA
Amdt 12B 23APR20

OLD

30°50'N-85°11'W

MARIANNA MUNI (MAI)
VOR-A

SE-3, 16 MAY 2024 to 13 JUN 2024

SE-3, 16 MAY 2024 to 13 JUN 2024

