

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
TRANSMITTAL OF AIRWAYS/ROUTES DATA RECORD

AIRWAY NO or ROUTE

Q445

ROUTINE or DOCKET NO

24-AEA-4

<u>FROM</u> KALDA	<u>STATE</u> VA	<u>FB/FO</u> FB	<u>TO</u> ZJAAY	<u>STATE</u> MD	<u>FB/FO</u> FB	<u>RNP</u> 2.00	<u>LEG TYPE</u> TF
----------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	-----------------------

<u>OBSTRUCTION</u>	<u>COORDINATES</u>	<u>ELEV MSL</u>	<u>CONT OBS</u>	<u>AC</u>	<u>ROC</u>	<u>ADJUSTMENTS</u>
--------------------	--------------------	-----------------	-----------------	-----------	------------	--------------------

<u>MRA</u> 18000	<u>MOCA</u>	<u>PUB</u>	<u>MAA</u> 45000	<u>D/D/I</u> 18000	<u>MEA (1)</u>	<u>DIRECTION (1)</u>	<u>MEA (2)</u>	<u>DIRECTION (2)</u>	<u>GNSS MEA</u> 18000
---------------------	-------------	------------	---------------------	-----------------------	----------------	----------------------	----------------	----------------------	--------------------------

<u>COP</u>	<u>FIX MRA</u>	<u>FIX MCA</u>	<u>MTA</u>
------------	----------------	----------------	------------

SEGMENT REMARKS

NEW SEGMENT.
REQUIRED DME FACILITIES: CSN, FAK, RIC, SIE

CHANGES-REASONS

ADDED LEG KALDA - ZJAAY. - ATC REQUEST.

<u>FROM</u> ZJAAY	<u>STATE</u> MD	<u>FB/FO</u> FB	<u>TO</u> PAJET	<u>STATE</u> DE	<u>FB/FO</u> FB	<u>RNP</u> 2.00	<u>LEG TYPE</u> TF
----------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	-----------------------

<u>OBSTRUCTION</u>	<u>COORDINATES</u>	<u>ELEV MSL</u>	<u>CONT OBS</u>	<u>AC</u>	<u>ROC</u>	<u>ADJUSTMENTS</u>
--------------------	--------------------	-----------------	-----------------	-----------	------------	--------------------

<u>MRA</u> 18000	<u>MOCA</u>	<u>PUB</u>	<u>MAA</u> 45000	<u>D/D/I</u> 18000	<u>MEA (1)</u>	<u>DIRECTION (1)</u>	<u>MEA (2)</u>	<u>DIRECTION (2)</u>	<u>GNSS MEA</u> 18000
---------------------	-------------	------------	---------------------	-----------------------	----------------	----------------------	----------------	----------------------	--------------------------

<u>COP</u>	<u>FIX MRA</u>	<u>FIX MCA</u>	<u>MTA</u>
------------	----------------	----------------	------------

SEGMENT REMARKS

NEW SEGMENT.
REQUIRED DME FACILITIES: CSN, CYN, EMI, FAK, RIC, SIE

CHANGES-REASONS



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
TRANSMITTAL OF AIRWAYS/ROUTES DATA RECORD

AIRWAY NO or ROUTE

Q445

ROUTINE or DOCKET NO

24-AEA-4

<u>FROM</u>	<u>STATE</u>	<u>FB/FO</u>	<u>TO</u>	<u>STATE</u>	<u>FB/FO</u>	<u>RNP</u>	<u>LEG TYPE</u>
PAJET	DE	FB	CAANO	DE	FB	2.00	TF

<u>OBSTRUCTION</u>	<u>COORDINATES</u>	<u>ELEV MSL</u>	<u>CONT OBS</u>	<u>AC</u>	<u>ROC</u>	<u>ADJUSTMENTS</u>
--------------------	--------------------	-----------------	-----------------	-----------	------------	--------------------

<u>MRA</u>	<u>MOCA</u>	<u>PUB</u>	<u>MAA</u>	<u>D/D/I</u>	<u>MEA (1)</u>	<u>DIRECTION (1)</u>	<u>MEA (2)</u>	<u>DIRECTION (2)</u>	<u>GNSS MEA</u>
18000			45000	18000					18000

<u>COP</u>	<u>FIX MRA</u>	<u>FIX MCA</u>	<u>MTA</u>
------------	----------------	----------------	------------

SEGMENT REMARKS

NEW SEGMENT.

REQUIRED DME FACILITIES: CSN, CYN, EMI, FAK, RIC, SIE

CHANGES-REASONS

<u>FROM</u>	<u>STATE</u>	<u>FB/FO</u>	<u>TO</u>	<u>STATE</u>	<u>FB/FO</u>	<u>RNP</u>	<u>LEG TYPE</u>
CAANO	DE	FB	TBONN	OA	FB	2.00	TF

<u>OBSTRUCTION</u>	<u>COORDINATES</u>	<u>ELEV MSL</u>	<u>CONT OBS</u>	<u>AC</u>	<u>ROC</u>	<u>ADJUSTMENTS</u>
--------------------	--------------------	-----------------	-----------------	-----------	------------	--------------------

<u>MRA</u>	<u>MOCA</u>	<u>PUB</u>	<u>MAA</u>	<u>D/D/I</u>	<u>MEA (1)</u>	<u>DIRECTION (1)</u>	<u>MEA (2)</u>	<u>DIRECTION (2)</u>	<u>GNSS MEA</u>
18000			45000	18000					18000

<u>COP</u>	<u>FIX MRA</u>	<u>FIX MCA</u>	<u>MTA</u>
------------	----------------	----------------	------------

SEGMENT REMARKS

NEW SEGMENT.

REQUIRED DME FACILITIES: CSN, CYN, EMI, FAK, RBV, RIC, SIE

CHANGES-REASONS



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
TRANSMITTAL OF AIRWAYS/ROUTES DATA RECORD

AIRWAY NO or ROUTE

Q445

ROUTINE or DOCKET NO

24-AEA-4

<u>FROM</u>	<u>STATE</u>	<u>FB/FO</u>	<u>TO</u>	<u>STATE</u>	<u>FB/FO</u>	<u>RNP</u>	<u>LEG TYPE</u>
TBONN	OA	FB	ZIZZI	OA	FB	2.00	TF

<u>OBSTRUCTION</u>	<u>COORDINATES</u>	<u>ELEV MSL</u>	<u>CONT OBS</u>	<u>AC</u>	<u>ROC</u>	<u>ADJUSTMENTS</u>
--------------------	--------------------	-----------------	-----------------	-----------	------------	--------------------

<u>MRA</u>	<u>MOCA</u>	<u>PUB</u>	<u>MAA</u>	<u>D/D/I</u>	<u>MEA (1)</u>	<u>DIRECTION (1)</u>	<u>MEA (2)</u>	<u>DIRECTION (2)</u>	<u>GNSS MEA</u>
18000			45000	18000					18000

<u>COP</u>	<u>FIX MRA</u>	<u>FIX MCA</u>	<u>MTA</u>
------------	----------------	----------------	------------

SEGMENT REMARKS

NEW SEGMENT.

REQUIRED DME FACILITIES: CSN, CYN, RBV, RIC, SIE

CHANGES-REASONS

<u>FROM</u>	<u>STATE</u>	<u>FB/FO</u>	<u>TO</u>	<u>STATE</u>	<u>FB/FO</u>	<u>RNP</u>	<u>LEG TYPE</u>
ZIZZI	OA	FB	YAZUU	OA	FB	2.00	TF

<u>OBSTRUCTION</u>	<u>COORDINATES</u>	<u>ELEV MSL</u>	<u>CONT OBS</u>	<u>AC</u>	<u>ROC</u>	<u>ADJUSTMENTS</u>
--------------------	--------------------	-----------------	-----------------	-----------	------------	--------------------

<u>MRA</u>	<u>MOCA</u>	<u>PUB</u>	<u>MAA</u>	<u>D/D/I</u>	<u>MEA (1)</u>	<u>DIRECTION (1)</u>	<u>MEA (2)</u>	<u>DIRECTION (2)</u>	<u>GNSS MEA</u>
18000			45000	18000					18000

<u>COP</u>	<u>FIX MRA</u>	<u>FIX MCA</u>	<u>MTA</u>
------------	----------------	----------------	------------

SEGMENT REMARKS

NEW SEGMENT.

REQUIRED DME FACILITIES: CSN, CYN, JFK, RBV, SIE

CHANGES-REASONS



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
TRANSMITTAL OF AIRWAYS/ROUTES DATA RECORD

AIRWAY NO or ROUTE

Q445

ROUTINE or DOCKET NO

24-AEA-4

<u>FROM</u>	<u>STATE</u>	<u>FB/FO</u>	<u>TO</u>	<u>STATE</u>	<u>FB/FO</u>	<u>RNP</u>	<u>LEG TYPE</u>
YAZUU	OA	FB	SHAUP	OA	FB	2.00	TF

<u>OBSTRUCTION</u>	<u>COORDINATES</u>	<u>ELEV MSL</u>	<u>CONT OBS</u>	<u>AC</u>	<u>ROC</u>	<u>ADJUSTMENTS</u>
--------------------	--------------------	-----------------	-----------------	-----------	------------	--------------------

<u>MRA</u>	<u>MOCA</u>	<u>PUB</u>	<u>MAA</u>	<u>D/D/I</u>	<u>MEA (1)</u>	<u>DIRECTION (1)</u>	<u>MEA (2)</u>	<u>DIRECTION (2)</u>	<u>GNSS MEA</u>
18000			45000	18000					18000

<u>COP</u>	<u>FIX MRA</u>	<u>FIX MCA</u>	<u>MTA</u>
------------	----------------	----------------	------------

SEGMENT REMARKS

NEW SEGMENT.

REQUIRED DME FACILITIES: CCC, CYN, HTO, JFK, RBV, SAX

CHANGES-REASONS

<u>FROM</u>	<u>STATE</u>	<u>FB/FO</u>	<u>TO</u>	<u>STATE</u>	<u>FB/FO</u>	<u>RNP</u>	<u>LEG TYPE</u>
SHAUP	OA	FB	VALCO	OA	FB	2.00	TF

<u>OBSTRUCTION</u>	<u>COORDINATES</u>	<u>ELEV MSL</u>	<u>CONT OBS</u>	<u>AC</u>	<u>ROC</u>	<u>ADJUSTMENTS</u>
--------------------	--------------------	-----------------	-----------------	-----------	------------	--------------------

<u>MRA</u>	<u>MOCA</u>	<u>PUB</u>	<u>MAA</u>	<u>D/D/I</u>	<u>MEA (1)</u>	<u>DIRECTION (1)</u>	<u>MEA (2)</u>	<u>DIRECTION (2)</u>	<u>GNSS MEA</u>
18000			45000	18000					18000

<u>COP</u>	<u>FIX MRA</u>	<u>FIX MCA</u>	<u>MTA</u>
------------	----------------	----------------	------------

SEGMENT REMARKS

REQUIRED DME FACILITIES: CCC, CYN, HTO, JFK, PVD, RBV, SAX, SIE

CHANGES-REASONS

ADDED REQUIRED DME FACILITIES: CCC, PVD, SAX. - NEW DME/DME ASSESSMENT.

ADDED MRA AND D/D/I VALUES - IAW 8260.19J 8-8-1F, DOCUMENTATION UPDATE ONLY

QUALITY
25
CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
TRANSMITTAL OF AIRWAYS/ROUTES DATA RECORD

AIRWAY NO or ROUTE

Q445

ROUTINE or DOCKET NO

24-AEA-4

<u>FROM</u>	<u>STATE</u>	<u>FB/FO</u>	<u>TO</u>	<u>STATE</u>	<u>FB/FO</u>	<u>RNP</u>	<u>LEG TYPE</u>
VALCO	OA	FB	KYSKY	NY	FB	2.00	TF

<u>OBSTRUCTION</u>	<u>COORDINATES</u>	<u>ELEV MSL</u>	<u>CONT OBS</u>	<u>AC</u>	<u>ROC</u>	<u>ADJUSTMENTS</u>
---------------------------	---------------------------	------------------------	------------------------	------------------	-------------------	---------------------------

<u>MRA</u>	<u>MOCA</u>	<u>PUB</u>	<u>MAA</u>	<u>D/D/I</u>	<u>MEA (1)</u>	<u>DIRECTION (1)</u>	<u>MEA (2)</u>	<u>DIRECTION (2)</u>	<u>GNSS MEA</u>
18000			45000	18000					18000

<u>COP</u>	<u>FIX MRA</u>	<u>FIX MCA</u>	<u>MTA</u>
-------------------	-----------------------	-----------------------	-------------------

SEGMENT REMARKS

REQUIRED DME FACILITIES: BOS, CCC, CYN, HTO, JFK, LFV, PUT, PVD, RBV, SAX, SIE

CHANGES-REASONS

ADDED REQUIRED DME FACILITES: BOS, CCC, LFV. - NEW DME/DME ASSESSMENT.
ADDED MRA AND D/D/I VALUES - IAW 8260.19J 8-8-1F, DOCUMENATION UPDATE ONLY

FLIGHT CHECK

DATE

OFFICE

NAME

PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021, SUBJECT: GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/VALIDATION.

APPROVED

DATE

OFFICE

TITLE

NAME

01/21/2025

AJV-A33

MANAGER

JOHN BORDY

Digitally signed by

ERIC N SUSKI

Jan 24, 2025

Digitally signed by

JOHN BORDY

Jan 21, 2025

