

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 10/02/2025	APWS Task ID: 10458FFB47534C709EB0E6EA820C63C6	APWS Project ID: BE525A5B19B541188911B4DAC9D07B2A
Procedure: RNAV (GPS) RWY 35 AMDT 2B		Enroute: NO	Specialist: Bruno, John		Agreement Number:
Airport ID: KJHN			Airport City: JOHNSON CITY		State: KS
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			

Procedure Comments:
THIS NOTAM CANCELS FDC 5/9838
Contact Rob Hamilton 405-954-4608

QUALITY
35
CHECKED



QUALITY
41
CHECKED

FIPC BASIC FORM						
PROCEDURE: RNAV (GPS) RWY 35 AMDT 2B			AIRPORT NAME: STANTON COUNTY MUNI		AIRPORT ID: KJHN	SPECIAL CONTROL NO: OG-05-122-25
FAC ID: KJHN35.02		CITY: JOHNSON			ST: KS	ORIG CHART DATE: 10/02/2025
DFL TYPE: PROC/S	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:	PTS TASK ID: 10458FFB47534C709EB0E6EA820C63C6		
PREFLIGHT NOTES						
REVIEWER:					DATE:	
COMMENTS:					CHECK ONE:	
					☐ FLT CK REQ ☐ NFCR ☐ REJECT	
						YES
					CPV COMPLETE?	X
PROCEDURE RESULTS						
INSPECTION DATE: 06/11/2025	CREW #: VN330	N #: N78	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☐ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: brian harrelson @ 06/11/2025 17:31			PRINTED NAME: HARRELSON, BRIAN DAVID			NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS: Complete/SAT.						
IN-FLIGHT OBSTACLE REPORT						
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:		

WAAS CH 50243 W35A	APP CRS 352°	Rwy Idg TDZE Apt Elev	5200 3325 3325
--	------------------------	-----------------------------	---

RNAV (GPS) RWY 35
STANTON COUNTY MUNI (JHN)

RNP APCH. ▼ Circling Rwy 8, 26 NA at night. Rwy 35 helicopter visibility reduction below ¾ SM NA. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -21°C or above 54°C. ▲ MISSED APPROACH: Climb to 5200 direct FARPA and hold.		AWOS-3PT 124.175	KANSAS CITY CENTER 125.2 285.425	UNICOM 122.8 (CTAF) 0
--	--	----------------------------	--	--



5200 FARPA		JTSEN 2 NM to RW35		NULIC 5 NM Holding Pattern	
*LNAV only		*1.3 NM to RW35		GP 3.00° TCH 40	
RW35		GEDRE 4900		6000 5200	
1.3 NM 0.7		2.8 NM		6 NM	
CATEGORY	A	B	C	D	
LPV DA	3575-1		250 (300-1)		
LNAV/VNAV DA	3808-1 3/8		483 (500-1 3/8)		
LNAV MDA	3780-1	455 (500-1)	3780-1 3/8	455 (500-1 3/8)	
CIRCLING	3880-1	555 (600-1)	4040-2 715 (800-2)	4040-2 1/4 715 (800-2 1/4)	

[illegible]