1 SHELBYVILLE SYI VOR/DME L BRG 045.92 BRG 045.92 16.65 HOLDING TYPE OF ACTION: CANCEL PAT DIR PAT DIR 1 CONTROLLING COMPTIATIONS: PAT AIRSPEED OBSTRUCTIONS: PAT AIRSPEED OBSTRUCTIONS: PAT AIRSPEED OBSTRUCTIONS: PAT AIRSPEED OBSTRUCTIONS: PRECIPITOUS TERRAIN EVALUATION COMPLETED. COORDINATES INDUDING RESTRUCTIONS: PRECIPITOUS TERRAIN EVALUATION COMPLETED. FAC PAT PAT AIRPORT IDENT CITY CITY ELEV FK USE: USE TYPE PRECIPITOUS TERRAIN EVALUATION COMPLETED. FAC PAT PAT AIRPORT IDENT CITY CITY ELEV FROMAVIGPS) Y RWY 20L IAP 1 KBNA NASHVILLE NASHVILLE NASHVILLE NASHVILLE NASHVILLE NASHVILLE NASHVILLE NASHVILLE NASHVILLE NASHVILLE REQUIRED CHARTING: IAP, CONTROLLER, EN ROUTE LOW COMPULSORY REPORTING POINT: NO I KBNA NASHVILLE NASHVILLE 1. DELETED FAC 2 2. ADDED DIST TO FAC TO FAC 1. 3. ESTABLISHED FAT 1. DATE OF REVISION: 07/24/2014 NAME: DEC RECORD REVISION NUMBER: 11 DATE OF REVISION: 07/24/2014 NAME: DEC NAME: 1. DELETED FAC 2 3. ADDED DIST TO FAC TO FAC 1. 3. ESTABLISHED PAT 1. DATE: 08	ICAO REGION CODE: K7
ARSPACE DOCKET: FIX TYPE OF ACTION: CANCEL FIX MAKE-UP FACILITIES: DENT TYPE CLASS MAG TRUE DME DME <t< td=""><td></td></t<>	
FX MAKE-UP FACILITIES: IDENT TYPE CLASS MAG TRUE DME DME <thdme< th=""> <thdme< th=""> DME <</thdme<></thdme<>	
FAC NAME IDENT TYPE CLASS MAG TRUE DME DI 1 SHELBYVILLE SYI VOR/DME U 045.92 044.92 16.65 HOLDING: HOLDING TYPE OF ACTION: CANCEL HOLDING TURN LEG LENGTH HOLDING PAT DIR DENT TYPE RAD/CRS/BRG CRS TURN LEG LENGTH HOLDING PAT DIR DENT TYPE RAD/CRS/BRG CRS TURN LEG LENGTH HOLDING 1 SE WP 133.24 313.24 R ME 4 400 CONTROLLING OBSTRUCTIONS: COORDINATES ELEV ELEV 1 200 TOWER (47-020010) 354209.92N/0861228.32W ELEV HOLDING LIMITED TO ESTABLISHED PATTERN. COORDINATES ELEV ELEV 1	
1 SHELBYVILLE SYI VOR/DME L 045.92 044.92 16.65 HOLDING: HOLDING TYPE OF ACTION: CANCEL PATTERNS: PAT DIR IDENT TYPE RAD/CRS/BRG CRS INBOUND 1 TURN LEG LENGTH HOLDIN (L OR R) TIME DME (MIN 4 1 133.24 313.24 TURN LEG LENGTH HOLDIN (L OR R) TIME DME (MIN 4 MIN 4 CONTROLLING OBSTRUCTIONS: PAT AIRSPEED OBSTRUCTIONS: HOLDING RESTRICTIONS: HOLDING LIMITED TO ESTABLISHED PATTERN. COORDINATES ELEV 354209.92N/0861228.32W HOLDING RESTRICTIONS: HOLDING LIMITED TO ESTABLISHED PATTERN. REMARKS: PRECIPITOUS TERRAIN EVALUATION COMPLETED. FIX USE: TILE FAC PAT AIRPORT IDENT CITY EN ROUTE USE TITLE FAC PAT AIRPORT IDENT CITY EN ROUTE IMINA (GPS) Y RWY 20L 1 KBNA NASHVILLE IARPORT IDENT CITY INAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IARPORT IDENT CITY IARPORT IDENT CITY IARPORT IDENT CITY ISON FOR REVISION IDECENTING POINT: NO REAC ID	ST FROM FAC MRA MAA NM FEET
PATTERNS: PAT DIR IDENT TYPE RAD/CRS/BRG CRS TURN LEG LEG LENGTH HOLDING 1 SE WP 133.24 313.24 313.24 313.24 313.24 313.24 313.24 4000 CONTROLLING OBSTRUCTIONS: PAT AIRSPEED OBSTRUCTIONS: 1 200 TOWER (47-020010) COORDINATES ELEV HOLDING RESTRUCTIONS: HOLDING RESTRUCTIONS: HOLDING STERRAIN EVALUATION COMPLETED. FAC PAT AIRPORT IDENT CITY PRECIPITOUS TERRAIN EVALUATION COMPLETED. 1 KBNA NASHVILLE NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE REQUIRED CHARTING: IAP, CONTROLLER, EN ROUTE LOW COMPULSORY REPORTING POINT: NO RECORD REVISION NAME: 1. DELETED FAC 2. ADATE: 06/08/2013 OFFICE: AJV-352	16.65 3400 17500
PAT DIR IDENT TYPE RAD/CRS/BRG CRS TUR LEG LENGTH HOLOING MILLOR 1 SE WP 133.24 313.24 R 4 400 CONTROLLING OBSTRUCTIONS: PAT AIRSPEED OBSTRUCTIONS: 200 COORDINATES ELEV 1 200 TOWER (47-02010) COORDINATES ELEV HOLDING RESTRUCTIONS: HOLDING RESTRUCTIONS: PRECIPITOUS TERRAIN EVALUATION COMPLETED. FAC PAT AIRPORT IDENT CITY FIX USE: USE TYPE USE TITLE FAC PAT AIRPORT IDENT CITY IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE REQUIRED CHARTING: IAP, CONTROLLER, EN ROUTE LOW COMPULSORY REPORTING POINT: NO NASHVILLE RECORD REVISION DATE: 08/08/2013 OFFICE: AJV	
1 SE WP 133.24 313.24 R 4 4000 CONTROLLING OBSTRUCTIONS: PAT AIRSPEED OBSTRUCTIONS: 1 200 TOWER (47-020010) 354209.92N/0861228.32W ELEV HOLDING LIMITED TO ESTABLISHED PATTERN. S54209.92N/0861228.32W ELEV HOLDING STRUCTIONS: INCOMPLETED TO ESTABLISHED PATTERN. FAC PAT AIRPORT IDENT CITY PRECIPITOUS TERRAIN EVALUATION COMPLETED. FAC PAT AIRPORT IDENT CITY ENCOMPTOUS TERRAIN EVALUATION COMPLETED. 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE REQUIRED CHARTING: IAP, CONTROLLER, EN ROUTE LOW COMPULSORY REPORTING POINT: NO RECORD REVISION: 07/24/2014 REAGON FOR REVISION: 1 DATE: ORGANIZATION: 07/24/2014 I. DELETED FAC 2. 2 ADDED DIST TO FAC TO FAC 1. 3 Status PETER GUIM APPROVED BY: DATE: ORGANIZATION: NAME: PETER GUIM APP	IG ALTITUDES TEMPLATES
PAT AIRSPEED OBSTRUCTION TOWER (47-020010) COORDINATES 354209.92N/0861228.32W ELEV 285 TYPE HOLDING LIMITED TO ESTABLISHED PATTERN. REMARKS: PRECIPITOUS TERRAIN EVALUATION COMPLETED. FAC PAT AIRPORT IDENT CITY FIX USE: USE TYPE USE TITLE FAC PAT AIRPORT IDENT CITY EN ROUTE V321 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (RNP) Z RWY 20L 1 KBNA NASHVILLE IAP RNAV (RNP) Z RWY 20L 1 KBNA NASHVILLE REQUIRED CHARTING: IAP, CONTROLLER, EN ROUTE LOW COMPULSORY REPORTING POINT: NO RECORD REVISION 07/24/2014 REASON FOR REVISION 1 DATE OF REVISION: 07/24/2014 NAME: 0 1 DELETED FAC TO FAC TO FAC 1. 3 5 SETABLISHED HOLDING PAT 1. 4 2. AODED DIST TO FAC TO FAC 1. SESTABLISHED HOLDING PAT 1. ORGANIZATION: NAM	
REMARKS: PRECIPITOUS TERRAIN EVALUATION COMPLETED. FAC USE: USE TYPE V321 IFTE FAC TO FAC 10 FA	ATION ACCURACY CODE 1612 1A
FIX USE: USE TYPE EN ROUTE USE TITLE FAC V321 PAT AIRPORT IDENT CITY IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE KBNA NASHVILLE NASHVILLE IAP RNAV (RP) Z RWY 20L 1 KBNA NASHVILLE KBNA NASHVILLE NASHVILLE REQUIRED CHARTING: IAP, CONTROLLER, EN ROUTE LOW 1 KBNA NASHVILLE RECORD REVISION REPORTING POINT: NO IATE OF REVISION: 07/24/2014 Image: Compound of the compound	
EN ROUTE V321 1 IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (GPS) Y RWY 20L 1 KBNA NASHVILLE IAP RNAV (RNP) Z RWY 20L 1 KBNA NASHVILLE REQUIRED CHARTING: IAP, CONTROLLER, EN ROUTE LOW 1 KBNA NASHVILLE COMPULSORY REPORTING POINT: NO DATE OF REVISION: 07/24/2014 REASON FOR REVISION: 1 1. DELETED FAC 2. 2. ADDED DIST TO FAC TO FAC 1. 3. ESTABLISHED HOLDING PAT 1. 4. UPDATED FIX USE. DATE: 08/08/2013 OFFICE: AJV-352 NAME: PETER GUIM APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGR. APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGR.	
IAP RNAV (GPS) Y RWY 31 RNAV (RNP) Z RWY 20L KBNA 1 NASHVILLE REQUIRED CHARTING: IAP, CONTROLLER, EN ROUTE LOW COMPULSORY REPORTING POINT: NO RECORD REVISION NUMBER: 11 DATE OF REVISION: 07/24/2014 REASON FOR REVISION: 1. DELETED FAC 2. 2. ADDED DIST TO FAC TO FAC 1. 3. ESTABLISHED HOLDING PAT 1. 4. UPDATED FIX USE. INITIATED BY: DATE: 0RGANIZATION: NAME: PETER GUIM APPROVED BY: DATE: 08/08/2013 OFFICE: AJV-352 NAME: RAKE MCGRAW	STATE (US)
REQUIRED CHARTING: IAP, CONTROLLER, EN ROUTE LOW COMPULSORY REPORTING POINT: NO RECORD REVISION NUMBER: 11 DATE OF REVISION: 07/24/2014 REASON FOR REVISION: 1. DELETED FAC 2. 2. ADDED DIST TO FAC TO FAC 1. 3. ESTABLISHED HOLDING PAT 1. 4. UPDATED FIX USE. INITIATED BY: DATE: ORGANIZATION: NAME: DEVELOPED BY: DATE: 08/08/2013 OFFICE: AJV-352 NAME: PETER GUIM APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-352 NAME: PETER GUIM APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRA SIGNATURE: Digitally signed by RAKE MCGRAW	TN (US) TN (US)
COMPULSORY REPORTING POINT: NO RECORD REVISION NUMBER: 11 DATE OF REVISION: 07/24/2014 REASON FOR REVISION: 1 1. DELETED FAC 2. STABLISHED HOLDING PAC 1. 2. ADDED DIST TO FAC TO FAC 1. STABLISHED HOLDING PAT 1. 3. ESTABLISHED HOLDING PAT 1. ORGANIZATION: 4. UPDATED FIX USE. NAME: INITIATED BY: DATE: 08/08/2013 OFFICE: AJV-352 NAME: PETER GUIM APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW	TN (US)
RECORD REVISION NUMBER: 11 DATE OF REVISION: 07/24/2014 REASON FOR REVISION: 1. DELETED FAC 2. 2. ADDED DIST TO FAC TO FAC 1. 3. ESTABLISHED HOLDING PAT 1. 4. UPDATED FIX USE. INITIATED BY: DATE: ORGANIZATION: NAME: DEVELOPED BY: DATE: 08/08/2013 OFFICE: AJV-352 NAME: PETER GUIM APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRA SIGNATURE: Digitally signed by RAKE MCGRAW DISTRIPUITION: NEDC	
REASON FOR REVISION: 1. DELETED FAC 2. 2. ADDED DIST TO FAC TO FAC 1. 3. ESTABLISHED HOLDING PAT 1. 4. UPDATED FIX USE. INITIATED BY: DATE: ORGANIZATION: NAME: DEVELOPED BY: DATE: 08/08/2013 OFFICE: AJV-352 APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 SIGNATURE: Digitally signed by RAKE MCGRAW	
1. DELETED FAC 2. 2. ADDED DIST TO FAC TO FAC 1. 3. ESTABLISHED HOLDING PAT 1. 4. UPDATED FIX USE. INITIATED BY: DATE: ORGANIZATION: NAME: DEVELOPED BY: DATE: 08/08/2013 OFFICE: AJV-352 APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 SIGNATURE: Digitally signed by RAKE MCGRAW	
DEVELOPED BY: DATE: 08/08/2013 OFFICE: AJV-352 NAME: PETER GUIM APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRA SIGNATURE: Digitally signed by RAKE MCGRAW	
APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGR/ SIGNATURE: Digitally signed by RAKE MCGRAW	
SIGNATURE: Digitally signed by RAKE MCGRAW	OND
	AW
FPO: EST ARTCC: ZME ATC FACILITY: BNA APP CON OTHER:	
	-VAL



							NLCOP		
NAME: CRAMR				ST	ATE: TN		COUNTRY:	US ICAO REG	ION CODE: K7
LATITUDE/LONGITU	JDE: 361513.11N/086	3640.07W		TY	PE: WP, R	ADAR, D	DME		
AIRSPACE DOCKET	T:	F	IX TYPE OF AC	TION: N	IODIFY				
FIX MAKE-UP FACII FAC NAME	LITIES:	IDENT	ТҮРЕ	CLAS	S MAG	TRUE	DME	DIST FROM FAC	MRA MAA
1 NASHVILLE		I-SSX	LOC/DME		BRG 020.99	BRG 017.99	9.15	NM FEET 9.15	3000 5000
HOLDING:		н	OLDING TYPE O	F ACTI	DN: NO CI	HANGE			
REMARKS: I-SSX DME COORDI	NATES 360630.97N-0)864012.89	W.						
IAP IAP	USE TITLE ILS OR LOC RWY 201 RNAV (GPS) Y RWY 2 RNAV (RNP) Z RWY 2	20L	FAC PA 1	KE KE	RPORT ID 3NA 3NA 3NA		CITY NASHVILLE NASHVILLE NASHVILLE		STATE TN (US) TN (US) TN (US)
REQUIRED CHARTI	NG: IAP, CONTROLL	ER LOW							
COMPULSORY REP	ORTING POINT: NO								
RECORD REVISION	NUMBER: 3	DAT	E OF REVISION	I: 10/02/	2025				
2) TYPE: ADDED WF 3) FIX MAKE-UP FAC AND DIST NM SHAN 4) REMARKS: ADDD 5) FIX USE: UPDATE (RNP) Z RWY 20L.	TUDE: CHANGED FR	X) MAG BR 9.15. DRDINATES C/DME RW	RG CHANGED FF S 360630.97N-08 /Y 20L" TO "ILS (ROM 02 864012.8 OR LOC	1.00 TO 02	20.99; TF	RUE BRG CH	ANGED FROM 018.0	0 TO 017.99; DME
INITIATED BY:	DATE:	ORC	GANIZATION:			NAM	ME:		
OFFICE OF PRIMAR	Y RESPONSIBILITY:		AJV-A422			NA	ME: DUSTIN	HARDISON	
APPROVED BY:	DATE: 08/28/20)25	OFFICE: A.	JV-A422		NA	ME: RAKE MO	CGRAW	
	SIGNATURE:	Digitally sig RAKE MC Jun 10, 2	GRAW						

I NASHVILLE I-SSX LOC/DME BRG BRG 0.00 6.00	LATITUDE/LONGITUDE: 381213.1310/0863752.36W TYPE: WP, RADAR, DME AIRSPACE DOCKT: FX TYPE OF ACTION: MODIFY FAC NAME IDENT TYPE: OF ACTION: MODIFY FAC NAME ISSX LOC/DME OLDS OME DIST FROM FAC MRA MAA 1 NASHVILLE ISSX LOC/DME 020.90 017.99 6.00 6.00 36469 200.00 50.00 HOLDING: HOLDING TYPE OF ACTION: NO CHANGE HOLDING: STATE HOLDING TYPE OF ACTION: NO CHANGE STATE STATE STATE 1000000000000000000000000000000000000													
ARSPACE DOCKT: FIX TYPE OF ACTION: MODIFY FX MARKE-UP FACILITIES: IDENT TYPE CLASS MAG TRUE DME DIST FROM FACE MRA MAG 1 NASHVILLE I-SSX LOC/DME 020.99 017.99 6.00 6.00 36469 200.0 500 HOLDING: HOLDING TYPE OF ACTION: NO CHANGE HOLDING TYPE OF ACTION: NO CHANGE STATE	ARSPACE DOCKT: FX TYPE OF ACTION: MODIFY FXA_MAKE-UP FACILITIES: IDENT TYPE CLASS MAG TWE DIME DIST FROM FAC MRA MAG 1 NASHVILLE I-SSX LOC/DME 020.90 017.99 6.00 6.00 36469 200 5000 HOLDING: HOLDING TYPE OF ACTION: NO CHANGE HOLDING TYPE OF ACTION: NO CHANGE STATE TYPE TYPE STATE TYPE TYPE STATE TYPE <	NAME: JUUDD					STAT	E: TN	COL	JNTRY: US	S ICAO R	EGIO	ODE:	K7
FX MAME IDEN TYPE CLASS MAG DIST FROM FAG MRA MAA 1 NASHVILLE I-SSX LOC/DME 020.99 017.99 6.00 6.00 60.00 <td>FX NAME IDENT TYPE CLASS MAG DERG DME DIS DME DIS MAG MAG MAG 1 NASHVILLE ISSX LOC/DME DOLOB D</td> <td>LATITUDE/LONG</td> <td>ITUDE: 361213.13N/086</td> <td>3752.36W</td> <td></td> <td></td> <td>ТҮРЕ</td> <td>: WP, R</td> <td>ADAR, DME</td> <td></td> <td></td> <td></td> <td></td> <td></td>	FX NAME IDENT TYPE CLASS MAG DERG DME DIS DME DIS MAG MAG MAG 1 NASHVILLE ISSX LOC/DME DOLOB D	LATITUDE/LONG	ITUDE: 361213.13N/086	3752.36W			ТҮРЕ	: WP, R	ADAR, DME					
FAC NAME IDENT TYPE CLASS MAG DIE DIT FAC MA MA 1 NASHVILLE I-SSX LOC/DME 020.99 017.99 6.00 6.00 36469 2000 500 HOLDING: HOLDING TYPE OF ACTION: NO CHANGE Image: Comparison of the comparison	FAC NAME IDENT TYPE CLASS MAG DME DIST FOM FAC NMA FAC NMA FAC 1 NASHVILLE I-SSX LOC/DME 020.99 017.99 6.00 6.00 36469 2000 5000 HOLDING: HOLDING TYPE OF ACTION: NO CHANGE Image: Comparison of the comparison	AIRSPACE DOCK	(ET:	FL	X TYPE OF	ACTIO	N: MO	DIFY						
1 NASHVILLE I-SSX LOC/DME 020.99 017.99 6.00 6.00 36469 2000 500 HOLDING TYPE OF ACTION: NO CHANGE REMARKS: I-SSX DME COORDINATES: 360630.97N/0864012.89W. FIX USE: USE TYPE US OR LOC RWY 20L IAP FAC PAT AIRPORT IDENT CITY STATE TA USE: USE TYPE US OR LOC RWY 20L IAP RNAV (RNP) Z RWY 20L STATE KIBNA NASHVILLE NASHVILLE TN (US) TN (US) RNAV (RNP) Z RWY 20L AIRPORT IDENT CITY STATE TA US RNAV (RNP) Z RWY 20L AIRPORT IDENT CITY STATE TN (US) REQUIRED CHARTING: IAP, CONTROLLER LOW COMPULSORY REPORTING POINT: NO REASON FOR REVISION: 1) LATITUDE.CONGITUDE: CHANGED FROM 361214.65N/0863751.71W* TO '361213.13N/0863752.36W* - MOVED 162.93 FEET SOUTHWEST: 2) FIX MASE, UP FACILITIES: FAC 1 (I-SSX) MAG BRG CHANGED FROM 021.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DN AND DIST NM CHANGED FROM 6.03 TO 6.00; DIST FEET CHANGED FROM 021.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 018.00 TO 017.99; DN AND DIST NM CHANGED FROM 6.03 TO 6.00; DIST FEET CHANGED FROM 021.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DN AND DIST NM CHANGED FROM 6.03 TO 6.00; DIST FEET CHANGED FROM 021.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DN AND DIST NM CHANGED FROM 6	1 NASHVILLE I-SSX LOC/DME 020.99 017.99 6.00 6.00 36469 2000 5000 HOLDING TYPE OF ACTION: NO CHANGE REMARKS: ISSX DME COORDINATES: 360630.97N/0864012.89W. FIX USE: USE TITLE FAC PAT AIRPORT IDENT CITY STATE IS OR LOC RWY 20L 1 KBNA NASHVILLE TN (US) IS OR LOC RWY 20L 1 KBNA NASHVILLE TN (US) IS OR LOC RWY 20L 1 KBNA NASHVILLE TN (US) IS OR LOC RWY 20L 1 KBNA NASHVILLE TN (US) IN (URP) Z RWY 20L 1 KBNA NASHVILLE TN (US) IN CONTROLLER LOW COMPULSORY REPORTING POINT: NO REAVINCE FROM 1361214.65N/0863751.71W TO 1361213.13N/0863752.36W" - MOVED 162.93 FEET SOUTHWEST. ITTUDE.CONTROLLER LOW INTUTUDE.CONTROLLER LOW INTUTUDE.CONTROLLER LOW INTUTUDE.CONTROLES INTU		CILITIES:	IDENT	TYPE	C	LASS			DME		-	MRA	МАА
REMARKS: ISSX DME COORDINATES: 360630.97N/0864012.89W. FX USE: USE TYPE IAP ILS OR LOC CWY 20L IAP RNAV (GPS) Y RWY 20L IAP REQUIRED CHARTING: IAP, CONTROLLER LOW IAP RAKE MCGRAW TAR IAP ANSHVILLE INTIATED BY: IAP IAP IAP IAP IAP IAP IAP IAP IAP IAP	REMARKS: I-SSX DME COORDINATES: 360630.97N/0864012.89W. FX USE: USE TITLE IAP ILS OR LOC RWY 20L IAP RNAV (GPS) Y RWY 20L IAP RNAV (GPS) Y RWY 20L IAP RNAV (RNP) Z RWY 20L IAP REQUIRED CHARTING: IAP, CONTROLLER LOW COMPULSORY REPORTING POINT: NO RECORD REVISION I RECORD REVISION I RECORD REVISION: 10 LATITUDE: CHANGED FROM '361214 65N/0863751.71W' TO '361213.13N/0863752.36W' - MOVED 162.93 FEET SOUTHWEST. 2) FIX MAKE-UP FACILITIES: FAC 1 (I-SSX) MAG BRG CHANGED FROM 021.00 TO 202.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DMI AND DIST NM CHANGED FROM 03 05 6.00; DIST FEET CHANGED FROM 36469. 3) FIX USE: UPDATED KBNA 'ILS OR LOC/DME RWY 20L'' TO 'ILS OR LOC RWY 20L''; ADDED KBNA RNAV (RNP) Z RWY 20L. 4) REQUIRED CHARTING: ADDED CONTROLLER LOW - FPT REQUEST. INITIATED BY: DATE: ORGANIZATION: NAME: OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW BIGINATURE: Digitally signed by RAKE MCGRAW	1 NASHVILL	E	I-SSX	LOC/DME					6.00			2000	5000
I-SSX DME COORDINATES: 360630.97N/0864012.89W. FIX USE: USE TYPE IAP RNAV (GRPS) Y RWY 20L AP RNAV (GRPS) Y RWY 20L AP REQUIRED CHARTING: IAP, CONTROLLER LOW: COMPULSORY REPORTING POINT: NO: REECORD REVISION NUMBER: 4 DATE OF REVISION: 10/02/2025 REASON FOR REVISION: 1 DATE OF REVISION: 10/02/2025 1 DATE: 08/02 NO DIST FEET COM 36645 TO 36469. 3) FIX USE: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "ILS OR LOC RWY 20L"; ADDED KBNA RNAV (RNP) Z RWY 20L. 4) REQUIRED CHARTING: ADDED CONTROLLER LOW: FPT REQUEST. 1 NITIATED BY: DATE: 0RGANIZATION: NAME: DUSTIN HARDISON APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW BIGINATURE: Digitally signed by: RAKE MCGRAW. BIGINATURE: DIGITALLY SIGNED BY SIGNATURE: DIGITALLY SIGNED BY SIGNATURE: DIGITALLY SIGNATURE: DIGITALY SIGNATURE: DIGITALLY SIGNATURE: DIGITALLY SIGNATURE: DIGI	I-SSX DME COORDINATES: 360630.97N/0864012.89W. FIX USE: USE TYPE IAP RNAV (GRP5) Y RWY 20L AP RNAV (GRP5) Y RWY 20L AP REQUIRED CHARTING: IAP, CONTROLLER LOW COMPULSORY REPORTING POINT: NO RECORD REVISION NUMBER: 4 DATE OF REVISION: 10/02/2025 REASON FOR REVISION 1 DATE OF REVISION: 10/02/2025 REASON FOR REVISION: CHANGED FROM '361214.65N/0863751.71W' TO '361213.13N/0863752.36W' - MOVED 162.93 FEET SOUTHWEST. 2) FAT MAKE-UP FACILITIES: FAC 1 (L-SSX) MAG BRG CHANGED FROM 021.00 TO 20.09; TRUB BRG CHANGED FROM 018.00 TO 017.99; DMI AND DIST NUCHANGED FROM 11S OR LOC/DME RWY 20L'' TO ''LS OR LOC RWY 20L''; ADDED KBNA RNAV (RNP) Z RWY 20L. 4) REQUIRED CHARTING: ADDED CONTROLLER LOW - FPT REQUEST. INITIATED BY: DATE: ORGANIZATION: NUME: MAKE: OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW BIGINATURE: Digitally signed by RAKE MCGRAW	HOLDING:		но	LDING TYP	E OF A	СТІОМ	I: NO CI	HANGE					
USE TITLE IAP USE TITLE ILS OR LOC RWY 20L FAC PAT AIRPORT IDENT KBNA CITY STATE NASHVILLE TN (US) IAP ILS OR LOC RWY 20L 1 KBNA NASHVILLE TN (US) IAP RNAV (RNP) Z RWY 20L 1 KBNA NASHVILLE TN (US) IAP RNAV (RNP) Z RWY 20L KBNA NASHVILLE TN (US) REQUIRED CHARTING: IAP, CONTROLLER LOW KBNA NASHVILLE TN (US) RECORD REVISION NUMBER: 4 DATE OF REVISION: 10/02/2025 State of REVISION: 10/02/2025 REASON FOR REVISION: 1) LIDE: CHANGED FROM '361214-65N/0863751.71W' TO '361213.13N/0863752.36W' - MOVED 162.93 FEET SOUTHWEST. State of REVISION: 10/02/2025 1) LATITUDE/LONGITUDE: CHANGED FROM '361214-65N/0863751.71W' TO '361213.13N/0863752.36W' - MOVED 162.93 FEET SOUTHWEST. State of REVISION 00 (0.0) DIST FEET CHANGED FROM 021.00 TO 020.99; TRUE BRG CHANGED FROM 016.00 TO 017.99; DN AND DIST NM CHANGED FROM 6.03 TO 6.00; DIST FEET CHANGED FROM 036645 TO 36469. State of REVISION 100 (0.0) DIST FEET CHANGED FROM 021.00 TO 010.09 (0.0) DIST FEET CHANGED FROM 036045 TO 36469. State of REVISION 100 (0.0) DIST FEET CHANGED FROM 036045 TO 36469. State of REVISION 100 (0.0) DIST FEET CHANGED FROM 036045 TO 36469. State of REVISION 100 (0.0) DIST FEET CHANGED FROM 036045 TO 36469. State of REVISION 100 (0.0) DIST FEET CHANGED FROM 0360 TO 017.99; DN 3645 TO 36469. State	USE TITLE IAP USE TITLE ILS OR LOC RWY 20L IAP FAC ILS OR LOC RWY 20L IAP IARPORT IDENT ILS OR LOC RWY 20L IAP STATE TIN USS IN		RDINATES: 360630.97N/	0864012.89V	V.									
COMPULSORY REPORTING POINT: NO RECORD REVISION NU BER: 4 DATE ⊂ REVISION: 10/02/2025 REASON FOR REVISION: 1) LATITUDE/LONGITUDE: CHANGED FROM 012/10/10/2005 DATE ⊂ REVISION: 10/02/2025 STATUTE: 1) LATITUDE/LONGITUDE: CHANGED FROM 012/10/10/20070/200.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DM STATUTE: 1) LATITUDE/LONGITUDE: CHANGED FROM 06.01 DIST FEET CHANGED FROM 02/10/10/200.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DM STATUS: UPDATED KBNA*ILS OR LOC/DME RWY 20L*TO*ILS OR LOC RWY 20L*; AVADED CHANGED FROM 018.00 TO 017.99; DM A) REQUIRED CHARTINE: VOL*TO*ILS OR LOC RWY 20L*; AVADED CHANGED FROM 018.00 TO 017.99; DM INITIATED BY: DATE: OFFICE OF PRIMARY EVONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON APPROVED BY: DATE: 08/28/2025 SIGNATURE: DIGITALY SIGNERVERVERVERVERVERVERVERVERVERVERVERVERVE	COMPULSORY REPORTING POINT: NO RECORD REVISION NUMER: 4 DATE OF REVISION: 10/02/2025 REASON FOR REVISION: 11/102/2025 P1/LATITUDE/LONGITUDE: CHANGED FROM 031021012 STANG CHANGED FROM 021.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DMAG DIST NM CHANGED FROM 018.00 TO 018.00 TO 017.99; DMAG DIST NM CHANGED FROM 018.00 TO 019.00 TO 019.00 TO 0100000; DIST FEET CHANGED FROM 018.00 TO 017.99; DMAG DIST NM CHANGED FROM 018.00 TO 017.99; DMAG DIST NM CHANGED FROM 018.00 TO 019.00 TO 010000; DIST FEET CHANGED FROM 018.00 TO 019.00 TO 01000; DIST FEET CHANGED FROM 018.00 TO 019.00 TO 01000; DIST FEET CHANGED FROM 018.00 TO 01000; DIST FEET CHANGED FROM 018.00 TO 01000; DIST FEET CHANGED FROM 019.00 TO 01000; DIST FEET CHANGED FROM 019.00 TO 01000; DIST FE	USE TYPE IAP IAP	ILS OR LOC RWY 20 RNAV (GPS) Y RWY 2	20L		ΡΑΤ	KBN KBN	A A	NASI NASI	HVILLE HVILLE			TN (US) TN (US)	
RECORD REVISION NUMBER: 4 DATE / FEVISION: 10/02/2025 REASON FOR REVISION: UNDER/CONGITUDE: CHANGED FROM 361214: 51/0863751.71W" TO "361213.13 / V0863752.36W" - MOVED 162.93 FEET SOUTHWEST. S) FIX USE: UPPACILITIES: FAC 1 (I-SSX) MAG BRG CHANGED FROM 021.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DM 201.00 TO 012.09; TRUE BRG CHANGED FROM 018.00 TO 017.99; DM 201.00 TO 012.09; TRUE BRG CHANGED FROM 018.00 TO 017.99; DM 201.00 TO 012.09; TRUE BRG CHANGED FROM 018.00 TO 017.99; DM 201.00 TO 017.99; DM 201.00 TO 017.99; DM 201.00 TO 012.99; DM 201.00 TO 017.99; DM 201.00 TO 012.99; DM 201.00 T	RECORD REVISION NUMBER: 4 DATE OF REVISION: 10/02/2025 REASON FOR REVISION: CHANGED FROM "361214.555/0863751.71W" TO "361213.131/0863752.36W" - MOVED 162.93 FEET SOUTHWEST. SADD DIST NM CHANGED FROM 6.03 TO 6.00; DIST FEET CHANGED FROM 021.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DMI 30121 SUB: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "361213.131/0863550.36469. 1) LATED DIST NM CHANGED FROM 10.03 TO 6.00; DIST FEET CHANGED FROM 36645 TO 36469. 3) FIX USE: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "ILS OR LOC RWY 20L"; AUDED CHANGED FROM 018.00 TO 017.99; DMI 30121 SUB: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "10.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DMI 30121 SUB: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "ILS OR LOC RWY 20L"; AUDED CHANGED FROM 018.00 TO 017.99; DMI 30121 SUB: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "10.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DMI 3012 SUB: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "10.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DMI 3012 SUB: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "10.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DMI 3012 SUB: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "10.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DMI 3012 SUB: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "10.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DMI 3012 SUB: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "10.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DMI 3012 SUB: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "10.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DMI 3012 SUB: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "10.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DMI 3012 SUB 301	REQUIRED CHAP	RTING: IAP, CONTROLL	ER LOW										
REASON FOR REVISION: 1) LATITUDELONGITUDE: CHANGED FROM '361214.653751.71W" TO ''361213.13LN/0863752.36W" - MOVED 162.93 FEET SOUTHWEST. 2) FIX MAKE-UP FACILITIES: FAC 1 (I-SSX) MAG BRG CHANGED FROM 021.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DM AND DIST NM CHANGED FROM 6.03 TO 6.00; DIST FEET CHANGED FROM 36645 TO 36469. 3) FIX USE: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "ILS OR LOC RWY 20L"; ADDED KBNA RNAV (RNP) Z RWY 20L. 4) REQUIRED CHARTING: ADDED CONTROLLER LOW - FPT REQUEST. INITIATED BY: DATE: OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW SIGNATURE: Digitally signed by: RAKE MCGRAW	REASON FOR REVISION: 1) LATITUDE: CHANGED FROM '361214.65N/0863751.71W" TO '361213.13N/0863752.36W" - MOVED 162.93 FEET SOUTHWEST. 2) FIX MAKE-UP FACILITIES: FAC 1 (I-SSX) MAG BRG CHANGED FROM 021.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DMI AND DIST NM CHANGED FROM 6.03 TO 6.00; DIST FEET CHANGED FROM 36645 TO 36469. 3) FIX USE: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "ILS OR LOC RWY 20L "; ADDED KBNA RNAV (RNP) Z RWY 20L. 4) REQUIRED CHARTING: ADDED CONTROLLER LOW - FPT REQUEST. INITIATED BY: DATE: OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW SIGNATURE: Digitally signed by RAKE MCGRAW	COMPULSORY R	EPORTING POINT: NO											
1) LATITUDE/LONGITUDE: CHANGED FROM "361214.65N/0863751.71W" TO "361213.13N/0863752.36W" - MOVED 162.93 FEET SOUTHWEST. 2) FIX MAKE-UP FACILITIES: FAC 1 (I-SSX) MAG BRG CHANGED FROM 021.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DM AND DIST NM CHANGED FROM 6.03 TO 6.00; DIST FEET CHANGED FROM 36645 TO 36469. 3) FIX USE: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "ILS OR LOC RWY 20L "; ADDED KBNA RNAV (RNP) Z RWY 20L. 4) REQUIRED CHARTING: ADDED CONTROLLER LOW - FPT REQUEST. INITIATED BY: DATE: ORGANIZATION: NAME: OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW SIGNATURE: Digitally signed by RAKE MCGRAW	1) LATITUDE/LONGITUDE: CHANGED FROM "361214.65N/0863751.71W" TO "361213.13N/0863752.36W" - MOVED 162.93 FEET SOUTHWEST. 2) FIX MAKE-UP FACILITIES: FAC 1 (I-SSX) MAG BRG CHANGED FROM 021.00 TO 020.99; TRUE BRG CHANGED FROM 018.00 TO 017.99; DMI AND DIST NM CHANGED FROM 6.03 TO 6.00; DIST FEET CHANGED FROM 36645 TO 36469. 3) FIX USE: UPDATED KBNA "ILS OR LOC/DME RWY 20L" TO "ILS OR LOC RWY 20L"; ADDED KBNA RNAV (RNP) Z RWY 20L. 4) REQUIRED CHARTING: ADDED CONTROLLER LOW - FPT REQUEST. INITIATED BY: DATE: ORGANIZATION: NAME: OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW SIGNATURE: Digitally signed by RAKE MCGRAW	RECORD REVISIO	ON NUMBER: 4	DATE	E OF REVIS	ION: 10	/02/20	25						
OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW SIGNATURE: Digitally signed by RAKE MCGRAW RAKE MCGRAW	OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW SIGNATURE: Digitally signed by RAKE MCGRAW RAKE MCGRAW	1) LATITUDE/LON 2) FIX MAKE-UP F AND DIST NM CH 3) FIX USE: UPDA 4) REQUIRED CH	IGITUDE: CHANGED FR FACILITIES: FAC 1 (I-SS ANGED FROM 6.03 TO ITED KBNA "ILS OR LOO ARTING: ADDED CONT	X) MAG BR(6.00; DIST F C/DME RWY ROLLER LO	G CHANGEI EET CHAN 20L" TO "IL W - FPT RE	D FROM GED FF _S OR L EQUEST	1 021.0 ROM 3 .OC R	00 TO 02 6645 TC	20.99; TRUE I 9 36469. "; ADDED KB	BRG CHAN	NGED FROM 01	8.00 T	OUTHWE O 017.99	EST. 9; DME
APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW SIGNATURE: Digitally signed by RAKE MCGRAW NAME: RAKE MCGRAW	APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW SIGNATURE: Digitally signed by RAKE MCGRAW NAME: RAKE MCGRAW	INITIATED BY:	DATE:	ORG	ANIZATION	:			NAME:					
SIGNATURE: Digitally signed by RAKE MCGRAW	SIGNATURE: Digitally signed by RAKE MCGRAW	OFFICE OF PRIM	ARY RESPONSIBILITY:		AJV-A42	22			NAME: [DUSTIN H	ARDISON			
RAKE MCGRAW	RAKE MCGRAW	APPROVED BY:	DATE: 08/28/20)25	OFFICE	: AJV-A	422		NAME: F	RAKE MCC	GRAW			
Juli 10, 2025				RAKE MCG	RAW									



Indentified Indentified <thindentified< th=""> <thindentified< th=""></thindentified<></thindentified<>	DOCKET: FIX TYPE OF ACTION: ESTABLISH: PACILITIES: DENT TYPE CLASS MAG TWE DIST FROM FAC MIRA MAA WILLE ISSX UOORTAC H 023.49 017.99 20.04 20.00 6000 17900 SERVICE VOLUME (ESV): BNA VOORTAC H 023.49 017.92 20.04 20.07 6000 17900 SERVICE VOLUME (ESV): RADIAL/BEARING DISTANCE MINA LITITUDE MAX ALTITUDES TEMPLATES BNA VORTAC 023.42 20.14 5 6000 14500 6 16 NON TYPE OF ACTION: ESTABLISH TYPE RADICRS/BRG CRS TURN LEG LENGTH HOLDING ALTITUDES TEMPLATES BNA VORTAC 023.42 203.42 201.08 L 1 5 6000 14500 6 16 NG OBSTRUCTIONS: COORDINATES SOCRETUCIONS: COORDINATES ELEVATION ACCURACY CODE 16 4E 1506 4E 1506 4E 1506 4E 1506 4E 1506 4E	NAME: MRNDA							S	ТАТ	E: TN		(COUN	ITRY:	US	IC	AO REG		DE: k	.7
FAC NAME DENT TYPE CLASS MAGE DIR	PACILITIES: IDENT TYPE CLASS MAG TRUE DME DIST FROM FAC MRA MAA VILLE ISSX LOCIDME H 022.09 017.99 22.00 22.00 22.00 20.00 6000 17000 SERVICE VOLUME (ESV): FACTYPE RADIAL/BEARING DISTANCE MIN ALTITUDE MAX MIN MAX BNA VORTAC 023.42 201.08 TURN LEG LENGTH HOLDING ALTITUDES TEMPLATES BNA VORTAC 023.42 203.42 201.08 Loc R N TIME MAX	LATITUDE/LONGI	TUDE: 3627	727.21N/08	363144.43	W			יד	YPE:	WP, R	ADAR	, DI	ME							
FAC NAME IDENT TYPE CLASS MAG TRUE DME DIST FROM FAC 1 NASHVILLE ISSX LOC/DME 020.99 017.99 22.00 22.00 2 NASHVILLE ISSX LOC/DME 020.99 017.99 22.00 22.00 EXPANDED SERVICE VOLUME (ESV): FAC IDENT RADIAL/BEARING DISTANCE MIN ALTITUDE MAX AL ESX LOC/DME R-021 BISTANCE MIN ALTITUDE MAX AL FAC IDENT FAC TYPE RADIAL/BEARING DISTANCE MIN ALTITUDE MAX AL FAC DENT FAC TYPE RADIACRS/BRG CRS TURN LEG LENGTH HOLDING ALTITUDE FAT DIENT TYPE RAD/CRS/BRG CRS TURN LEG LENGTH HOLDING ALTITUDE 1 NE BNA VORTAC 023.42 203.42 L 5 6000 14500 2 N VORTAC 023.42 203.42 203.42 L 5 6000 14500 2 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E 2 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E 2 200 <td>E IDENT TYPE CLASS MAG TRUE DME DISTROMFAC MRA MAA MA MAA BRG BRG DATA TO PERSON FAC MRA MAA MA MAA BRA VORTAC H 023.42 021.42 02.04 20.01 7500 SERVICE VOLUME (ESV): RADIAL/BEARING DISTANCE MIN ALTITUDE MAX ALTITUDE LCO/DME R-021 22 6000 MAX ALTITUDES TEMPLATES HOLDING TYPE OF ACTION: ESTABLISH DENT TYPE RADICRS/BRG CRS INDUND HOLDING TYPE OF ACTION: ESTABLISH DENT TYPE RADICRS/BRG CRS INDUND UO RTAC 023.42 201.08 L 1 5 6000 14500 6 16 NG 0BSTRUCTIONS: PEED 0BSTRUCTION SERVICE (47-000250) 3622805.15N/08622841.31W 1506 4E 200 TOWER (47-000250) 3622805.15N/08622841.31W 1506 4E STRICTIONS: ANTED TO ESTABLISHED PATTERN. S TERRAIN EVALUATION COMPLETED. GOORDINATES: 360630.97N/0864012.89W. USE TITLE USE TITLE U</td> <td>AIRSPACE DOCK</td> <td>ET:</td> <td></td> <td></td> <td>FIX ΤΥ</td> <td>PE C</td> <td>OF ACT</td> <td>ION:</td> <td>EST</td> <td>ABLISH</td> <td>I</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	E IDENT TYPE CLASS MAG TRUE DME DISTROMFAC MRA MAA MA MAA BRG BRG DATA TO PERSON FAC MRA MAA MA MAA BRA VORTAC H 023.42 021.42 02.04 20.01 7500 SERVICE VOLUME (ESV): RADIAL/BEARING DISTANCE MIN ALTITUDE MAX ALTITUDE LCO/DME R-021 22 6000 MAX ALTITUDES TEMPLATES HOLDING TYPE OF ACTION: ESTABLISH DENT TYPE RADICRS/BRG CRS INDUND HOLDING TYPE OF ACTION: ESTABLISH DENT TYPE RADICRS/BRG CRS INDUND UO RTAC 023.42 201.08 L 1 5 6000 14500 6 16 NG 0BSTRUCTIONS: PEED 0BSTRUCTION SERVICE (47-000250) 3622805.15N/08622841.31W 1506 4E 200 TOWER (47-000250) 3622805.15N/08622841.31W 1506 4E STRICTIONS: ANTED TO ESTABLISHED PATTERN. S TERRAIN EVALUATION COMPLETED. GOORDINATES: 360630.97N/0864012.89W. USE TITLE USE TITLE U	AIRSPACE DOCK	ET:			FIX ΤΥ	PE C	OF ACT	ION:	EST	ABLISH	I									
1 NASHVILLE LSSX LOC/DME H 020.99 017.99 22.00 22.00 EXPANDED SERVICE VOLUME (ESV): FAC IDENT RADIAL/BEARING DISTANCE MIN ALTITUDE MAX AL FAC IDENT FAC TYPE RADIAL/BEARING DISTANCE MIN ALTITUDE MAX AL FAC IDENT FAC TYPE RADIAL/BEARING DISTANCE MIN ALTITUDE MAX AL FAC IDENT FAC TYPE RADIAL/BEARING DISTANCE MIN ALTITUDE MAX AL PATTERNS: FAC IDENT TYPE RAD/CRS/BRG CRS TURN LEG LENGTH HOLDING ALTITUDE 1 NE BNA VORTAC 023.42 203.42 L 1 5 6000 14500 CONTROLLING OBSTRUCTIONS: WP 021.08 201.08 205.05 362805.15N/0862841.31W 1506 4E REASON FOR NONSTANDARD HOLDING: FAC PAT AIRPORT IDENT CITY LIE MASHVILLE VISIT USE TITLE COORDINATES 362805.15N/0862841.31W 1506 4E </td <td>WILLE LSSX LOC/OME H 020.99 017.99 22.00 22.00 6000 77000 SERVICE VOLUME (ESV): FAC TYPE RADIAL/BEARING DISTANCE MIN ALTITUDE MAX ALTITUDE FAC TYPE RADIAL/BEARING DISTANCE MIN ALTITUDE MAX ALTITUDE LOC/DME R-021 DISTANCE MIN ALTITUDE MAX ALTITUDE IDENT TYPE RADIAL/BEARING DISTANCE MIN ALTITUDE MAX ALTITUDE IDENT TYPE RADI/CRS/BRG CRS NBOUND LURN LEG LENGTH HOLDING ALTITUDES TEMPLATES INA VORTAC 023.42 203.42 203.42 150 6000 14500 6 16 NG OBSTRUCTIONS: COORDINATES ELEVATION ACCURACY CODE 362805.15N/0862841.31W 1506 4E T 1506 4E T 100255 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E T 1(US) T 1(US) T 1(US) T 1(US)<td></td><td>CILITIES:</td><td></td><td>IDEN</td><td>т түі</td><td>PE</td><td></td><td>CLA</td><td></td><td></td><td></td><td></td><td></td><td>DME</td><td>DIST</td><td></td><td></td><td></td><td>ч і</td><td>MAA</td></td>	WILLE LSSX LOC/OME H 020.99 017.99 22.00 22.00 6000 77000 SERVICE VOLUME (ESV): FAC TYPE RADIAL/BEARING DISTANCE MIN ALTITUDE MAX ALTITUDE FAC TYPE RADIAL/BEARING DISTANCE MIN ALTITUDE MAX ALTITUDE LOC/DME R-021 DISTANCE MIN ALTITUDE MAX ALTITUDE IDENT TYPE RADIAL/BEARING DISTANCE MIN ALTITUDE MAX ALTITUDE IDENT TYPE RADI/CRS/BRG CRS NBOUND LURN LEG LENGTH HOLDING ALTITUDES TEMPLATES INA VORTAC 023.42 203.42 203.42 150 6000 14500 6 16 NG OBSTRUCTIONS: COORDINATES ELEVATION ACCURACY CODE 362805.15N/0862841.31W 1506 4E T 1506 4E T 100255 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E T 1(US) T 1(US) T 1(US) T 1(US) <td></td> <td>CILITIES:</td> <td></td> <td>IDEN</td> <td>т түі</td> <td>PE</td> <td></td> <td>CLA</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>DME</td> <td>DIST</td> <td></td> <td></td> <td></td> <td>ч і</td> <td>MAA</td>		CILITIES:		IDEN	т түі	PE		CLA						DME	DIST				ч і	MAA
FAC IDENT FAC ITYPE RADIAL/BEARING DISTANCE MIN ALTITUDE MAX AL SSX HOLDING TYPE OF ACTION: ESTABLISH HOLDING: HOLDING TYPE OF ACTION: ESTABLISH PATTERNS: RAD/AL/RS/BRG CRS TURN LEG LENGTH HOLDING ALTITUDE NATTERNS: NE BNA VORTAC 023.42 203.42 L 1 5 6000 14500 CONTROLLING OBSTRUCTIONS: NAT NE BNA VORTAC 023.42 203.42 L 1 5 6000 14500 CONTROLLING OBSTRUCTIONS: COORDINATES ELEVATION COORDINATES ELEVATION ACOORDINATES ELEVATION ACOORDINAT	FAC TYPE RADIALBEARING DISTANCE MIN ALTITUDE MAX ALTITUDE FAC TYPE RADIALBEARING DISTANCE 20 6000 TURN LEG LENGTH HOLDING ALTITUDES TEMPLATES IDENT TYPE RADICRS/BRG CRS TURN LEG LENGTH MOLDING ALTITUDES TEMPLATES BNA VORTAC 023.42 203.42 203.42 1 5 6000 14500 6 16 WP 021.08 201.08 L 1 5 6000 14500 6 16 NG OBSTRUCTIONS: COORDINATES ELEVATION ACCURACY CODE 362805.15N/0862841.31W 1506 4E 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E TN(US) 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E TN(US) 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E STERRAIN EVALUATION COMPLETED. STATE TN(US) TN(US) TN(US) STERCTIONS: FAC PAT AIRPORT IDENT CITY STATE TN(US) TN(US) RNAV (RNP) Z RWY 20L 1.2 1 KBNA NASHVILLE TN(US) RNAV (RNP) Z RWY 20L 1.2 1 KBNA NASHVILLE <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>н</td> <td>(</td> <td>020.99</td> <td>017.9</td> <td>99</td> <td></td> <td></td> <td></td> <td>2.00</td> <td>FEET</td> <td>600</td> <td></td> <td></td>								н	(020.99	017.9	99				2.00	FEET	600		
PATTERNS: NE IDENT TYPE RAD/CRS/BRG CRS UNC TURN LEG LENGTH HOLDING ALTITUDE 1 NE BNA VORTAC 023.42 203.42 201.42 1 5 60000 14500 CONTROLLING OBSTRUCTIONS: 200 TOWER (47-000250) TOWER (47-000250) 362805.15N/0862841.31W ELEVATION AC 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E 201 1 0 TOWER (47-000250) 1.2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	IDENT TYPE RAD/CRS/BRG CRS TURN LEG LENGTH HOLDING ALTITUDES TEMPLATES BNA VORTAC 023.42 203.42 201.08 L 5 6000 14500 6 16 WP DBSTRUCTIONS: VORTAC 023.42 201.08 L 5 6000 14500 6 16 WG OBSTRUCTIONS: VORTAC 023.108 ZOO TOWER (47.000250) 362805.15N/0862841.31W 1506 4E 200 TOWER (47.000250) 362805.15N/0862841.31W 1506 4E TOWER (47.000250) 362805.15N/0862841.31W 1506 4E RONSTANDARD HOLDING: EQUEST STRICTIONS: HTED TO ESTABLISHED PATTERN. STRICTIONS: TOWER (47.000250) 362805.15N/0862841.31W 1506 4E STRICTONS: MITED TO ESTABLISHED PATTERN. STRICTIONS: EQUEST TOWER (47.000250) TOWER (47.000250	FAC IDENT	FAC TYPI	E	RADIAL/E	BEARING	3	D	ISTAN			MIN A	ALT				MA	X ALTI			
PATDIRIDENTTYPERAD/CRS/BRGCRSTURLEG LEGGTHHOLDING ALTITUDE1NEBNAVORTAC023.42203.421156000145002NWP021.08201.08L15600014500CONTROLLING OBSTRUCTIONS: PAT AIRSPEEDOBSTRUCTION362805.15N/0862841.31W15064E2200TOWER (47-000250)362805.15N/0862841.31W15064E2200TOWER (47-000250)362805.15N/0862841.31W15064E2SETITLEFACPATAIRPORT IDENTCITY3400NASHVILLENASHVILLENASHVILLENASHVILLEANASHVILLE2SE <t< td=""><td>BNA VQRTAC 023.42 203.42 201.08 201.08 1 5 6000 14500 6 16 NG 0BSTRUCTIONS: PEED OSTRUCTIONS: DOWER (47-000250) COORDINATES ELEVATION ACCURACY CODE 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E R NONSTANDARD HOLDING: EQUEST STRICTIONS: MITED TO ESTABLISHED PATTERN. STRICTIONS: STRICTIONS: MITED TO ESTABLISHED PATTERN. STATE TN (US) S TERRAIN EVALUATION COMPLETED. OORDINATES: 360630.97N/0864012.89W. FAC PAT AIRPORT IDENT CITY STATE USE TITLE FAC PAT AIRPORT IDENT CITY STATE TN (US) RNAV (RNP) Z RWY 20L 1, 2 1 KBNA NASHVILLE TN (US) RNAV (RNP) Z RWY 20L 1, 2 2 KBNA NASHVILLE TN (US) STRETING: IAP, CONTROLLER LOW 2 KBNA NASHVILLE TN (US) VISION NUMBER: ORIG DATE OF REVISION: 10/02/2025 NAME: DUSI</br></td><td>IOLDING:</td><td></td><td></td><td></td><td>HOLDII</td><td>NG T</td><td></td><td>F ACT</td><td></td><td>ESTA</td><td>BLISH</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	BNA VQRTAC 023.42 203.42 201.08 201.08 1 5 6000 14500 6 16 NG 0BSTRUCTIONS: PEED OSTRUCTIONS: DOWER (47-000250) COORDINATES ELEVATION ACCURACY CODE 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E R NONSTANDARD HOLDING: 	IOLDING:				HOLDII	NG T		F AC T		ESTA	BLISH									
NE BNA VORTAC 023.42 203.42 LOR N TIME DME Min MASON 2 N WP 021.08 201.08 L 1 5 6000 14500 CONTROLLING OBSTRUCTIONS: ODESTRUCTIONS: COORDINATES ELEVATION AC 2 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E 2 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E PAT 1 ATC REQUEST -AT 1 ATC REQUEST -AT 2 ATC REQUEST -AT 2 ATC REQUEST 1506 4E PAT 2 ATC REQUEST -AT 2 ATC REQUEST PRECIPITOUS TERRAIN EVALUATION COMPLETED. -SSX DME COORDINATES: 360630.97N/0864012.89W. -XENAN (RS) Y REVORD L 1.2 1 KBNA NASHVILLE AP RIAV (GPS) Y RUY 20L 1.2 1 KBNA NASHVILLE AP RNAV (RP) Z RWY 20L 2 KBNA NASHVILLE AP RNAV (RP) Z RWY 20L 2 KBNA NASHVILLE REQUIRED CHART	BNA VQRTAC 023.42 203.42 201.08 201.08 1 5 6000 14500 6 16 NG 0BSTRUCTIONS: PEED OSTRUCTIONS: DOWER (47-000250) COORDINATES ELEVATION ACCURACY CODE 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E R NONSTANDARD HOLDING: EQUEST STRICTIONS: MITED TO ESTABLISHED PATTERN. STRICTIONS: STRICTIONS: MITED TO ESTABLISHED PATTERN. STATE TN (US) S TERRAIN EVALUATION COMPLETED. OORDINATES: 360630.97N/0864012.89W. FAC PAT AIRPORT IDENT CITY STATE USE TITLE FAC PAT AIRPORT IDENT CITY STATE TN (US) RNAV (RNP) Z RWY 20L 1, 2 1 KBNA NASHVILLE TN (US) RNAV (RNP) Z RWY 20L 1, 2 2 KBNA NASHVILLE TN (US) STRETING: IAP, CONTROLLER LOW 2 KBNA NASHVILLE TN (US) VISION NUMBER: ORIG DATE OF REVISION: 10/02/2025 NAME: DUSI																				
CONTROLLING OBSTRUCTIONS: 200 CONTROLLING OBSTRUCTIONS: 200 COORDINATES 200 ELEVATION 362805.15N/0862841.31W AC 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E REASON FOR NONSTANDARD HOLDING: 3AT 1 ATC REQUEST 362805.15N/0862841.31W 1506 4E REASON FOR NONSTANDARD HOLDING: 3AT 1 ATC REQUEST ************************************	NG OBSTRUCTIONS: PEED OBSTRUCTION 200 TOWER (47-000250) COORDINATES 362805.15N/0862841.31W ELEVATION 1506 ACCURACY CODE 4E 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E R NONSTANDARD HOLDING: EQUEST STERTAIN EVALUATION COMPLETED. 1506 4E STERRAIN EVALUATION COMPLETED. OORDINATES: 360630.97N/0864012.89W. STATE TN (US) USE TITLE RNAV (GPS) Y RWY 20L 1,2 1 KBNA NASHVILLE TN (US) RNAV (RNP) Z RWY 20L 1,2 1 KBNA NASHVILLE TN (US) RNAV (RNP) Z RWY 20L 2 KBNA NASHVILLE TN (US) RNAV (RNP) Z RWY 20L 2 KBNA NASHVILLE TN (US) SHARTING: IAP, CONTROLLER LOW X XBNA NASHVILLE TN (US) YI REPORTING POINT: NO DATE: ORGANIZATION: NAME: Y YI REPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON Y PRIMARY RESPONSIBILITY: AJV-A422 NAME: RAKE MCGRAW Y BY: DATE: 09/gltally signed by RAKE MCGRAW FFICE: AJV-A422 <td>NE BI</td> <td>VA V</td> <td>/ORTAC</td> <td>023.4</td> <td>2</td> <td>1 2</td> <td>NBOUI 203.42</td> <td>ND</td> <td></td> <td>(L OR I</td> <td>r) tin</td> <td></td> <td>DME</td> <td>Ξ</td> <td>MIN 6000</td> <td>1</td> <td>MAX 4500</td> <td>MIN 6</td> <td>MA 16</td> <td>X 5</td>	NE BI	VA V	/ORTAC	023.4	2	1 2	NBOUI 203.42	ND		(L OR I	r) tin		DME	Ξ	MIN 6000	1	MAX 4500	MIN 6	MA 16	X 5
AT AIRSPEED OBSTRUCTION COORDINATES ELEVATION AC 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E EASON FOR NONSTANDARD HOLDING: AT 1 ATC REQUEST AT 1 ATC REQUEST OLDING RESTRICTIONS: OLDING LIMITED TO ESTABLISHED PATTERN. EMARKS: RECIPITOUS TERRAIN EVALUATION COMPLETED. SSX DME COORDINATES: 360630.97N/0864012.89W. IX USE: SETYPE SET ITLE AP FAC PAT AIRPORT IDENT CITY ANASHVILLE AMASHVILLE AP RNAV (GPS) Y RWY 20L 1, 2 1 KBNA NASHVILLE AMASHVILLE AP RNAV (GPS) Y RWY 20L 2 KBNA NASHVILLE VILLE EQUIRED CHARTING: IAP, CONTROLLER LOW OMPULSORY REPORTING POINT: NO ECORD REVISION NUMBER: ORIG DATE: ORGANIZATION: NAME: NAME: INTIATED BY: DATE: ORGANIZATION: NAME: NAME: PROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW	PEED OBSTRUCTION COORDINATES ELEVATION ACCURACY CODE 200 TOWER (47-000250) 362805.15N/0862841.31W 1506 4E R NONSTANDARD HOLDING: EQUEST EQUEST STRICTIONS: a17ED TO ESTABLISHED PATTERN. STERRAIN EVALUATION COMPLETED. OORDINATES: 360630.97N/0864012.89W. USE TITLE FAC PAT AIRPORT IDENT CITY STATE ILS OR LOC RWY 20L RNAV (GRS) Y RWY 20L 1,2 1 KBNA NASHVILLE TN (US) RNAV (GRS) Y RWY 20L RNAV (GRS) Y RWY 20L 1,2 1 KBNA NASHVILLE TN (US) CITY STATE NONSTANDARY REPORTING POINT: NO VISION NUMBER: ORIG DATE OF REVISION: 10/02/2025 Y: DATE: ORGANIZATION: NAME: VISION TURE: Digitally signed by RAKE MCGRAW SIGNATURE: Digitally signed by RAKE MCGRAW				021.0	В	2	201.08			L			:	C	6000	1	4500	6	16	j
WAT 1 ATC REQUEST AT 2 ATC REQUEST INCLDING RESTRICTIONS: INCLDING LIMITED TO ESTABLISHED PATTERN. RECEIPITOUS TERRAIN EVALUATION COMPLETED. SSX DME COORDINATES: 360630.97N/0864012.89W. INCLSS FAC PAT AIRPORT IDENT CITY INCLSS ISS TITLE FAC PAT AIRPORT IDENT CITY INCLSS ISS TITLE FAC PAT AIRPORT IDENT CITY AP ILS OR LOC RWY 20L 1, 2 1 KBNA NASHVILLE AP RNAV (GPS) Y RWY 20L 1, 2 2 KBNA NASHVILLE AP RNAV (RNP) Z RWY 20L 1, 2 2 KBNA NASHVILLE AP RNAV (RNP) Z RWY 20L 1, 2 2 KBNA NASHVILLE AP RNAV (RNP) Z RWY 20L SCOMPULSORY REPORTING POINT: NO NASHVILLE NASHVILLE RECORD REVISION NUMBER: ORIG DATE OF REVISION: 10/02/2025 INTIATED BY: DATE: ORGANIZATION: NAME: OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON APROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE	EQUEST STRECTIONS: MITED TO ESTABLISHED PATTERN. S TERRAIN EVALUATION COMPLETED. OORDINATES: 360630.97N/0864012.89W. S TERRAIN EVALUATION COMPLETED. OORDINATES: 360630.97N/0864012.89W. S TERRAIN EVALUATION COMPLETED. OORDINATES: 360630.97N/0864012.89W. S TATE I 2 1 KBNA CIPPORT IDENT CITY NASHVILLE I 2 1 KBNA NASHVILLE NASHVILLE NASHVILLE NASHVILLE TN (US) TN (US) S TATE TN (US) TN (US	PAT AIRSPEED	D OBSTR	RUCTION R (47-0002					3	6280)5.15N/	08628			E		1506	4E	URACY	CODE	:
HOLDING LIMITED TO ESTABLISHED PATTERN. RECIPITOUS TERRAIN EVALUATION COMPLETED. SSX DME COORDINATES: 360630.97N/0864012.89W. SSX DME COORDINATES: 120 STABLISTY SALE OF CONSTROLLER NEW 201 ATE: ORGANIZATION: 10/02/2025 NITIATED BY: DATE: ORGANIZATION: NAME: DUSTIN HARDISON OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON AFRICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: RAKE MCGRAW	MITED TO ESTABLISHED PATTERN. S TERRAIN EVALUATION COMPLETED. OORDINATES: 360630.97N/0864012.89W. USE TITLE LIS OR LOC RWY 20L F1.2 1 KBNA CITY NASHVILLE TN (US) RNAV (GPS) Y RWY 20L 2 KBNA NASHVILLE TN (US) RNAV (RNP) Z RWY 20L KBNA NASHVILLE TN (US) CHARTING: IAP, CONTROLLER LOW KBNA NASHVILLE TN (US) CHARTING POINT: NO VISION NUMBER: ORIG DATE OF REVISION: 10/02/2025 Y: DATE: ORGANIZATION: NAME: PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW SIGNATURE: Digitally signed by RAKE MCGRAW	PAT 1 ATC REQUE	EST	RD HOLDI	NG:																
PRECIPITOUS TERRAIN EVALUATION COMPLETED. SSX DME COORDINATES: 360630.97N/0864012.89W. PRECIPITOUS TERRAIN EVALUATION COMPLETED. PRECIPITOUS TERRAIN EVALUATION COMPLETED. PRECIPITOUS TERRAIN EVALUATION COMPLETED. RNAV (GPS) Y RWY 20L FAC PAT AIRPORT IDENT NASHVILLE RNAV (GPS) Y RWY 20L 1, 2 1 KBNA NASHVILLE RNAV (RNP) Z RWY 20L VIEW 20L XBNA NASHVILLE REQUIRED CHARTING: IAP, CONTROLLER LOW: VIEW 20L VIEW 20L VIEW 20L RECORD REVISION NUMBER: ORIG DATE: ORIG DATE OF REVISION: 10/02/2025 NAME: NITIATED BY: DATE: ORGANIZATION: NAME: NAME: OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON APPOVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW	OORDINATES: 360630.97N/0864012.89W. USE TITLE LS OR LOC RWY 20L RNAV (QPS) Y RWY 20L 1,2 1 KBNA NASHVILLE TN (US) 2 KBNA NASHVILLE TN (US) 2 KBNA NASHVILLE TN (US) TN (US) CHARTING: IAP, CONTROLLER LOW CHARTING: IAP, CONTROLLER LOW VISION NUMBER: ORIG DATE OF REVISION: 10/02/2025 YRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW			BLISHED F	PATTERN																
JSE TYPE AP AP AP APUSE TITLE ILS OR LOC RWY 20L RNAV (GPS) Y RWY 20L RNAV (RNP) Z RWY 20LFAC 1, 2PAT 1 1, 2AIRPORT IDENT KBNACITY NASHVILLE NASHVILLE RBNAREQUIRED CHARTING: IAP, CONTROLLER LOW2KBNA KBNANASHVILLE NASHVILLEREQUIRED CHARTING: IAP, CONTROLLER LOWJATE OF REVISION: 10/02/2025RECORD REVISION NUMBER: ORIGDATE OF REVISION: 10/02/2025NITIATED BY:DATE:ORGANIZATION:NAME: DUSTIN HARDISONOFFICE OF PRIMARY RESPONSIBILITY:AJV-A422NAME: DUSTIN HARDISONAPPROVED BY:DATE: 08/28/2025OFFICE: AJV-A422NAME: RAKE MCGRAW	ILS OR LOC RWY 20L RNAV (GPS) Y RWY 20L1, 21KBNA X KBNANASHVILLE NASHVILLETN (US) TN (US)CHARTING: IAP, CONTROLLER LOWCHARTING: IAP, CONTROLLER LOWCHARTING POINT: NOVISION NUMBER: ORIGDATE OF REVISION: 10/02/2025Y:DATE:ORGANIZATION:NAME:PRIMARY RESPONSIBILITY:AJV-A422NAME: DUSTIN HARDISONBY:DATE: 08/28/2025OFFICE: AJV-A422NAME: RAKE MCGRAWSIGNATURE: Digitally signed by RAKE MCGRAW	PRECIPITOUS TEI																			
COMPULSORY REPORTING POINT: NO RECORD REVISION NUMBER: ORIG DATE OF REVISION: 10/02/2025 NITIATED BY: DATE: ORGANIZATION: NAME: OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW	RY REPORTING POINT: NO VISION NUMBER: ORIG DATE OF REVISION: 10/02/2025 Y: DATE: ORGANIZATION: NAME: PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW	JSE TYPE AP AP	ILS OR LO RNAV (G	OC RWY 2 PS) Y RW`	Y 20L			1	k K	(BNA (BNA		ENT	N N	IASH\ IASH\	/ILLE				TN (TN (US) US)	
RECORD REVISION NUMBER: ORIG DATE OF REVISION: 10/02/2025 NITIATED BY: DATE: ORGANIZATION: NAME: OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW	VISION NUMBER: ORIG DATE OF REVISION: 10/02/2025 Y: DATE: ORGANIZATION: NAME: PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW		TING: IAP,	CONTROL	LER LOV	/															
NITIATED BY: DATE: ORGANIZATION: NAME: OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW	Y: DATE: ORGANIZATION: NAME: PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW SIGNATURE: Digitally signed by RAKE MCGRAW VAME: RAKE MCGRAW	OMPULSORY RE	EPORTING	POINT: NO	C																
OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON APPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW	PRIMARY RESPONSIBILITY: AJV-A422 NAME: DUSTIN HARDISON BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW SIGNATURE: Digitally signed by RAKE MCGRAW	RECORD REVISIO		R: ORIG	[DATE OF	RE\	/ISION	: 10/02	2/202	5										
PPROVED BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW	BY: DATE: 08/28/2025 OFFICE: AJV-A422 NAME: RAKE MCGRAW SIGNATURE: Digitally signed by RAKE MCGRAW	NITIATED BY:	DA	TE:	c	ORGANIZ	ZATI	ON:				N	IAME:								
	SIGNATURE: Digitally signed by RAKE MCGRAW	OFFICE OF PRIMA	ARY RESPO	ONSIBILIT	Y:	,	AJV-/	A422				N	AM	AME: DUSTIN HARDISON			SON				
SIGNATURE. Diaitally signed by	RAKE MCGRAW	APPROVED BY:	DA	TE: 08/28/	2025	(OFFI	CE: AJ	V-A42	2		N	AM	IE: RA	KE M	CGRAV	V				
RAKE MCGRAW			SIG	GNATURE:	RAKE M	CGRAW															

OUALITL 29 CHECKED

	KAU			HUL				CUR	U			
NAME: REABA					STATE: TN		COU	NTRY: U	JS ICA	O REGI	ON CODE	: K7
LATITUDE/LONGITUDE	: 362212.93N/08633	51.30W			TYPE: WP,	RADAR	, DME					
AIRSPACE DOCKET:		F	IX TYPE OF	ACTION	I: MODIFY							
FIX MAKE-UP FACILITII FAC NAME		IDENT	ТҮРЕ	CL	ASS MAG	TRU		DME	DIST FROM		MRA	MAA
1 NASHVILLE		I-SSX	LOC/DME		BRG 020.99	BRG 017.9		16.50	NM 16.50	FEET	5000	5000
HOLDING:		но		E OF AC	CTION: NO (HANG	E					
				/IE IN NE		N OUT	OF OP	ERATIO	NAL NECESS	SITY.		
IAP ILS IAP RNA	OR LOC RWY 20L AV (GPS) Y RWY 20	L L	FAC 1	ΡΑΤ	AIRPORT I KBNA KBNA KBNA	DENT	NASH	IVILLE IVILLE IVILLE			STATE TN (US) TN (US) TN (US)	
REQUIRED CHARTING:	IAP, CONTROLLEF	R LOW										
COMPULSORY REPOR	TING POINT: NO											
RECORD REVISION NU	MBER: 3	DAT	E OF REVIS	ION: 10/	02/2025							
2) TYPE: ADDED WP. 3) FIX MAKE-UP FACILI CHANGED FROM 15.40 4) REMARKS: ADDED "I 5) FIX USE: UPDATED L AND RNAV (RNP) Z RW	ITUDE/LONGITUDE: 362212.93N/0863351.30W SPACE DOCKET: FIX TYP MAKE-UP FACILITIES: MAME IDENT TYP NASHVILLE ISSX LOC DING: HOLDIN MARKS: X DME COORDINATES: 360630.97N/0864012.89W. BA MOVED 1.10 NM. ATC REQUESTED TO RETAIN F USE: TYPE USE TITLE F ILS OR LOC RWY 20L RNAV (GPS) Y RWY 20L RNAV (GPS) Y RWY 20L RNAV (RNP) Z RWY 20L RATE OF IN SON FOR REVISION MAKE-UP FACILITIES: MAG BRG CHANGED FROM NGED FROM 15.40 TO 16.50. EMARKS: ADDED "I-SSX DME COORDINATES: 360630 IX USE: UPDATED USE TITLE FOR KBNA ILS OR LOC O RNAV (RNP) Z RWY 20L. EQUIRED CHARTING: ADDED CONTROLLER LOW - F IATED BY: DATE: ORGANIZI FICE OF PRIMARY RESPONSIBILITY: A			0 TO 020 0864012 RWY 201	0.99; TRUE E .89W." _ TO ILS OR	BRG CH	IANGED	FROM	018.00 TO 01	7.99; DI	ME AND D	
INITIATED BY:	DATE:	ORC	BANIZATION	:		N	AME:					
OFFICE OF PRIMARY R	ESPONSIBILITY:		AJV-A42	22		N	AME: D	USTIN F	IARDISON			
APPROVED BY:	DATE: 08/28/2028	5	OFFICE	: AJV-A4	122	N	AME: R	AKE MC	GRAW			
	SIGNATURE:	RAKE	MCGRAW									



NAME: WAYLN					STAT	TE: TN		cou	NTRY: U	IS ICAO R		DE : K7
LATITUDE/LONGITU	DE: 361813.07N/086	3527.68W				E: WP, R	ADAR.					
AIRSPACE DOCKET							,					
FIX MAKE-UP FACIL	ITIES:											
FAC NAME		IDENT	TYPE	C	LASS	MAG BRG	TRUE BRG		DME	DIST FROM FA		MAA
1 NASHVILLE		I-SSX	LOC/DME			020.99	017.9	9	12.30	12.30	4000	5000
HOLDING:		н		PE OF A	CTIO	N: CANC	EL					
REMARKS: I-SSX DME COORDII	NATES: 360630.97N/	0864012.89	9W									
IAP I IAP F	J SE TITLE LS OR LOC RWY 20 RNAV (GPS) Y RWY RNAV (RNP) Z RWY 2	20L	FAC 1	ΡΑΤ	AIR I KBN KBN KBN	IA	ENT	CITY NASH' NASH' NASH'	VILLE		STA T TN (U TN (U TN (U	JS) JS)
REQUIRED CHARTIN	NG: IAP, CONTROLL	ER LOW										
COMPULSORY REP	ORTING POINT: NO											
RECORD REVISION	NUMBER: 3	DA	TE OF REVIS	SION: 10)/02/20)25						
REASON FOR REVIS 1) LATITUDE/LONGI 2) FIX MAKE-UP FAC CHANGED FROM 12 3) HOLDING: CANCE 4) REMARKS: DELET 5) FIX USED: UPDAT 6) REQUIRED CHAR	TUDE: CHANGED FR CILITIES: MAG BRG (.26 TO 12.30. ELLED; HOLDING PA TED "PRECIPITOUS TED KINA ILS OR LC	CHANGED TTERN AS TERRAIN E DC/DME RV	FROM 021.0 SOCIATION EVALUATION VY 20L TO II	00 TO 02 1,WP, D N COMP LS OR LO	20.99; ⁻ DELET PLETEI OC RV	true Bf Ed. D."	RG CH/	ANGED	FROM	018.00 TO 017.9	9; DME ANI	DIST NM
INITIATED BY:	DATE:	OR	GANIZATIO	N:			NA	ME:				
OFFICE OF PRIMAR	Y RESPONSIBILITY:	:	AJV-A4	122			NA	ME: DI	JSTIN H	IARDISON		
APPROVED BY:	DATE: 08/28/20	025	OFFIC	E: AJV-A	422		NA	ME: R/	AKE MC	GRAW		
	SIGNATURE:	Digitally sig RAKE MC Jun 10,	GRAW									



			· • ··						
			STA	re: TN	COL	INTRY: U	S ICAO REGI	ON CODE:	K7
DE: 360953.17N/086	63848.47W		ТҮРЕ	E: WP, R	ADAR, DME				
	F	IX TYPE OF A	CTION: MO	DIFY					
TIES:	IDENT	TYPE	CLASS		TRUE	DME	DIST FROM FAC	MRA	MAA
	I-SSX	LOC/DME				3.55	3.55	1120	5000
	н		OF ACTION	NO CI	HANGE				
IATES: 360630.97N/	/0864012.89	W.							
S OR LOC RWY 20		FAC P. 1	KBN	IA	NASI	IVILLE		STATE TN (US) TN (US)	
G: IAP, CONTROLL	ER LOW								
DRTING POINT: NO	1								
NUMBER: 1	DAT	E OF REVISIO	N: 10/02/20)25					
9 TO 3.55.) "I-SSX DME COOF) KBNA ILS OR LOO	RDINATES:	360630.97N/08 (20L TO ILS OI	64012.89W R LOC RW	."	RG CHANGEI	D FROM (018.00 TO 017.99; DI	ME AND DI	ST NM
DATE:	ORC	GANIZATION:			NAME:				
RESPONSIBILITY	:	AJV-A422			NAME: [OUSTIN H	ARDISON		
DATE: 08/28/2	025	OFFICE: A	AJV-A422		NAME: F	RAKE MC	GRAW		
SIGNATURE:	RAKE MC	GRAW							
	ITIES: IATES: 360630.97N ISE TITLE S OR LOC RWY 20 NAV (GPS) Y RWY IG: IAP, CONTROLL ORTING POINT: NO NUMBER: 1 ION: UDE: CHANGED FI DAR. ILITIES: MAG BRG 9 TO 3.55. O''I-SSX DME COOF D KBNA ILS OR LOC TING: ADDED CON'' DATE: Y RESPONSIBILITY DATE: 08/28/2	ITIES: IDENT I-SSX H IATES: 360630.97N/0864012.89 IATES: 360630.97N/0864012.89 ISE TITLE SOR LOC RWY 20L ISE TITLE SOR LOC RWY 20L ISE TITLE SOR LOC RWY 20L IG: IAP, CONTROLLER LOW DRTING POINT: NO NUMBER: 1 DAT ION: UDE: CHANGED FROM 360954 DATE: DATE: OR DATE: OR ILITIES: MAG BRG CHANGED IS 9 TO 3.55. D'I-SSX DME COORDINATES: D KBNA ILS OR LOC/DME RWY TING: ADDED CONTROLLER LO DATE: OR C/ RESPONSIBILITY: DATE: 08/28/2025 SIGNATURE: Digitally sig RAKE MC	FIX TYPE OF AN THES: IDENT TYPE I-SSX LOC/DME I-SSX LOC/DME HOLDING TYPE I-SSX LOC/DME HOLDING TYPE I-SSX LOC RWY 20L ISS OR RWY 20L ISS	DE: 360953.17N/0863848.47W FIX TYPE OF ACTION: MO FILES: IDENT TYPE CLASS I-SSX LOC/DME HOLDING TYPE OF ACTION MATES: 360630.97N/0864012.89W. ISS TITLE FAC PAT AIR S OR LOC RWY 20L S OR LOC RWY 20L ISS OR LOC RWY 20L IG: IAP, CONTROLLER LOW DATING POINT: NO NUMBER: 1 DATE OF REVISION: 10/02/20 ION: UDE: CHANGED FROM 360955.30N/0863847.60W TO 36 OAR. ILITIES: MAG BRG CHANGED FROM 021.00 TO 020.99; T 9 TO 3.55. D'I-SSX DME COORDINATES: 360630.97N/0864012.89W D KBNA ILS OR LOC/DME RWY 20L TO ILS OR LOC RWY ING: ADDED CONTROLLER LOW - FPT REQUEST. DATE: ORGANIZATION: IC RESPONSIBILITY: AJV-A422 DATE: 08/28/2025 OFFICE: AJV-A422 ISIGNATURE: Digitally signed by RAKE MCGRAW	FIX TYPE OF ACTION: MODIFY ITTIES: IDENT TYPE CLASS MAG BRG I-SSX LOC/DME 020.99 HOLDING TYPE OF ACTION: NO CH HOLDING TYPE OF ACTION: NO CH NATES: 360630.97N/0864012.89W. IATES: 360630.97N/0864012.89W. ISS OR LOC RWY 20L FAC PAT AIRPORT ID ISS OR LOC RWY 20L 1 KBNA KBNA ISS OR LOC RWY 20L 1 KBNA KBNA ISS OR LOC RWY 20L 1 KBNA KBNA IG: IAP, CONTROLLER LOW 1 KBNA KBNA IG: IAP, CONTROLLER LOW DATE OF REVISION: 10/02/2025 ION: NUMBER: 1 DATE OF REVISION: 10/02/2025 ION: IUTIES: MAG BRG CHANGED FROM 360955.30N/0863847.60W TO 360953.17 IOAR IUTIES: MAG BRG CHANGED FROM 021.00 TO 020.99; TRUE BF 9 TO 3.55. O'LSSX DME COORDINATES: 360630.97N/0864012.89W." DKBNA ILS OR LOC/DME RWY 20L TO ILS OR LOC RWY 20L. ING: ADDED CONTROLLER LOW - FPT REQUEST. DATE: OFFICE: AJV-A422 DATE: 08/28/2025 OFFICE: AJV-A422 DATE: 08/28/2025 OFFICE: AJV-A422 IATE: 08/28/2025 OFFICE: AJV-A422 SIGNATURE: Digitally signed by	DE: 360953.17N/0863848.47W TYPE: WP, RADAR, DME FIX TYPE OF ACTION: MODIFY TIES: DENT TYPE CLASS MAG TRUE BRG BRG CIANGED TYPE OF ACTION: NO CHANGE USE TITLE FAC PAT AIRPORT IDENT CITY SOR LOC RWY 20L FAC PAT AIRPORT IDENT CITY SOR LOC RWY 20L FAC PAT AIRPORT IDENT CITY KBNA NASH NASH NASH NASH NASH NASH NASH NA	DE: 360953.17N/0863848.47W FIX TYPE OF ACTION: MODIFY FIX TYPE OF ACTION: MODIFY TITES: IDENT TYPE CLASS MAG TRUE BRG OF BRG OF OP	DE: 360953.17N/0863848.47W TYPE: WP, RADAR, DME I: FIX TYPE OF ACTION: MODIFY ITIES: IDENT TYPE CLASS MAG TRUE DME DIST FROM FAC I-SSX LOC/DME 020.09 017.99 3.55 3.55 HOLDING TYPE OF ACTION: NO CHANGE	DE::::::::::::::::::::::::::::::::::::