

# RADIO FIX AND HOLDING DATA RECORD

NAME: EKKHO

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 411327.17N/1120435.59W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

HOLDING:

HOLDING TYPE OF ACTION:

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II - III)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II - III)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I - II)			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 17			KSLC	SALT LAKE CITY	UT (US)
STAR	SKEES (RNAV)			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 02/20/2025

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: WESTLEY OWENS

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A431

NAME: ERIC N SUSKI

SIGNATURE:



SPECIAL IAP	RNAV VISUAL RWY 31			KPVU	PROVO	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 10	8		UT51	PROVO	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 27	8		3UT6	RIVERTON	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 31	8		3UT6	RIVERTON	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 34	8		UT08	SALT LAKE CITY	UT (US)
DP	PROVO	5		KPVU	PROVO	UT (US)
DP	FAIRFIELD			KSLC	SALT LAKE CITY	UT (US)
DP	SALT LAKE	1		KSLC	SALT LAKE CITY	UT (US)
DP	TEXTUAL DEPARTURE			KSLC	SALT LAKE CITY	UT (US)
DP	SOUTH VALLEY (RNAV)	3		U42	SALT LAKE CITY	UT (US)
DP	TEXTUAL DEPARTURE	2		U42	SALT LAKE CITY	UT (US)
DP	SPANISH FORK (OBSTACLE)	7		KSPK	SPANISH FORK	UT (US)
EN ROUTE	J11					(US)
EN ROUTE	J116					(US)
EN ROUTE	J12					(US)
EN ROUTE	J202					(US)
EN ROUTE	J9					(US)
EN ROUTE	V134					(US)
EN ROUTE	V200					(US)
EN ROUTE	V21					(US)
EN ROUTE	V235					(US)
IAP	RNAV (GPS) RWY 17			U14	NEPHI	UT (US)
IAP	RNAV (GPS) RWY 35			U14	NEPHI	UT (US)
IAP	ILS OR LOC RWY 13	5		KPVU	PROVO	UT (US)
IAP	RNAV (GPS) RWY 13	3		KPVU	PROVO	UT (US)
IAP	ILS OR LOC RWY 16L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17	1	1	KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34L			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34R			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II-III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I-II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II-III)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II-III)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)			KSLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L	3		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17	1	3	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 35			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 35			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L	3		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 17	1	3	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 34	6		SVR	SALT LAKE CITY	UT (US)
STAR	BEARR			KSLC	SALT LAKE CITY	UT (US)
STAR	BRIGHAM CITY			KSLC	SALT LAKE CITY	UT (US)
STAR	CARTR (RNAV)	4		KSLC	SALT LAKE CITY	UT (US)
STAR	JAMMN			KSLC	SALT LAKE CITY	UT (US)
STAR	PITTT (RNAV)			KSLC	SALT LAKE CITY	UT (US)
STAR	SKEES (RNAV)	4		KSLC	SALT LAKE CITY	UT (US)
STAR	SPANE			KSLC	SALT LAKE CITY	UT (US)
STAR	YUTES (RNAV)	4		KSLC	SALT LAKE CITY	UT (US)

**REQUIRED CHARTING:** SECTIONAL, DP, STAR, IAP, EN ROUTE LOW, EN ROUTE HIGH, SPECIAL IAP, CONTROLLER LOW, CONTROLLER HIGH

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 39

**DATE OF REVISION:** 03/19/2026

**REASON FOR REVISION:**

CHANGED PAT 4 230 AAO COORDINATES FROM "401656.65N/1115631.75W" TO "401630.00N/1115627.00W", ELEVATION FROM 7855 TO 7887 AND ACCURACY CODE FROM 2A TO 4B IN HOLDING PATTERNS.  
 CHANGED PAT 4 PRECIPITOUS TERRAIN ADDITIONS FROM 118 TO 220.  
 ADDED STAR PITTT (RNAV) FOR KSLC AIRPORT TO FIX USE.

**INITIATED BY:**                      **DATE:**                      **ORGANIZATION:**                      **NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:**                      AJV-A432                      **NAME:** SILVIA YOUNG

**APPROVED BY:**                      **DATE:** 02/12/2026                      **OFFICE:** AJV-A432                      **NAME:** CASIMIR TABAKA

**SIGNATURE:**



# RADIO FIX AND HOLDING DATA RECORD

NAME: IVOCY STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 410247.04N/1115743.66W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	SALT LAKE CITY	I-BNT	LOC/DME		349.00	360.00	16.61	16.61		8500	9000

## EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-BNT	LOC/DME	R-349	17	8500	9000

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

## REMARKS:

I-BNT DME COORDINATES: 404609.78N/W1115747.54.  
I-BNT MRA BASED ON MVAC AND FLOOR OF CONTROLLED AIRSPACE BY ATC REQUEST.

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 17	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I-II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 17			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3 DATE OF REVISION: 02/20/2025

## REASON FOR REVISION:

1. FIX MAKE-UP FACILITIES: UPDATED MAG/TRUE BEARING FROM 348.99/359.99 TO 349.00/360.00.
2. REMARKS: ADDED "I-BNT DME COORDINATES: 404609.78N/W1115747.54"
3. FIX USE: ADDED RNAV (RNP) Z RWY 17 AT KSLC.
4. FIX USE: ADDED ALPHABETICAL IDENTIFIER Y TO RNAV (GPS) RWY 17 AT KSLC.
5. COMBINED SPECIAL AUTHORIZATION (SA) CATEGORY NOTATIONS FOR ILS RWY 17 AT KSLC TO READ "ILS RWY 17 (SA CAT I-II)."

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 NAME: PARNELL PRASSADA

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A431 NAME: ERIC N SUSKI

SIGNATURE:



IAP	ILS RWY 16L (CAT II-III)		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II-III)		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I - II)		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II-III)		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II-III)	1	KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)	1	KSLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35	3	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R	2	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 35	5	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 35	2	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV(GPS) RWY 16R		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R	2	SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17		KTVY	TOOELE	UT (US)
STAR	TAYTR (RNAV)		KPVU	PROVO	UT (US)
STAR	BEARR		KSLC	SALT LAKE CITY	UT (US)
STAR	BRIGHAM CITY		KSLC	SALT LAKE CITY	UT (US)
STAR	JAMMN		KSLC	SALT LAKE CITY	UT (US)
STAR	SPANE		KSLC	SALT LAKE CITY	UT (US)

**REQUIRED CHARTING:** SECTIONAL, DP, STAR, MILITARY IAP, IAP, EN ROUTE LOW, SPECIAL IAP, CONTROLLER LOW

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 36                      **DATE OF REVISION:** 03/19/2026

**REASON FOR REVISION:**  
 ADDED STAR TAYTR(RNAV) FOR KPVU AIRPORT TO FIX USE.

**INITIATED BY:**                      **DATE:**                      **ORGANIZATION:**                      **NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:**                      AJV-A432                      **NAME:** SILVIA YOUNG

**APPROVED BY:**                      **DATE:** 02/12/2026                      **OFFICE:** AJV-A432                      **NAME:** CASIMIR TABAKA

**SIGNATURE:**

# RADIO FIX AND HOLDING DATA RECORD

NAME: PRYES STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 405803.67N/1115743.60W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	MRA	MAA
								NM FEET		
1	SALT LAKE CITY	I-BNT	LOC/DME		349.00	360.00	11.89	11.89	7500	8700

## EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-BNT	LOC/DME	R-349	12	7500	8700

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

## REMARKS:

PRECISE FIX LOCATION: 405803.672N/1115743.595W.

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 17	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I-II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 17			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5 DATE OF REVISION: 02/20/2025

## REASON FOR REVISION:

1. FIX MAKE-UP FACILITIES: UPDATED MAG/TRUE BEARING FROM 348.99/359.99 TO 349.00/360.00.
2. REMARKS: ADDED "I-BNT DME COORDINATES: 404609.78N/W1115747.54."
3. REMARKS: DELETED "PRECISE FIX LOCATION: 405803.672N/1115743.595W."
4. FIX USE: COMBINED ILS SPECIAL AUTHORIZATION (SA) CATEGORY NOTATION TO READ "ILS RWY 17 (SA CAT I-II)" AT KSLC.
5. FIX USE: ADDED RNAV (RNP) Z RWY 17 AT KSLC.
6. FIX USE: ADDED ALPHABETICAL IDENTIFIER Y TO RNAV (GPS) RWY 17 AT KSLC.

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 NAME: PARNELL PRASSADA

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A431 NAME: ERIC N SUSKI

SIGNATURE:



# RADIO FIX AND HOLDING DATA RECORD

NAME: TUKTE STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 411857.19N/1115743.89W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	FAC	MRA	MAA
								NM	FEET		
1	SALT LAKE CITY	I-BNT	LOC/DME		349.00	360.00	32.77	32.77		11000	12000

## EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-BNT	LOC/DME	R-349	33	11000	12000

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

## REMARKS:

I-BNT DME COORDINATES: 404609.78N/W1115747.54.

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 17	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I-II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3

DATE OF REVISION: 02/20/2025

## REASON FOR REVISION:

1. FIX MAKE-UP FACILITIES: UPDATED MAG/TRUE BEARING FROM 348.99/359.99 TO 349.00/360.00.
2. REMARKS: UPDATED I-BNT DME COORDINATES FROM 404610.06N/1115746.86W TO 404609.78N/W1115747.54.
3. FIX USE: ADDED ALPHABETICAL IDENTIFIER Y TO RNAV (GPS) RWY 17 AT KSLC.
4. FIX USE: COMBINED ILS SPECIAL AUTHORIZATION (SA) CATEGORY NOTATIONS TO READ "ILS RWY 17 (SA CAT I-II)" AT KSLC.

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 NAME: PARNELL PRASSADA

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A431 NAME: ERIC N SUSKI

SIGNATURE:





EN ROUTE	V32		(US)
EN ROUTE	V484		(US)
IAP	RNAV (GPS)-A	KHCR	UT (US)
IAP	ILS OR LOC RWY 3	KOGD	OGDEN UT (US)
IAP	RNAV (GPS) RWY 3	KOGD	OGDEN UT (US)
IAP	ILS OR LOC RWY 16L	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 16R	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 17	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 34L	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 34R	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 16L (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 16R (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 16R (SA CAT I)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 17 (SA CAT I - SA CAT II)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34L (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34L (SA CAT I)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34R (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34R (SA CAT I)	KSLC	SALT LAKE CITY UT (US)
IAP	LDA RWY 35	KSLC	SALT LAKE CITY UT (US)
IAP	RNAV (GPS) RWY 34R	KSLC	SALT LAKE CITY UT (US)
IAP	RNAV (RNP) Z RWY 34R	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 17	KTVY	TOOELE UT (US)
STAR	BEARR	KSLC	SALT LAKE CITY UT (US)
STAR	BONNEVILLE	KSLC	SALT LAKE CITY UT (US)
STAR	BRIGHAM CITY	KSLC	SALT LAKE CITY UT (US)
STAR	DELTA (RNAV)	KSLC	SALT LAKE CITY UT (US)
STAR	JAMMN	KSLC	SALT LAKE CITY UT (US)
STAR	LEEHY (RNAV)	KSLC	SALT LAKE CITY UT (US)
STAR	WAATS (RNAV)	KSLC	SALT LAKE CITY UT (US)

**REQUIRED CHARTING:** DP, STAR, IAP, AREA, EN ROUTE LOW, EN ROUTE HIGH, SPECIAL IAP, CONTROLLER LOW, CONTROLLER HIGH

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 24                      **DATE OF REVISION:** 05/14/2026

**REASON FOR REVISION:**  
1. ADDED SLC RNAV (RNP) Z RWY 34R TO FIX USE.

**INITIATED BY:**                      **DATE:**                      **ORGANIZATION:**                      **NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:**                      AJV-A422                      **NAME:** BRITNEY ARMENTROUT

**APPROVED BY:**                      **DATE:** 04/09/2026                      **OFFICE:** AJV-A422                      **NAME:** RAKE MCGRAW

**SIGNATURE:**

# RADIO FIX AND HOLDING DATA RECORD

NAME: WEBER STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 411513.95N/1120144.88W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	SALT LAKE CITY	I-MOY	LOC/DME		343.96	354.96	29.02	29.02	11000	17500

## EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-MOY	LOC/DME	R-344	33	11000	17500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

## REMARKS:

I-MOY DME ANT: 404618.72N/1115818.13W.

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II - III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II - III)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I - II)			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 17			KSLC	SALT LAKE CITY	UT (US)
STAR	CARTR (RNAV)			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6

DATE OF REVISION: 02/20/2025

## REASON FOR REVISION:

1. LATITUDE/LONGITUDE: CHANGED FROM "411911.85N/1120213.36W" TO "411513.95N/1120144.88W" - FIX MOVED 3.98 NM SOUTH/FIX NAME RETAINED AT ATC REQUEST.
2. FIX MAKE-UP FACILITIES: FAC 1 MAG/TRUE BRG CHANGED FROM "343.95/354.95" TO "343.96/354.96".
3. FIX MAKE-UP FACILITIES: FAC 1 DME/DISTANCE FROM NM CHANGED FROM "33.00" TO "29.02".
4. FIX MAKE-UP FACILITIES: FAC 1 MRA CHANGED FROM "12000" TO "11000".
5. REMARKS: CHANGED "I-MOY DME ANT: 404618.71N/1115818.11W" TO "404618.72N/1115818.13W".
6. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 17" AND ALL ASSOCIATIONS.
7. FIX USE: ADDED ALPHABETICAL IDENTIFIER "Y" TO RNAV (GPS) RWY 17 AT KSLC.
8. FIX USE: ADDED KSLC IAP "RNAV (GPS) Y RWY 16L" AND ALL ASSOCIATIONS.
9. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 16L" AND ALL ASSOCIATIONS.
10. FIX USE: ADDED KSLC IAP "RNAV (GPS) Y RWY 16R" AND ALL ASSOCIATIONS.
11. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 16R" AND ALL ASSOCIATIONS.
12. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 17" AND ALL ASSOCIATIONS.
13. FIX USE: ADDED KSLC IAP "ILS OR LOC RWY 16R" AND ALL ASSOCIATIONS.
14. FIX USE: ADDED KSLC IAP "ILS RWY 16R (CAT II - III)" AND ALL ASSOCIATIONS.
15. FIX USE: ADDED KSLC IAP "ILS RWY 16R (SA CAT I)" AND ALL ASSOCIATIONS.
16. FIX USE: ADDED KSLC IAP "ILS RWY 16L (CAT II - III)" AND ALL ASSOCIATIONS.
17. FIX USE: ADDED KSLC STAR "CARTR (RNAV)" AND ALL ASSOCIATIONS.
18. FIX USE: REMOVED KSLC STAR "NORDK (RNAV)" AND ALL ASSOCIATIONS.

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 NAME: WESTLEY OWENS

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A431 NAME: ERIC N SUSKI

SIGNATURE: