

RADIO FIX AND HOLDING DATA RECORD

NAME: ALGIE **STATE:** UT **COUNTRY:** US **ICAO REGION CODE:** K2

LATITUDE/LONGITUDE: 402833.74N/1115619.11W **TYPE:** WP, RADAR, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	MRA	MAA
								NM FEET		
1	SALT LAKE CITY	I-SLC	LOC/DME		163.96	174.96	17.80	20.13	8000	10000

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-SLC	LOC/DME	R-164	21	8000	10000

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

REMARKS:

I-SLC MRA BASED ON MVAAC AND FLOOR OF CONTROLLED AIRSPACE BY ATC REQUEST TO RADAR VECTOR AIRCRAFT TO FINAL.
ESV ESTABLISHED FOR I-SLC GLIDE SLOPE: R-164, 19, 8000/10000.
I-SLC DME ANT: 404618.71N/1115818.11W (COMMON SOURCE WITH I-MOY).

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34R	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2 **DATE OF REVISION:** 02/20/2025

REASON FOR REVISION:

REMOVED REMARK FIX ESTABLISHED AT GSIP USING RNP PFAF FORMULA AT 10000 FT.
CHANGED FIX USE TITLE RNAV (GPS) RWY 34R TO RNAV (GPS) Y RWY 34R
ADDED FIX USE RNAV (RNP) Z RWY 34R

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A432 **NAME:** JOSEPH BLANCO

APPROVED BY: **DATE:** 02/20/2025 **OFFICE:** AJV-A430 **NAME:** BEV L BORDY

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: CHEVL

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 404046.89N/1115743.69W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	FAC NM	FEET	MRA	MAA
1	SALT LAKE CITY	I-SLC	LOC/DME		163.96	174.96	5.54	7.87	47831		6100	8700

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

I-SLC DME ANT: 404618.71N/1115818.11W (COMMON SOURCE WITH I-MOY).

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34R	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

FIX MOVED 93 FEET TO THE NORTH
UPDATED FIX MAKE UP DISTANCES CHANGED FROM 5.56/7.89/47923 TO 5.54/7.87/47831.
CHANGED FIX USE TITLE RNAV (GPS) RWY 34R TO RNAV (GPS) Y RWY 34R
ADDED FIX USE RNAV (RNP) Z RWY 34R
REMOVED REMARK "FIX ESTABLISHED AT ILS GSIP USING RNP PFAF FORMULA AT 6100 FT"

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A432 NAME: JOSEPH BLANCO

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A430 NAME: BEV L BORDY

SIGNATURE:

SPECIAL IAP	RNAV VISUAL RWY 31		PVU	PROVO	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 10	8	UT51	PROVO	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 27	8	3UT6	RIVERTON	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 31	8	3UT6	RIVERTON	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 34	8	UT08	SALT LAKE CITY	UT (US)
DP	PROVO	5	PVU	PROVO	UT (US)
DP	FAIRFIELD		SLC	SALT LAKE CITY	UT (US)
DP	SALT LAKE	1	SLC	SALT LAKE CITY	UT (US)
DP	TEXTUAL DEPARTURE		SLC	SALT LAKE CITY	UT (US)
DP	SOUTH VALLEY (RNAV)	3	U42	SALT LAKE CITY	UT (US)
DP	TEXTUAL DEPARTURE	2	U42	SALT LAKE CITY	UT (US)
DP	SPANISH FORK (OBSTACLE)	7	SPK	SPANISH FORK	UT (US)
EN ROUTE	J11				(US)
EN ROUTE	J116				(US)
EN ROUTE	J12				(US)
EN ROUTE	J202				(US)
EN ROUTE	J9				(US)
EN ROUTE	V134				(US)
EN ROUTE	V200				(US)
EN ROUTE	V21				(US)
EN ROUTE	V235				(US)
IAP	RNAV (GPS) RWY 17		U14	NEPHI	UT (US)
IAP	RNAV (GPS) RWY 35		U14	NEPHI	UT (US)
IAP	ILS OR LOC RWY 13	5	PVU	PROVO	UT (US)
IAP	RNAV (GPS) RWY 13	3	PVU	PROVO	UT (US)
IAP	ILS OR LOC RWY 16L	1	SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34L		SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34R		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II-III)	1	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I-II)	1	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II-III)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II-III)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)		SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 35		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L	3	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L	3	SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17	1	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17	3	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 17	3	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 34	6	SVR	SALT LAKE CITY	UT (US)
STAR	BEARR		SLC	SALT LAKE CITY	UT (US)
STAR	BRIGHAM CITY		SLC	SALT LAKE CITY	UT (US)
STAR	CARTR (RNAV)	4	SLC	SALT LAKE CITY	UT (US)
STAR	JAMMN		SLC	SALT LAKE CITY	UT (US)
STAR	PITTT (RNAV)		SLC	SALT LAKE CITY	UT (US)
STAR	SKEES (RNAV)	4	SLC	SALT LAKE CITY	UT (US)
STAR	SPANE		SLC	SALT LAKE CITY	UT (US)
STAR	YUTES (RNAV)	4	SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: SECTIONAL, DP, STAR, IAP, EN ROUTE LOW, EN ROUTE HIGH, SPECIAL IAP, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 40

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX USE: CHANGED SLC IAPS: RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35 AND REMOVED RNAV (RNP) Z RWY 35.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JANTZEN TAYLOR

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: HAKKR STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 403141.48N/1115640.71W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	MRA	MAA
								NM FEET		
1	SALT LAKE CITY	I-SLC	LOC/DME		163.96	174.96	14.66	16.99	8200	9500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-SLC	LOC/DME	R-164	16	8000	9500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

I-SLC MRA BASED ON MVAC AND FLOOR OF CONTROLLED AIRSPACE BY ATC REQUEST TO RADAR VECTOR AIRCRAFT TO FINAL.
ESV ESTABLISHED FOR I-SLC GLIDE SLOPE AT 16NM, LOC WITHIN RANGE.
I-SLC DME ANT: 404618.71N/1115818.11W (COMMON SOURCE WITH I-MOY).

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34R	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2 DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

REMOVED REMARK FIX ESTABLISHED AT GSIP USING RNP PFAF FORMULA AT 9000 FT.
CHANGED FIX USE TITLE RNAV (GPS) RWY 34R TO RNAV (GPS) Y RWY 34R
ADDED FIX USE RNAV (RNP) Z RWY 34R

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A432 NAME: JOSEPH BLANCO

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A430 NAME: BEV L BORDY

SIGNATURE:

IAP	ILS RWY 16L (CAT II-III)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II-III)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I - II)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II-III)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II-III)	1	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)	1	SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35	3	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 35	5	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R	2	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R	2	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV(GPS) RWY 16R		SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17		TVY	TOOELE	UT (US)
STAR	TAYTR (RNAV)		PVU	PROVO	UT (US)
STAR	BEARR		SLC	SALT LAKE CITY	UT (US)
STAR	BRIGHAM CITY		SLC	SALT LAKE CITY	UT (US)
STAR	JAMMN		SLC	SALT LAKE CITY	UT (US)
STAR	SPANE		SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: SECTIONAL, DP, STAR, MILITARY IAP, IAP, EN ROUTE LOW, SPECIAL IAP, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 37 **DATE OF REVISION:** 05/14/2026

REASON FOR REVISION:

1. FIX USE: CHANGED SLC IAPS RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35 AND REMOVED RNAV (RNP) Z RWY 35.
2. HOLDING: CHANGED PAT 2, 4, 5 CONTROLLING OBSTACLE ELEVATION AND ACCURACY CODE FROM 7195/AC 4E TO 7271/AC 4B.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 **NAME:** JANTZEN TAYLOR

APPROVED BY: **DATE:** 04/09/2026 **OFFICE:** AJV-A422 **NAME:** RAKE MCGRAW

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: PLAGE

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402612.10N/1115602.83W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	MRA	MAA
								NM FEET		
1	SALT LAKE CITY	I-SLC	LOC/DME		163.96	174.96	20.17	22.50	11000	12000

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-SLC	LOC/DME	R-164	23	11000	12000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

I-SLC DME ANTENNA COORDINATES: 404618.71N/1115818.11W (COMMON SOURCE WITH I-MOY).

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34R	1		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II)	1		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT III)	1		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)	1		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 11

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. ADDED SLC RNAV (RNP) Z RWY 34R.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: BRITNEY ARMENTROUT

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: QWENN

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 401914.43N/1115800.86W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

FIX NAME RETAINED PER ATC FOR OPERATIONAL NECESSITY.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II - III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II - III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			SLC	SALT LAKE CITY	UT (US)
STAR	QWENN (RNAV)			SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX LAT/LONG: FIX MOVED 4.22 NM SOUTH FROM 402324.41N/1115704.78W TO 401914.43N/1115800.86W.
2. FIX USE: ADDED SLC IAPS: ILS RWY 34L (SA CAT I), ILS RWY 34L (CAT II - III), ILS RWY 34R (SA CAT I), AND ILS RWY 34R (CAT II - III).
3. FIX USE: CHANGED SLC IAPS: RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35 AND REMOVED RNAV (RNP) Z RWY 35.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JANTZEN TAYLOR

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

EN ROUTE	V32		(US)
EN ROUTE	V484		(US)
IAP	RNAV (GPS)-A	KHCR	UT (US)
IAP	ILS OR LOC RWY 3	KOGD	OGDEN UT (US)
IAP	RNAV (GPS) RWY 3	KOGD	OGDEN UT (US)
IAP	ILS OR LOC RWY 16L	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 16R	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 17	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 34L	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 34R	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 16L (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 16R (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 16R (SA CAT I)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 17 (SA CAT I - SA CAT II)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34L (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34L (SA CAT I)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34R (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34R (SA CAT I)	KSLC	SALT LAKE CITY UT (US)
IAP	LDA RWY 35	KSLC	SALT LAKE CITY UT (US)
IAP	RNAV (GPS) RWY 34R	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 17	KTVY	TOOELE UT (US)
STAR	BEARR	KSLC	SALT LAKE CITY UT (US)
STAR	BONNEVILLE	KSLC	SALT LAKE CITY UT (US)
STAR	BRIGHAM CITY	KSLC	SALT LAKE CITY UT (US)
STAR	DELTA (RNAV)	KSLC	SALT LAKE CITY UT (US)
STAR	JAMMN	KSLC	SALT LAKE CITY UT (US)
STAR	LEEHY (RNAV)	KSLC	SALT LAKE CITY UT (US)
STAR	WAATS (RNAV)	KSLC	SALT LAKE CITY UT (US)

REQUIRED CHARTING: DP, STAR, IAP, AREA, EN ROUTE LOW, EN ROUTE HIGH, SPECIAL IAP, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 23

DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

1. HOLDING: PAT 1: CHANGED LEG LENGTH TIME FROM "1 1/2" TO "1".
2. HOLDING: PAT 2: CHANGED LEG LENGTH TIME FROM "1 1/2" TO "1".
3. HOLDING RESTRICTIONS: MOVED "TCH VORTAC MAG VAR: E16/1975" TO REMARKS.
4. HOLDING RESTRICTIONS: ADDED "HOLDING LIMITED TO ESTABLISHED HOLDING PATTERNS".
5. FIX USE: CONSOLIDATED KSLC IAPS "ILS RWY 17 (SA CAT I) AND ILS RWY 17 (SA CAT II)".
6. REQUIRED CHARTING: ADDED "CONTROLLER LOW AND CONTROLLER HIGH".

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 **NAME:** WESTLEY OWENS

APPROVED BY: **DATE:** 02/20/2025 **OFFICE:** AJV-A431 **NAME:** ERIC N SUSKI

SIGNATURE: