

# RADIO FIX AND HOLDING DATA RECORD

NAME: BARBO

STATE: AR

COUNTRY: US

ICAO REGION CODE: K4

LATITUDE/LONGITUDE: 343500.23N/0922340.00W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	LITTLE ROCK	I-CNL	LOC/DME		226.52	226.52	13.33	13.35		3500	4700

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

## PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	SW		WP	226.42	046.42	R	4	2900 14000	5 11

## CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (05-000972)	343708.00N/0922616.00W	885	1A

## HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

## REMARKS:

FAC 1 DME COORDINATES: 344414.05N/0921158.94W  
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 4R	1		KLIT	LITTLE ROCK	AR (US)
IAP	RNAV (GPS) RWY 4R		1	KLIT	LITTLE ROCK	AR (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5

DATE OF REVISION: 07/19/2018

## REASON FOR REVISION:

1. MAG/LOC COURSE FAC 1 CHANGED FROM 224.52 TO 226.52.
2. UPDATED FIX USE FORMAT.
3. ADDED REMARK, FAC 1 USED TO MAKE UP FIX COORDINATES.
4. DELETED RWY 4R FROM FAC.
5. ADDED DIST FROM FAC NM TO FAC 1.
6. ADDED PRECIPITOUS TERRAIN NOTE.
7. MOVED HOLDING PATTERN NOTE FROM REMARK TO HOLDING RESTRICTION.
8. HOLDING PATTERN CHANGED FROM 44.42 TO 46.42.
9. DELETED REMARK "FAC 2: KLIT R04R DISPLACED THRESHOLD 344316.94N/0921307.27W".
10. ADDED FAC 1 DME COORDINATES: 344414.05N/0921158.94W TO REMARKS.
11. CHANGED FAC 1 TYPE FROM LOC TO LOC/DME.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 06/16/2017

OFFICE: AJV-5412

NAME: KISSY MAXFIELD

APPROVED BY:

DATE:

OFFICE: AJV-5410

NAME: GEORGE DAVIS

SIGNATURE:

DISTRIBUTION:

NFDC  
FPO: CEN  
ARTCC: ZME  
ATC FACILITY: LIT APP CON  
OTHER:

# RADIO FIX AND HOLDING DATA RECORD

**NAME:** BRAUM **STATE:** AR **COUNTRY:** US **ICAO REGION CODE:** K4

**LATITUDE/LONGITUDE:** 345320.86N/0920010.00W **TYPE:** WP, DME

**AIRSPACE DOCKET:** **FIX TYPE OF ACTION:** MODIFY

**FIX MAKE-UP FACILITIES:**

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	LITTLE ROCK	LIT	VORTAC	H	029.69	034.69	15.41	15.41	3000	17500

**HOLDING:** **HOLDING TYPE OF ACTION:** MODIFY

**PATTERNS:**

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	NE		WP	032.69	212.69	R	4	2000	6000	4	6

**CONTROLLING OBSTRUCTIONS:**

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (05-000919)	345522.79N/0920030.37W	645	1A

**HOLDING RESTRICTIONS:**

HOLDING LIMITED TO ESTABLISHED PATTERN(S)

**REMARKS:**

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V305	1				(US)
IAP	RNAV (GPS) RWY 4L		1	KLIT	LITTLE ROCK	AR (US)
IAP	RNAV (GPS) RWY 4R		1	KLIT	LITTLE ROCK	AR (US)
IAP	RNAV (GPS) RWY 5		1	KORK	NORTH LITTLE ROCK	AR (US)

**REQUIRED CHARTING:** IAP, EN ROUTE LOW, CONTROLLER LOW

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 8 **DATE OF REVISION:** 10/07/2021

**REASON FOR REVISION:**

1. TYPE: REMOVED RADAR.
2. FIX MAKE-UP: DELETED R04R AT KLIT.
3. FIX MAKE-UP: ADDED 15.41 TO DIST TO FAC FOR LIT.
4. PATTERNS: LIT VORTAC HOLDING PATTERN 1 DELETED, WP PAT RENUMBERED TO NUMBER 1.
5. CONTROLLING OBSTRUCTION: CHANGED WP PAT 1 OBSTRUCTION FROM (05-001014) TO TOWER (05-000919).
6. MOVED HOLDING LIMITED TO ESTABLISHED PATTERNS FROM REMARKS TO HOLDING RESTRICTIONS.
7. REMARKS: ADDED PRECIPITOUS TERRAIN EVALUATION COMPLETED.
8. FIX USE: REFORMATTED V305, KLIT AND KORK PROCEDURES.
9. FIX USE: REMOVED RADAR-1.
10. CHARTING: CHANGED CONTROLLER TO CONTROLLER LOW.

**INITIATED BY:** **DATE:** **ORGANIZATION:** **NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:** AJV-A423 **NAME:** RAYMOND JOHNSON

**APPROVED BY:** **DATE:** **OFFICE:** AJV-A420 **NAME:** MARLON ROBINSON

**SIGNATURE:**

**DISTRIBUTION:** NFDC  
FPO: CEN  
ARTCC: ZME  
ATC FACILITY: LIT APP CON  
OTHER:

# RADIO FIX AND HOLDING DATA RECORD

NAME: EJYIB

STATE: AR

COUNTRY: US

ICAO REGION CODE: K4

LATITUDE/LONGITUDE: 343122.47N/0921929.71W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	BARBO					136.42	5.00				17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ADAMS FIELD - RNAV (GPS) RWY 4R, RNAV (GPS) RWY 4L			KLIT	LITTLE ROCK	AR (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 03/12/2009

## REASON FOR REVISION:

FIX USE UPDATED.

BLOCK 1C: UPDATED AIR/GRD COMM DATA; ADD LIT APP CON; DELETE HF; ADD UHF; ALT FROM 3000 TO 3300.

BLOCK 5: UPDATED CHART PUB DATA.

FIX MOVED 45.18 FT WEST FROM LAT/LONG 343122.47N/0921929.17W TO 343122.47N/0921929.71W.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 09/26/2008

OFFICE: AVN-120

NAME: EUGENE NEWTON (GARY SOSNOWSKI)

APPROVED BY:

DATE: 12/18/2008

OFFICE: AVN-120

NAME: JOHN BICKERSTAFF

SIGNATURE:

DISTRIBUTION:

NFDC  
FPO: CEN  
ARTCC: ZME  
ATC FACILITY: LIT APP CON  
OTHER:

# RADIO FIX AND HOLDING DATA RECORD

NAME: MYNIE

STATE: AR

COUNTRY: US

ICAO REGION CODE: K4

LATITUDE/LONGITUDE: 343915.19N/0921815.64W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	KLIT R04R					226.52	35503.55			17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

## REMARKS:

RNP CRITERIA APPLIED.

FAC 3: KLIT R04R DISPLACED THRESHOLD 344316.94N/0921307.27W

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ADAMS FIELD - RNAV (GPS) RWY 4R, RNAV (GPS) RWY 22L			KLIT	LITTLE ROCK	AR (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3

DATE OF REVISION: 03/12/2009

## REASON FOR REVISION:

UPDATED FIX USE.

BLOCK 1A: DELETED FAC 1 AND FAC 2 THAT ARE NO LONGER USED ON ILS RWY 4R.

CHANGED FAC 3 TO FAC 1 AND UPDATED DME DIST FROM 5.94 TO 35503.55 (5.84).

BLOCK 1C: UPDATED AIR/GRD COMM DATA; ADD LIT APP CON; DELETE HF; ADD UHF; ALT FROM 2200 TO 2000.

FIX MOVED 586.22 FT NE FROM LAT/LONG 343911.19N/0921820.72W TO 343915.19N/0921815.64W.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 09/29/2008

OFFICE: AVN-120

NAME:

APPROVED BY:

DATE: 12/18/2008

OFFICE: AVN-120

NAME: JOHN BICKERSTAFF

SIGNATURE:

DISTRIBUTION:

NFDC

FPO: CEN

ARTCC: ZME

ATC FACILITY: LIT APP CON

OTHER:

# RADIO FIX AND HOLDING DATA RECORD

NAME: NAZXO

STATE: AR

COUNTRY: US

ICAO REGION CODE: K4

LATITUDE/LONGITUDE: 343908.74N/0922826.28W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	BARBO					316.42	5.71				17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ADAMS FIELD - RNAV (GPS) RWY 4R, RNAV (GPS) RWY 4L			KLIT	LITTLE ROCK	AR (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 03/12/2009

## REASON FOR REVISION:

FIX USE UPDATED.

BLOCK 1C: UPDATED AIR/GRD COMM DATA; ADD LIT APP CON; DELETE HF; ADD UHF; ALT FROM 3000 TO 3300.

BLOCK 5: UPDATED CHART PUB DATA.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 09/26/2008

OFFICE: AVN-120

NAME: EUGENE NEWTON (GARY SOSNOWSKI)

APPROVED BY:

DATE: 12/18/2008

OFFICE: AVN-120

NAME: JOHN BICKERSTAFF

SIGNATURE:

DISTRIBUTION:

NFDC  
FPO: CEN  
ARTCC: ZME  
ATC FACILITY: LIT APP CON  
OTHER:

# RADIO FIX AND HOLDING DATA RECORD

NAME: RIRIW

STATE: AR

COUNTRY: US

ICAO REGION CODE: K4

LATITUDE/LONGITUDE: 344742.20N/0920728.13W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	KLIT R22L					046.52	31786.92				17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

## REMARKS:

RNP CRITERIA APPLIED.

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ADAMS FIELD - RNAV (GPS) RWY 22L, RNAV (GPS) RWY 4R.			KLIT	LITTLE ROCK	AR (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 03/12/2009

## REASON FOR REVISION:

BLOCK 1A: UPDATED FAC 1 DATA; RAD/CRS/BRG FROM 046.53 TO 046.52; DME DIST FROM 5.51 TO 31786.92 (5.23).

BLOCK 1C: UPDATED AIR/GRD COMM DATA; ADD LIT APP CON; ALT FROM 2100 TO 2000.

BLOCK 5: UPDATED CHART PUB DATA.

FIX MOVED 1678.09 FT SW FROM LAT/LONG 344753.56N/0920713.46W TO 344742.20N/0920728.13W.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 09/29/2008

OFFICE: AVN-120

NAME: EUGENE NEWTON (GARY SOSNOWSKI)

APPROVED BY:

DATE: 12/18/2008

OFFICE: AVN-120

NAME: JOHN BICKERSTAFF

SIGNATURE:

DISTRIBUTION:

NFDC  
FPO: CEN  
ARTCC: ZME  
ATC FACILITY: LIT APP CON  
OTHER:

# RADIO FIX AND HOLDING DATA RECORD

NAME: ZULAD

STATE: AR

COUNTRY: US

ICAO REGION CODE: K4

LATITUDE/LONGITUDE: 344150.08N/0921458.15W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	KLIT R04R					226.52	2.10			860	17500

## REMARKS:

FAC 1: KLIT R04R DISPLACED THRESHOLD 344316.94N/0921307.27W.

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ADAMS FIELD (KLIT) - RNAV (GPS) RWY 4R			KLIT	LITTLE ROCK	AR (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 03/12/2009

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 09/29/2008

OFFICE: AVN-120

NAME: EUGENE NEWTON (GARY SOSNOWSKI)

APPROVED BY:

DATE: 12/18/2008

OFFICE: AVN-120

NAME: JOHN BICKERSTAFF

SIGNATURE:

DISTRIBUTION:

NFDC  
FPO: CEN  
ARTCC: ZME  
ATC FACILITY: LIT APP CON  
OTHER: