

RADIO FIX AND HOLDING DATA RECORD

NAME: BURG Y

STATE: MD

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 392809.60N/0774409.85W

TYPE: WP, INT

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	MARTINSBURG	I-EXW	LOC		078.66	070.66		13.05		3400	5000
2	HAGERSTOWN	HGR	VOR	L	164.90	157.90		14.77		3400	6000
3	MARTINSBURG	MRB	VORTAC	L	053.08	046.08		7.24		3400	6000

FIX RESTRICTIONS:

USED ON SPECIAL IAPS AND SPECIAL DPS. SEE FIX USE FOR DETAILS.

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	E	I-EXW	LOC	078.66	258.66	L	1		3400	6000	8	9
2	E		WP	078.80	258.80	L		7	3400	6000	9	10

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	265	TOWER (24-000066)	393436.40N/0772917.00W	2231	2C
2	265	TOWER (24-000066)	393436.40N/0772917.00W	2231	2C

REASON FOR NONSTANDARD HOLDING:

PAT 1 ATC REQUEST

PAT 2 ATC REQUEST

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN(S).

REMARKS:

MARTINSBURG (FAC 1) AND HAGERSTOWN (FAC 2) USED TO ESTABLISH FIX COORDINATES.

HOLDING PAT 1 AND PAT 2 EVALUATED AT 265 KIAS FOR MILITARY USE.

PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
SPECIAL DP	HISOR (RNAV)			WV48	MARTINSBURG	WV (US)
SPECIAL DP	HOOPL (RNAV)			WV86	RANSON	WV (US)
SPECIAL IAP	COPTER RNAV (GPS) 26			WV48	MARTINSBURG	WV (US)
SPECIAL IAP	COPTER RNAV (GPS) 23			WV86	RANSON	WV (US)
IAP	ILS OR LOC RWY 26	1, 2, 3	1	KMRB	MARTINSBURG	WV (US)
IAP	RNAV (GPS) RWY 26		2	KMRB	MARTINSBURG	WV (US)
IAP	RNAV (GPS) RWY 8		2	KMRB	MARTINSBURG	WV (US)

REQUIRED CHARTING: IAP, SPECIAL IAP, SPECIAL DP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 7

DATE OF REVISION: 08/07/2025

REASON FOR REVISION:

1. FIX MAKE-UP FACILITIES, FAC 1: CHANGED MAG BRG FROM 078.65 TO 078.66 AND TRUE BRG FROM 070.65 TO 070.66.
2. FIX MAKE-UP FACILITIES, FAC 2 AND FAC 3: CHANGED MAA FROM 17500 TO 6000.
3. FIX RESTRICTIONS: ADDED "USED ON SPECIAL IAPS AND SPECIAL DPS. SEE FIX USE FOR DETAILS."
4. HOLDING PATTERNS, PAT 1: CHANGED RAD/CRS/BRG FROM 078.65 TO 078.66 AND CRS INBOUND FROM 258.65 TO 258.66.
5. REMARKS: ADDED "HOLDING PAT 1 AND PAT 2 EVALUATED AT 265 KIAS FOR MILITARY USE."

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: RICHARD BRUCE

APPROVED BY:

DATE: 07/03/2025

OFFICE: AJV-A420

NAME: BEV L BORDY

SIGNATURE:



RADIO FIX AND HOLDING DATA RECORD

NAME: HEVEN OM

STATE: WV

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 392604.64N/0775151.65W

TYPE: INT

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	HEVEN	EX	OM							5000
2	MARTINSBURG	I-EXW	LOC		078.65	070.65		6.74 40945	2400	5000
3	MARTINSBURG	MRB	VORTAC	L	352.81	345.81		3.03	2400	5000

HOLDING:

HOLDING TYPE OF ACTION:

REMARKS:

COORDINATES REFLECT LOCATION ON LOC/AZ CENTERLINE ABEAM THE HEVEN OM.
ACTUAL FACILITY LOCATION IS 392605.36N/0775151.98W.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 26	1, 2, 3		KMRB	MARTINSBURG	WV (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3

DATE OF REVISION: 02/11/2010

REASON FOR REVISION:

FIX TYPE: DELETED WP.
FIX MAKE-UP: ADDED DIST FROM FAC FOR FACS 2 AND 3.
FIX USE: UPDATED FORMAT.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 07/22/2009

OFFICE: AVN-101

NAME: EUGENE NEWTON (RICHARD BRUCE)

APPROVED BY:

DATE: 07/03/2025

OFFICE: AJV-A420

NAME: BEV L BORDY

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: EST
ARTCC: ZDC
ATC FACILITY: MRB TOWER, PCT TRACON
OTHER:

QUALITY
19
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: HEVID

STATE: WV

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 392611.92N/0775124.67W

TYPE: INT

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	MARTINSBURG	I-EXW	LOC		078.66	070.66		7.11	43185	2400	5000
2	MARTINSBURG	MRB	VORTAC	L	359.65	352.65		3.09		2400	6000

HOLDING:

HOLDING TYPE OF ACTION:

REMARKS:

MARTINSBURG (FAC 1) AND MARTINSBURG (FAC 2) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 26	1, 2		KMRB	MARTINSBURG	WV (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 08/07/2025

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: RICHARD BRUCE

APPROVED BY:

DATE: 07/03/2025

OFFICE: AJV-A420

NAME: BEV L BORDY

SIGNATURE:

QUALITY
19
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: LINDEN VORTAC

STATE: VA

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 385115.83N/0781220.06W

TYPE:

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	LINDEN	LDN	VORTAC	L						17500

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	SE	LDN	VORTAC	155.00	335.00	R	1	5000 6000	5 5
2	N	LDN	VORTAC	020.00	200.00	R	1	5000 6000	9 9
3	N		WP	020.00	200.00	R		5000 6000	6 6

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	384633.00N/0781212.00W	3531	4E
2	265	AAO	384545.00N/0781627.00W	3675	4B
3	200	AAO	384633.00N/0781212.00W	3531	4E

PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
1	200	150
2	265	170
3	200	121

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN(S).

REMARKS:

ASSIGNED FACILITY MAG VAR: W06/1965.
HOLDING PAT 2 EVALUATED AT 265 KIAS FOR MILITARY USE.
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	NATIONAL			KDCA	WASHINGTON	DC (US)
DP	ARSENAL			KHEF	WASHINGTON	DC (US)
DP	CAPITAL			KIAD	WASHINGTON	DC (US)
DP	TAKEOFF MINIMUMS			KLUA	LURAY	VA (US)
DP	TRIXY			KMRB	MARTINSBURG	WV (US)
EN ROUTE	V144					(US)
EN ROUTE	V453					(US)
IAP	ILS OR LOC RWY 16L		1	KHEF	WASHINGTON	DC (US)
IAP	ILS OR LOC RWY 01L			KIAD	WASHINGTON	DC (US)
IAP	ILS OR LOC RWY 19R			KIAD	WASHINGTON	DC (US)
IAP	ILS OR LOC/DME RWY 12			KIAD	WASHINGTON	DC (US)
IAP	ILS RWY 01L (CAT II/III)			KIAD	WASHINGTON	DC (US)
IAP	ILS RWY 19R (CAT II/III)			KIAD	WASHINGTON	DC (US)
IAP	VOR/DME RWY 12			KIAD	WASHINGTON	DC (US)
IAP	RNAV (GPS)-A			KFRR	FRONT ROYAL	VA (US)
IAP	NDB-A			KLUA	LURAY	VA (US)
IAP	RNAV (GPS) RWY 22			KLUA	LURAY	VA (US)
IAP	RNAV (GPS) RWY 4		3	KLUA	LURAY	VA (US)
IAP	VOR/DME-B			KLUA	LURAY	VA (US)
IAP	ILS OR LOC RWY 32			KOKV	WINCHESTER	VA (US)
IAP	RNAV (GPS) RWY 32			KOKV	WINCHESTER	VA (US)
IAP	VOR/DME-A			KOKV	WINCHESTER	VA (US)
IAP	ILS OR LOC RWY 26		2	KMRB	MARTINSBURG	WV (US)
IAP	LDA/DME-B			W99	PETERSBURG	WV (US)
STAR	NUMMY			KDCA	WASHINGTON	DC (US)
STAR	WESTMINSTER			KBWI	BALTIMORE	MD (US)
STAR	WESTMINSTER			KMTN	BALTIMORE	MD (US)
STAR	NUMMY			KADW	CAMP SPRINGS	MD (US)
STAR	NUMMY			KDAA	FORT BELVOIR	VA (US)

REQUIRED CHARTING: DP, STAR, IAP, AREA, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 16

DATE OF REVISION: 08/07/2025

REASON FOR REVISION:



1. HOLDING, PAT 1: CHANGED MIN TEMPLATE FROM 7 TO 5 AND MAX TEMPLATE FROM 7 TO 5.
2. HOLDING CONTROLLING OBSTRUCTIONS, PAT 1: DELETED 310 AIRSPEED OBSTRUCTION.
3. HOLDING CONTROLLING OBSTRUCTIONS, PAT 2: CHANGED COORDINATES FROM 384551.00N/0781631.70W TO 384545.00N/0781627.00W, ELEVATION FROM 3674 TO 3675, AND ACCURACY CODE FROM 6C TO 4B.
4. PRECIPITOUS TERRAIN ADDITIONS: DELETED PAT 1, 310 SPEED ADDITION.
5. PRECIPITOUS TERRAIN ADDITIONS, PAT 2: CHANGED ADDITION FROM 104 TO 170.
6. HOLDING RESTRICTIONS: ADDED "HOLDING LIMITED TO ESTABLISHED PATTERN(S)."
7. REMARKS: ADDED "HOLDING PAT 2 EVALUATED AT 265 KIAS FOR MILITARY USE."

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
OFFICE OF PRIMARY RESPONSIBILITY:		AJV-A422	NAME: RICHARD BRUCE
APPROVED BY:	DATE: 07/03/2025	OFFICE: AJV-A420	NAME: BEV L BORDY
	SIGNATURE:		



RADIO FIX AND HOLDING DATA RECORD

NAME: MAPEL

STATE: MD

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 393024.59N/0773548.34W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	MARTINSBURG	I-EXW	LOC		078.66	070.66		19.90	3400	6000
2	MARTINSBURG	MRB	VORTAC	L	065.05	058.05	13.77	13.77	5000	17500
3	HAGERSTOWN	HGR	VOR	L	140.54	133.54		16.59	5000	17500
4	ARMEL	AML	VOR/DME	L	358.02	350.02	34.84	34.84	7000	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-EXW	LOC	R-079	20	3400	6000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

MARTINSBURG (FAC 2) AND HAGERSTOWN (FAC 3) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V143	2, 3				(US)
EN ROUTE	V39	2, 3				(US)
IAP	ILS OR LOC RWY 26	1, 2, 3		KMRB	MARTINSBURG	WV (US)
IAP	RNAV (GPS) RWY 26			KMRB	MARTINSBURG	WV (US)
STAR	PRIVO	3, 4		KHEF	WASHINGTON	DC (US)
STAR	PRIVO	3, 4		KIAD	WASHINGTON	DC (US)
STAR	WAYNZ (RNAV)			KIAD	WASHINGTON	DC (US)
STAR	PRIVO	3, 4		KJYO	LEESBURG	VA (US)
STAR	PRIVO	3, 4		KNYG	QUANTICO	VA (US)
STAR	PRIVO	3, 4		KMRB	MARTINSBURG	WV (US)

REQUIRED CHARTING: STAR, IAP, AREA, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 8

DATE OF REVISION: 08/07/2025

REASON FOR REVISION:

1. FIX MAKE-UP FACILITIES, FAC 1 (MARTINSBURG I-EXW LOC): CHANGED MAG BRG FROM 078.65 TO 078.66 AND TRUE BRG FROM 070.65 TO 070.66.
2. FIX MAKE-UP FACILITIES, FAC 4 (ARMEL VOR/DME): CHANGED MAG BRG FROM 358.01 TO 358.02 AND TRUE BRG FROM 350.01 TO 350.02.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: RICHARD BRUCE

APPROVED BY:

DATE: 07/03/2025

OFFICE: AJV-A420

NAME: BEV L BORDY

SIGNATURE:

QUALITY
19
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: MARTINSBURG VORTAC STATE: WV COUNTRY: US ICAO REGION CODE: K6
 LATITUDE/LONGITUDE: 392308.06N/0775054.08W TYPE:

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	MARTINSBURG	MRB	VORTAC	L							45000

HOLDING: HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	E	MRB	VORTAC	109.00	289.00	L	1	3300 6000	8 13
2	E	MRB	VORTAC	110.00	290.00	L	1	3000 6000	4 13

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	265	AAO	392312.00N/0774124.00W	1710	4B
1	310	AAO	392654.00N/0773736.00W	1956	4B
2	200	AAO	392200.00N/0774215.00W	1729	4E
2	310	AAO	392200.00N/0774215.00W	1729	4E

REASON FOR NONSTANDARD HOLDING:

PAT 1 ATC REQUEST
 PAT 2 ATC REQUEST

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN(S).

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	ILS OR LOC RWY 26	KMRB	MARTINSBURG	WV (US)
2	VOR-A	KMRB	MARTINSBURG	WV (US)

REMARKS:

ASSIGNED FACILITY MAGVAR: W07/1965.
 HOLDING PAT 1 EVALUATED AT 265 KIAS FOR MILITARY USE.
 PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	ARSENAL			KHEF	WASHINGTON	DC (US)
DP	CAPITAL			KIAD	WASHINGTON	DC (US)
DP	TAKE-OFF MINIMUMS			KFRR	FRONT ROYAL	VA (US)
DP	PTOMC (RNAV)			KJYO	LEESBURG	VA (US)
DP	TAKE-OFF MINIMUMS			KMRB	MARTINSBURG	WV (US)
EN ROUTE	J162					(US)
EN ROUTE	J6					(US)
EN ROUTE	T356					(US)
EN ROUTE	T358					(US)
EN ROUTE	V143					(US)
EN ROUTE	V166					(US)
EN ROUTE	V3					(US)
EN ROUTE	V39					(US)
EN ROUTE	V44					(US)
EN ROUTE	V457					(US)
EN ROUTE	V501					(US)
EN ROUTE	V8					(US)
IAP	ILS OR LOC RWY 19L			KIAD	WASHINGTON	DC (US)
IAP	ILS OR LOC RWY 1C			KIAD	WASHINGTON	DC (US)
IAP	ILS OR LOC/DME RWY 12			KIAD	WASHINGTON	DC (US)
IAP	ILS RWY 19L (SA CAT II)			KIAD	WASHINGTON	DC (US)
IAP	ILS RWY 1C (SA CAT II)			KIAD	WASHINGTON	DC (US)
IAP	LOC/DME RWY 23			KCBE	CUMBERLAND	MD (US)
IAP	RNAV (GPS) RWY 5			KFDK	FREDERICK	MD (US)
IAP	ILS OR LOC RWY 27		2	KHGR	HAGERSTOWN	MD (US)
IAP	ILS OR LOC RWY 9		2	KHGR	HAGERSTOWN	MD (US)
IAP	ILS OR LOC RWY 17			KJYO	LEESBURG	VA (US)
IAP	RNAV (GPS) RWY 17			KJYO	LEESBURG	VA (US)
IAP	VOR/DME-A			KOKV	WINCHESTER	VA (US)
IAP	RNAV (GPS) RWY 29			W35	BERKELEY SPRINGS	WV (US)
IAP	ILS OR LOC RWY 26		1	KMRB	MARTINSBURG	WV (US)
IAP	RNAV (GPS) RWY 26			KMRB	MARTINSBURG	WV (US)
IAP	RNAV (GPS) RWY 8			KMRB	MARTINSBURG	WV (US)
IAP	VOR-A		2	KMRB	MARTINSBURG	WV (US)
STAR	NUMMY			KDCA	WASHINGTON	DC (US)
STAR	TRSTN (RNAV)			KHEF	WASHINGTON	DC (US)

QUALITY
 19
 CHECKED

STAR	DELRO	KIAD	WASHINGTON	DC (US)
STAR	SELINGSGROVE	KIAD	WASHINGTON	DC (US)
STAR	ARLFT (RNAV)	KDOV	DOVER	DE (US)
STAR	ARLFT (RNAV)	33N	DOVER/CHESWOLD	DE (US)
STAR	ARLFT (RNAV)	KILG	WILMINGTON	DE (US)
STAR	WESTMINSTER	KBWI	BALTIMORE	MD (US)
STAR	WESTMINSTER	KMTN	BALTIMORE	MD (US)
STAR	NUMMY	KADW	CAMP SPRINGS	MD (US)
STAR	TRSTN (RNAV)	KFDK	FREDERICK	MD (US)
STAR	TRSTN (RNAV)	KGAI	GAITHERSBURG	MD (US)
STAR	TRSTN (RNAV)	KHGR	HAGERSTOWN	MD (US)
STAR	TRSTN (RNAV)	W50	LAYTONSVILLE	MD (US)
STAR	TRSTN (RNAV)	2W2	WESTMINSTER	MD (US)
STAR	TRSTN (RNAV)	KDMW	WESTMINSTER	MD (US)
STAR	TRSTN (RNAV)	KCJR	CULPEPER	VA (US)
STAR	NUMMY	KDAA	FORT BELVOIR	VA (US)
STAR	TRSTN (RNAV)	KFRR	FRONT ROYAL	VA (US)
STAR	TRSTN (RNAV)	KJYO	LEESBURG	VA (US)
STAR	TRSTN (RNAV)	KHWY	WARRENTON	VA (US)
STAR	TRSTN (RNAV)	KOKV	WINCHESTER	VA (US)
STAR	TRSTN (RNAV)	KMRB	MARTINSBURG	WV (US)

REQUIRED CHARTING: DP, STAR, MILITARY IAP, IAP, AREA, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 39

DATE OF REVISION: 08/07/2025

REASON FOR REVISION:

1. AIRSPACE DOCKET: DELETED 24-AEA-2.
2. HOLDING, PAT 1: CHANGED MIN ALTITUDE FROM 3000 TO 3300, MAX ALTITUDE FROM 17500 TO 6000, AND MAX TEMPLATE FROM 15 TO 13.
3. CONTROLLING OBSTRUCTIONS, PAT 1, 265 AIRSPEED: CHANGED COORDINATES FROM 392158.00N/0774216.00W TO 392312.00N/0774124.00W, ELEVATION FROM 1676 TO 1710, AND ACCURACY CODE FROM 2C TO 4B.
4. CONTROLLING OBSTRUCTIONS, PAT 1, 310 AIRSPEED: CHANGED COORDINATES FROM 392700.50N/0773734.20W TO 392654.00N/0773736.00W, ELEVATION FROM 1958 TO 1956, AND ACCURACY CODE FROM 2C TO 4B.
5. REMARKS: REFORMATTED "FACILITY MAGVAR: 7W/1965" TO "ASSIGNED FACILITY MAGVAR: W07/1965."
6. REMARKS: ADDED "HOLDING PAT 1 EVALUATED AT 265 KIAS FOR MILITARY USE."
7. FIX USE: ADDED PAT 2 TO KHGR ILS OR LOC RWY 27 AND ILS OR LOC RWY 9.
8. FIX USE: DELETED PAT 2 FROM KOKV VOR/DME-A.
9. FIX USE: ADDED TRSTN (RNAV) STAR AT KCJR AND KHWY.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: RICHARD BRUCE

APPROVED BY:

DATE: 07/03/2025

OFFICE: AJV-A420

NAME: BEV L BORDY

SIGNATURE:

QUALITY
19
CHECKED