

RADIO FIX AND HOLDING DATA RECORD

NAME: HLMET **STATE:** UT **COUNTRY:** US **ICAO REGION CODE:** K2

LATITUDE/LONGITUDE: 402520.86N/1115520.34W **TYPE:** WP, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

| FAC | NAME | IDENT | TYPE | CLASS | MAG BRG | TRUE BRG | DME | DIST FROM FAC | MRA | MAA |
|-----|----------------|-------|---------|-------|---------|----------|-------|---------------|-------|-------|
| | | | | | | | | NM FEET | | |
| 1 | SALT LAKE CITY | I-UTJ | LOC/DME | | 163.95 | 174.95 | 20.89 | 21.86 | 11000 | 13000 |

EXPANDED SERVICE VOLUME (ESV):

| FAC IDENT | FAC TYPE | RADIAL/BEARING | DISTANCE | MIN ALTITUDE | MAX ALTITUDE |
|-----------|----------|----------------|----------|--------------|--------------|
| I-UTJ | LOC/DME | R-164 | 22 | 11000 | 13000 |

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

FIX USE:

| USE TYPE | USE TITLE | FAC | PAT | AIRPORT IDENT | CITY | STATE |
|----------|-------------------|-----|-----|---------------|----------------|---------|
| IAP | RNAV (GPS) RWY 35 | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | LDA RWY 35 | 1 | | SLC | SALT LAKE CITY | UT (US) |

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4 **DATE OF REVISION:** 05/14/2026

REASON FOR REVISION:

1. FIX USE: REMOVED RNAV (RNP) Z RWY 35 AND CHANGED RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35.
2. FIX MAKE UP: REMOVED FAC 2 AND MOVED DME DISTANCE TO FAC 1, AND CHANGED FAC 1 TYPE FROM LOC TO LOC/DME.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 **NAME:** JANTZEN TAYLOR

APPROVED BY: **DATE:** 04/09/2026 **OFFICE:** AJV-A422 **NAME:** RAKE MCGRAW

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: JAZZZ

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402041.27N/1115246.55W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

| USE TYPE | USE TITLE | FAC | PAT | AIRPORT IDENT | CITY | STATE |
|----------|------------------------|-----|-----|---------------|----------------|---------|
| IAP | ILS OR LOC RWY 34L | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS OR LOC RWY 34R | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 34L (CAT II) | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 34L (CAT III) | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 34L (SA CAT I) | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 34R (CAT II) | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 34R (CAT III) | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 34R (SA CAT I) | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | LDA RWY 35 | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | RNAV (GPS) RWY 35 | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | RNAV (GPS) Y RWY 34L | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | RNAV (GPS) Y RWY 34R | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | RNAV (RNP) Z RWY 34L | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | RNAV (RNP) Z RWY 34R | | | SLC | SALT LAKE CITY | UT (US) |
| STAR | JAZZZ (RNAV) | | | SLC | SALT LAKE CITY | UT (US) |

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX USE: ADDED SLC ILS RWY 34R (SA CAT I), ILS RWY 34R (CAT II), ILS RWY 34R (CAT III), ILS RWY 34L (SA CAT I), ILS RWY 34L (CAT II), ILS RWY 34L (CAT III).
2. CHANGED KSLC RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35.
3. REMOVED KSLC RNAV (RNP) Z RWY 35.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: BRITNEY ARMENTROUT

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: KNOBY

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 405154.11N/1115818.83W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE
IAP

USE TITLE
RNAV (GPS) RWY 35

FAC

PAT

AIRPORT IDENT
SLC

CITY
SALT LAKE CITY

STATE
UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX USE: REMOVED RNAV (RNP) Z RWY 35 AND CHANGED RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JANTZEN TAYLOR

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

| | | | | | |
|------|----------------------------|---|-----|----------------|---------|
| IAP | ILS RWY 16L (CAT II-III) | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 16R (CAT II-III) | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 16R (SA CAT I) | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 17 (SA CAT I - II) | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 34L (CAT II-III) | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 34L (SA CAT I) | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 34R (CAT II-III) | 1 | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 34R (SA CAT I) | 1 | SLC | SALT LAKE CITY | UT (US) |
| IAP | LDA RWY 35 | 3 | SLC | SALT LAKE CITY | UT (US) |
| IAP | RNAV (GPS) RWY 35 | 5 | SLC | SALT LAKE CITY | UT (US) |
| IAP | RNAV (GPS) Y RWY 16L | | SLC | SALT LAKE CITY | UT (US) |
| IAP | RNAV (GPS) Y RWY 17 | | SLC | SALT LAKE CITY | UT (US) |
| IAP | RNAV (GPS) Y RWY 34R | 2 | SLC | SALT LAKE CITY | UT (US) |
| IAP | RNAV (RNP) Z RWY 34R | 2 | SLC | SALT LAKE CITY | UT (US) |
| IAP | RNAV(GPS) RWY 16R | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS OR LOC RWY 17 | | TVY | TOOELE | UT (US) |
| STAR | TAYTR (RNAV) | | PVU | PROVO | UT (US) |
| STAR | BEARR | | SLC | SALT LAKE CITY | UT (US) |
| STAR | BRIGHAM CITY | | SLC | SALT LAKE CITY | UT (US) |
| STAR | JAMMN | | SLC | SALT LAKE CITY | UT (US) |
| STAR | SPANE | | SLC | SALT LAKE CITY | UT (US) |

REQUIRED CHARTING: SECTIONAL, DP, STAR, MILITARY IAP, IAP, EN ROUTE LOW, SPECIAL IAP, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 37 **DATE OF REVISION:** 05/14/2026

REASON FOR REVISION:

1. FIX USE: CHANGED SLC IAPS RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35 AND REMOVED RNAV (RNP) Z RWY 35.
2. HOLDING: CHANGED PAT 2, 4, 5 CONTROLLING OBSTACLE ELEVATION AND ACCURACY CODE FROM 7195/AC 4E TO 7271/AC 4B.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A422 **NAME:** JANTZEN TAYLOR

APPROVED BY: **DATE:** 04/09/2026 **OFFICE:** AJV-A422 **NAME:** RAKE MCGRAW

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: PEDLE

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402828.86N/1115541.98W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

| FAC | NAME | IDENT | TYPE | CLASS | MAG BRG | TRUE BRG | DME | DIST FROM FAC | MRA | MAA |
|-----|----------------|-------|---------|-------|---------|----------|-------|---------------|-------|-------|
| | | | | | | | | NM FEET | | |
| 1 | SALT LAKE CITY | I-UTJ | LOC/DME | | 163.95 | 174.95 | 17.74 | 18.72 | 10000 | 12000 |

EXPANDED SERVICE VOLUME (ESV):

| FAC IDENT | FAC TYPE | RADIAL/BEARING | DISTANCE | MIN ALTITUDE | MAX ALTITUDE |
|-----------|----------|----------------|----------|--------------|--------------|
| I-UTJ | LOC/DME | R-164 | 19 | 10000 | 12000 |

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

| USE TYPE | USE TITLE | FAC | PAT | AIRPORT IDENT | CITY | STATE |
|----------|-------------------|-----|-----|---------------|----------------|---------|
| IAP | RNAV (GPS) RWY 35 | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | LDA RWY 35 | 1 | | SLC | SALT LAKE CITY | UT (US) |

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX USE: REMOVED RNAV (RNP) Z RWY 35 AND CHANGED RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35.
2. FIX MAKE UP: REMOVED FAC 2 AND MOVED DME DISTANCE TO FAC 1, AND CHANGED FAC 1 TYPE FROM LOC TO LOC/DME.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JANTZEN TAYLOR

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: QWENN

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 401914.43N/1115800.86W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

FIX NAME RETAINED PER ATC FOR OPERATIONAL NECESSITY.

FIX USE:

| USE TYPE | USE TITLE | FAC | PAT | AIRPORT IDENT | CITY | STATE |
|----------|----------------------------|-----|-----|---------------|----------------|---------|
| IAP | ILS OR LOC RWY 34L | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS OR LOC RWY 34R | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 34L (CAT II - III) | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 34L (SA CAT I) | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 34R (CAT II - III) | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | ILS RWY 34R (SA CAT I) | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | LDA RWY 35 | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | RNAV (GPS) RWY 35 | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | RNAV (GPS) Y RWY 34L | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | RNAV (GPS) Y RWY 34R | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | RNAV (RNP) Z RWY 34L | | | SLC | SALT LAKE CITY | UT (US) |
| IAP | RNAV (RNP) Z RWY 34R | | | SLC | SALT LAKE CITY | UT (US) |
| STAR | QWENN (RNAV) | | | SLC | SALT LAKE CITY | UT (US) |

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX LAT/LONG: FIX MOVED 4.22 NM SOUTH FROM 402324.41N/1115704.78W TO 401914.43N/1115800.86W.
2. FIX USE: ADDED SLC IAPS: ILS RWY 34L (SA CAT I), ILS RWY 34L (CAT II - III), ILS RWY 34R (SA CAT I), AND ILS RWY 34R (CAT II - III).
3. FIX USE: CHANGED SLC IAPS: RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35 AND REMOVED RNAV (RNP) Z RWY 35.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JANTZEN TAYLOR

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

