

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: Textual DP	Estimated Chart Date: 12/24/2026	APWS Task ID: 1DC0685FA3F74457BAA7040F45866E72	APWS Project ID: DD28FD627ACB4DB2B9F91F77118E7523
Procedure: TAKEOFF MINIMUMS AND OBSTACLE DP AMDT 3		Enroute: NO	Specialist: Dudzinski, Lisa		Agreement Number:
Airport ID: KFOK			Airport City: WESTHAMPTON BEACH		State: NY
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ORDER 8260.3G, ICA USED FOR DESIGN AND EVALUATION. ACTIVE AIRNAV DATA USED FOR AIRPORT AND RUNWAYS. KMZ FILE DESCRIPTIONS: BASE RUN ALL RUNWAYS HAVE NO CHANGE TO FILE NAME. ADJUSTED RUN ON RWY 6 USES _1 (CG/CGTA). CONTACT: APRIL SARMENTO, AJV-A432, 405-954-0337. QUALITY 23 CHECKED					

FIPC BASIC FORM						
PROCEDURE: TAKEOFF MINIMUMS AND OBSTACLE DP AMDT 3			AIRPORT NAME: FRANCIS S GABRESKI		AIRPORT ID: KFOK	SPECIAL CONTROL NO: YP-08-133-26
FAC ID: KFOK		CITY: WESTHAMPTON BEACH			ST: NY	ORIG CHART DATE: 12/24/2026
DFL TYPE: PROC/T	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:	PTS TASK ID: 1DC0685FA3F74457BAA7040F45866E72		
PREFLIGHT NOTES						
REVIEWER:					DATE:	
COMMENTS:					CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT	
						YES
					CPV COMPLETE?	
					X	
PROCEDURE RESULTS						
INSPECTION DATE: 09/29/2026	CREW #: VN453	N #: N75	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☐ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: galen w collins @ 09/29/2026 17:08			PRINTED NAME: COLLINS, GALEN WESLEY			NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS:						
IN-FLIGHT OBSTACLE REPORT						
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:		

26022

WEST CREEK, NJ (CON'T)
EAGLES NEST (31E) (CON'T)

Rwy 14 (CON'T), trees beginning 836' from DER, 20' right of centerline, up to 100' AGL/140' MSL.
 Trees beginning 2692' from DER, 27' right of centerline, up to 100' AGL/146' MSL.
 Trees beginning 2946' from DER, 28' left of centerline, up to 100' AGL/153' MSL.
 Tower and trees beginning 3961' from DER, 82' right of centerline, up to 234' AGL/270' MSL.
Rwy 32, trees beginning 48' from DER, 320' right of centerline, up to 100' AGL/130' MSL.
 Tree 133' from DER, 442' left of centerline, 100' AGL/127' MSL.
 Trees beginning 343' from DER, 5' left of centerline, up to 100' AGL/130' MSL.
 Trees beginning 427' from DER, 50' right of centerline, up to 100' AGL/133' MSL.
 Trees beginning 850' from DER, 112' left of centerline, up to 100' AGL/133' MSL.
 Trees beginning 1186' from DER, 106' right of centerline, up to 100' AGL/137' MSL.
 Trees beginning 1271' from DER, 1' left of centerline, up to 100' AGL/137' MSL.
 Trees beginning 1397' from DER, 54' right of centerline, up to 100' AGL/143' MSL.
 Trees beginning 3126' from DER, 2' right of centerline, up to 100' AGL/146' MSL.
 Trees beginning 4476' from DER, 1532' right of centerline, up to 100' AGL/150' MSL.

WEST MILFORD, NJ
GREENWOOD LAKE (4N1)
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES
AMDT 2 09FEB12 (12040) (FAA)
TAKEOFF MINIMUMS:
Rwy 6, std. w/min. climb of 260' per NM to 1700; or, 1300 - 2½ for climb in visual conditions.

Rwy 24, 500 - 2½; or, 1300 - 2½ for climb in visual conditions.

DEPARTURE PROCEDURE:
Rwy 6, climb heading 061° to 1700 before proceeding on course, or for climb in visual conditions: cross Greenwood Lake airport at or above 1900' MSL before proceeding on course. When executing VCOA, notify ATC prior to departure.

Rwy 24, climb heading 241° to 1800 before proceeding on course, or for climb in visual conditions: cross Greenwood Lake airport at or above 1900' MSL before proceeding on course. When executing VCOA, notify ATC prior to departure.

TAKEOFF OBSTACLE NOTES:
Rwy 6, trees beginning 18' from DER, across centerline, up to 100' AGL/1284' MSL.

Rwy 24, trees beginning 3' from DER, across centerline, up to 100' AGL/1191' MSL.

WESTHAMPTON BEACH, NY
FRANCIS S. GABRESKI (FOK)
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES
AMDT 2 31MAY12 (12152) (FAA)
TAKEOFF MINIMUMS:
Rwy 6, 300-1¼ or std. w/ min. climb of 230' per NM to 400, or alternatively, with standard takeoff minimums and a normal 200' per NM climb gradient, takeoff must occur no later than 2000' prior to DER.

TAKEOFF OBSTACLE NOTES:
Rwy 1, terrain and trees beginning 6' from DER, 129' left of centerline, up to 33' AGL/107' MSL.

Trees beginning 1007' from DER, 677' right of centerline, up to 29' AGL/98' MSL.

Rwy 6, trees 1285' from DER, 720' left of centerline, up to 36' AGL/105' MSL.

Pole 2027' from DER, 987' right of centerline, 85' AGL/161' MSL.

Transmission line tower 1.3 NM from DER, 2432' left of centerline, 71' AGL/301' MSL.

Rwy 15, trees beginning 1053' from DER, 496' left of centerline, up to 50' AGL/79' MSL.

Trees beginning 977' from DER, 204' right of centerline, up to 51' AGL/90' MSL.

Rwy 19, poles, buildings, and trees beginning 270' from DER, 219' left of centerline, up to 57' AGL/88' MSL.

Trees 6' from DER, 358' right of centerline, up to 17' AGL/66' MSL.

Rwy 24, sign, building, and trees beginning 37' from DER, 251' left of centerline, up to 75' AGL/115' MSL.

Bushes and trees beginning 6' from DER, 299' right of centerline, up to 12' AGL/61' MSL.

Rwy 33, terrain beginning 53' from DER, 407' left of centerline, up to 67' MSL.

Terrain, runway end identifier light, and trees beginning 52' from DER, 97' right of centerline, up to 29' AGL/103' MSL.

WHEELER-SACK AAF (KGTB)
FORT DRUM, NY
DIVERSE VECTOR AREA (RADAR VECTORS)
ORIG 30NOV23 (23334) (USA)
Rwys 3, 8, 33, hdg as assigned by ATC.

Rwys 15, 26, hdg as assigned by ATC; requires min climb of 227' per NM to 3100.

Rwy 21, hdg as assigned by ATC; requires min climb of 246' per NM to 3100.

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES
AMDT 7 05OCT23 (23278) (USA)
DEPARTURE PROCEDURE:
Rwy 15, climb on hdg 327° CW to 173° from DER.

Rwy 21, climb on hdg 216° CW to 028° from DER.

Rwy 26, climb on hdg 217° CW to 083° from DER.

CON'T

16 APR 2026 to 14 MAY 2026

16 APR 2026 to 14 MAY 2026