

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 07/09/2026	APWS Task ID: 26E6A02E51354861B037ED1941722434	APWS Project ID: BE5A46EAF29A4D809A991635AD1C7B90
Procedure: RNAV (GPS) RWY 19 AMDT 0E		Enroute: NO	Specialist: Swinson, Robert		Agreement Number:
Airport ID: MO3			Airport City: STOCKTON		State: MO
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE AIRNAV DATA USED FOR KMO3 AIRPORT AND RUNWAYS, CRC REMAINDER CHANGED FROM EB00E7C8 TO 386AF586. CANCELS FDC NOTAM 5/0158. CONTACT CASIMIR TABAKA 405 202 7857. QUALITY 29 CHECKED QUALITY 13 CHECKED					

FIPC BASIC FORM							
PROCEDURE: RNAV (GPS) RWY 19 AMDT 0E			AIRPORT NAME: STOCKTON LAKE AIRPORT		AIRPORT ID: KMO3	SPECIAL CONTROL NO: OG-05-164-26	
FAC ID: KMO319		CITY: STOCKTON			ST: MO	ORIG CHART DATE: 09/03/2026	
DFL TYPE: PROC/W	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:		PTS TASK ID: 26E6A02E51354861B037ED1941722434		
PREFLIGHT NOTES							
REVIEWER:					DATE:		
COMMENTS:					CHECK ONE:		
					☐ FLT CK REQ ☐ NFCR ☐ REJECT		
							YES
					CPV COMPLETE?		X
PROCEDURE RESULTS							
INSPECTION DATE: 07/01/2026		CREW #: FS012	N #: N73	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: carlos a balderas @ 07/01/2026 15:19			PRINTED NAME: BALDERAS, CARLOS ALBERTO				NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS:							
IN-FLIGHT OBSTACLE REPORT							
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:



WAAS CH 50334 W19A	APP CRS 193°	Rwy Idg 3060 TDZE 1037 Apt Elev 1042
--	------------------------	---

OLD

RNAV (GPS) RWY 19
STOCKTON LAKE (MO3)

Procedure NA at night. Use Nevada altimeter setting; when not received, use Springfield altimeter setting and increase all MDA 40 feet. DME/DME RNP-0.3 NA. Helicopter visibility reduction below 1 SM NA.	MISSED APPROACH: Climb to 3000 direct EWETA and hold.
--	---

NVD AWOS-3PT 119.175	SPRINGFIELD APP CON 124.95	CTAF 122.9
--------------------------------	--------------------------------------	----------------------



3000		EWETA	Visual Segment - Obstacles.		IBKOJ	4 NM Holding Pattern
↑			WOOFF 1.7 NM to RW19		OGIKY	013° → 3000
RW19		1600	2600		193°	← 193°
1.7 NM		3.1 NM	6.2 NM			
CATEGORY	A	B	C	D		
LP MDA	1460-1	423 (500-1)	NA			
LNAV MDA	1480-1	443 (500-1)	NA			
CIRCLING	1560-1 518 (600-1)	1700-1 658 (700-1)	NA			

LIRL Rwy 1-19