

# RADIO FIX AND HOLDING DATA RECORD

NAME: BOAGY

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 401433.05N/1115107.75W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

## FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	FAC	MRA	MAA
								NM	FEET		
1	FAIRFIELD	FFU	VORTAC	VH	099.53	115.53	4.50	4.50		10000	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
SPECIAL IAP	COPTER (RNAV) GPS 16			UT37	MT. PLEASANT	UT (US)
SPECIAL IAP	COPTER (RNAV) GPS 10			UT51	PROVO	UT (US)
OTHER	ZK488 (SPECIAL EN ROUTE)					(US)
OTHER	ZK513 (SPECIAL EN ROUTE)					(US)
OTHER	ZK519 (SPECIAL EN ROUTE)					(US)
STAR	SPAN	1		KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: HELICOPTER ROUTE, STAR, SPECIAL IAP, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 9

DATE OF REVISION: 05/14/2026

## REASON FOR REVISION:

1. FIX USE: REMOVED KSLC IAPS: LDA RWY 35, RNAV (GPS) Y RWY 34L, RNAV (GPS) Y RWY 34R, AND RNAV (GPS) Y RWY 35.
2. FIX USE: CHANGED ZK488, ZK513, AND ZK519 USE TYPE FROM "EN ROUTE" TO "OTHER" AND USE TITLE FROM "SPECIAL" TO "SPECIAL EN ROUTE".
3. REQUIRED CHARTING: REMOVED IAP.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JANTZEN TAYLOR

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:









SPECIAL IAP	RNAV VISUAL RWY 31		PVU	PROVO	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 10	8	UT51	PROVO	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 27	8	3UT6	RIVERTON	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 31	8	3UT6	RIVERTON	UT (US)
SPECIAL IAP	COPTER RNAV (GPS) 34	8	UT08	SALT LAKE CITY	UT (US)
DP	PROVO	5	PVU	PROVO	UT (US)
DP	FAIRFIELD		SLC	SALT LAKE CITY	UT (US)
DP	SALT LAKE	1	SLC	SALT LAKE CITY	UT (US)
DP	TEXTUAL DEPARTURE		SLC	SALT LAKE CITY	UT (US)
DP	SOUTH VALLEY (RNAV)	3	SVR	SALT LAKE CITY	UT (US)
DP	TEXTUAL DEPARTURE	2	SVR	SALT LAKE CITY	UT (US)
DP	SPANISH FORK (OBSTACLE)	7	SPK	SPANISH FORK	UT (US)
EN ROUTE	J11				(US)
EN ROUTE	J116				(US)
EN ROUTE	J12				(US)
EN ROUTE	J202				(US)
EN ROUTE	J9				(US)
EN ROUTE	V134				(US)
EN ROUTE	V200				(US)
EN ROUTE	V21				(US)
EN ROUTE	V235				(US)
IAP	RNAV (GPS) RWY 17		U14	NEPHI	UT (US)
IAP	RNAV (GPS) RWY 35		U14	NEPHI	UT (US)
IAP	ILS OR LOC RWY 13	5	PVU	PROVO	UT (US)
IAP	RNAV (GPS) RWY 13	3	PVU	PROVO	UT (US)
IAP	ILS OR LOC RWY 16L	1	SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34L		SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34R		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II-III)	1	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I-II)	1	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II-III)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II-III)		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)		SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 35		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L	3	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L	3	SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17	1	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17	3	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 17	3	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 34	6	SVR	SALT LAKE CITY	UT (US)
STAR	BEARR		SLC	SALT LAKE CITY	UT (US)
STAR	BRIGHAM CITY		SLC	SALT LAKE CITY	UT (US)
STAR	CARR (RNAV)	4	SLC	SALT LAKE CITY	UT (US)
STAR	JAMMN		SLC	SALT LAKE CITY	UT (US)
STAR	PITTT (RNAV)		SLC	SALT LAKE CITY	UT (US)
STAR	SKEES (RNAV)	4	SLC	SALT LAKE CITY	UT (US)
STAR	SPANE		SLC	SALT LAKE CITY	UT (US)
STAR	YUTES (RNAV)	4	SLC	SALT LAKE CITY	UT (US)

**REQUIRED CHARTING:** SECTIONAL, DP, STAR, IAP, EN ROUTE LOW, EN ROUTE HIGH, SPECIAL IAP, CONTROLLER LOW, CONTROLLER HIGH

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 40

**DATE OF REVISION:** 05/14/2026

**REASON FOR REVISION:**

1. FIX USE: CHANGED SLC IAPS: RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35 AND REMOVED RNAV (RNP) Z RWY 35.

**INITIATED BY:**                      **DATE:**                      **ORGANIZATION:**                      **NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:**                      AJV-A422                      **NAME:** JANTZEN TAYLOR

**APPROVED BY:**                      **DATE:** 04/09/2026                      **OFFICE:** AJV-A422                      **NAME:** RAKE MCGRAW

**SIGNATURE:**

# RADIO FIX AND HOLDING DATA RECORD

**NAME:** FLLAG

**STATE:** UT

**COUNTRY:** US

**ICAO REGION CODE:** K2

**LATITUDE/LONGITUDE:** 404048.90N/1115904.10W

**TYPE:** WP, RADAR, DME

**AIRSPACE DOCKET:**

**FIX TYPE OF ACTION:** NO CHANGE

**FIX MAKE-UP FACILITIES:**

<b>FAC</b>	<b>NAME</b>	<b>IDENT</b>	<b>TYPE</b>	<b>CLASS</b>	<b>MAG BRG</b>	<b>TRUE BRG</b>	<b>DME</b>	<b>DIST FROM FAC</b>	<b>MRA</b>	<b>MAA</b>
								<b>NM</b>	<b>FEET</b>	
1	SALT LAKE CITY	I-UUH	LOC/DME		163.95	174.95	5.53	7.84	47657	6100 8700

**HOLDING:**

**HOLDING TYPE OF ACTION:** NO CHANGE

**REMARKS:**

DME ANT: I-UAT 404619.63N/1115946.36W (PAIRED DME SOURCE WITH I-UUH)

**FIX USE:**

<b>USE TYPE</b>	<b>USE TITLE</b>	<b>FAC</b>	<b>PAT</b>	<b>AIRPORT IDENT</b>	<b>CITY</b>	<b>STATE</b>
IAP	ILS OR LOC RWY 34L	1		SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)	1		SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II - III)	1		SLC	SALT LAKE CITY	UT (US)

**REQUIRED CHARTING:** IAP

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 8

**DATE OF REVISION:** 05/14/2026

**REASON FOR REVISION:**

1. FIX USE: CHANGED ILS RWY 34L (CAT II) AND ILS RWY 34L (CAT III) TO ILS RWY 34L (CAT II - III).

**INITIATED BY:**

**DATE:**

**ORGANIZATION:**

**NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:**

AJV-A422

**NAME:** JANTZEN TAYLOR

**APPROVED BY:**

**DATE:** 04/09/2026

**OFFICE:** AJV-A422

**NAME:** RAKE MCGRAW

**SIGNATURE:**

# RADIO FIX AND HOLDING DATA RECORD

NAME: JAZZZ

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402041.27N/1115246.55W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

## FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			SLC	SALT LAKE CITY	UT (US)
STAR	JAZZZ (RNAV)			SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 05/14/2026

## REASON FOR REVISION:

1. FIX USE: ADDED SLC ILS RWY 34R (SA CAT I), ILS RWY 34R (CAT II), ILS RWY 34R (CAT III), ILS RWY 34L (SA CAT I), ILS RWY 34L (CAT II), ILS RWY 34L (CAT III).
2. CHANGED KSLC RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35.
3. REMOVED KSLC RNAV (RNP) Z RWY 35.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: BRITNEY ARMENTROUT

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:

# RADIO FIX AND HOLDING DATA RECORD

**NAME:** JOMVA

**STATE:** UT

**COUNTRY:** US

**ICAO REGION CODE:** K2

**LATITUDE/LONGITUDE:** 404354.41N/1115925.63W

**TYPE:** WP

**AIRSPACE DOCKET:**

**FIX TYPE OF ACTION:** NO CHANGE

**HOLDING:**

**HOLDING TYPE OF ACTION:** NO CHANGE

**FIX USE:**

**USE TYPE**  
IAP

**USE TITLE**  
RNAV (GPS) Y RWY 34L

**FAC**

**PAT**

**AIRPORT IDENT**  
SLC

**CITY**  
SALT LAKE CITY

**STATE**  
UT (US)

**REQUIRED CHARTING:** IAP

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 2

**DATE OF REVISION:** 02/20/2025

**REASON FOR REVISION:**

UPDATED KSLC RNAV (GPS) RWY 34L TO RNAV (GPS) Y RWY 34L IN FIX USE.

**INITIATED BY:**

**DATE:**

**ORGANIZATION:**

**NAME:**

**OFFICE OF PRIMARY RESPONSIBILITY:**

AJV-A432

**NAME:** JOHN KEEFER

**APPROVED BY:**

**DATE:** 02/20/2025

**OFFICE:** AJV-A430

**NAME:** CASIMIR TABAKA

**SIGNATURE:**



# RADIO FIX AND HOLDING DATA RECORD

NAME: QWENN

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 401914.43N/1115800.86W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

**REMARKS:**

FIX NAME RETAINED PER ATC FOR OPERATIONAL NECESSITY.

**FIX USE:**

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II - III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (CAT II - III)			SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34R (SA CAT I)			SLC	SALT LAKE CITY	UT (US)
IAP	LDA RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 35			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34R			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L			SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34R			SLC	SALT LAKE CITY	UT (US)
STAR	QWENN (RNAV)			SLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 05/14/2026

**REASON FOR REVISION:**

1. FIX LAT/LONG: FIX MOVED 4.22 NM SOUTH FROM 402324.41N/1115704.78W TO 401914.43N/1115800.86W.
2. FIX USE: ADDED SLC IAPS: ILS RWY 34L (SA CAT I), ILS RWY 34L (CAT II - III), ILS RWY 34R (SA CAT I), AND ILS RWY 34R (CAT II - III).
3. FIX USE: CHANGED SLC IAPS: RNAV (GPS) Y RWY 35 TO RNAV (GPS) RWY 35 AND REMOVED RNAV (RNP) Z RWY 35.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JANTZEN TAYLOR

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A422

NAME: RAKE MCGRAW

SIGNATURE:



EN ROUTE	V32	1, 2, 4	1			(US)
IAP	RNAV (GPS) RWY 3			OGD	OGDEN	UT (US)
IAP	ILS OR LOC RWY 16R	1, 2	3	SLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34L	1, 2	3	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II - III)	1, 2	3	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)	1, 2	3	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II - III)	1, 2	3	SLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)	1, 2	3	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 34L		4	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16R		4	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L		4	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16R		4	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L		4	SLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 34		2	SVR	SALT LAKE CITY	UT (US)

**REQUIRED CHARTING:** DP, IAP, EN ROUTE LOW, CONTROLLER LOW

**COMPULSORY REPORTING POINT:** NO

**RECORD REVISION NUMBER:** 27                      **DATE OF REVISION:** 04/17/2025

**REASON FOR REVISION:**  
 1. FIX USE: CHANGED AIRPORT IDENT FROM "KU42" TO "SVR."

<b>INITIATED BY:</b>	<b>DATE:</b>	<b>ORGANIZATION:</b>	<b>NAME:</b>
		AJV-A431	<b>NAME:</b> JUDITH TUTTLE
<b>OFFICE OF PRIMARY RESPONSIBILITY:</b>			
<b>APPROVED BY:</b>	<b>DATE:</b> 03/13/2025	<b>OFFICE:</b> AJV-A431	<b>NAME:</b> ERIC N SUSKI

**SIGNATURE:**