

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 06/12/2025	APWS Task ID: 292180E17C7447AF8A87C61D929658A3	APWS Project ID: 07F347E14A6B464DA44F841FB9CEADD3
Procedure: RNAV (GPS) RWY 9L AMDT 1		Enroute: NO	Specialist: Kercher, Devon		Agreement Number:
Airport ID: KOPF			Airport City: MIAMI		State: FL
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			

Procedure Comments:
PENDING DATA USED.

CONTACT ROBERT HAMILTON (AJV-A433) 405 954 4608.

QUALITY
35
CHECKED

QUALITY
41
CHECKED

FIPC BASIC FORM							
PROCEDURE: RNAV (GPS) RWY 9L AMDT 1			AIRPORT NAME: MIAMI-OPA LOCKA EXEC		AIRPORT ID: KOPF	SPECIAL CONTROL NO: AG-03-199-25	
FAC ID: KOPF09L.01		CITY: MIAMI			ST: FL	ORIG CHART DATE: 06/12/2025	
DFL TYPE: PROC/S	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:		PTS TASK ID: 292180E17C7447AF8A87C61D929658A3		
PREFLIGHT NOTES							
REVIEWER:					DATE:		
COMMENTS:					CHECK ONE:		
					☐ FLT CK REQ ☐ NFCR ☐ REJECT		
							YES
					CPV COMPLETE?		X
PROCEDURE RESULTS							
INSPECTION DATE: 04/10/2025		CREW #: VN426	N #: N69	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: robert e williams @ 04/10/2025 20:05			PRINTED NAME: WILLIAMS, ROBERT EMIL			NOTAM INITIATED? ☐ YES ☒ NO	
FLIGHT INSPECTOR REMARKS: Miami-Opa Locka EXEC, Miami, FL, RNAV (GPS) RWY 09L, Amdt 1. SAT							
IN-FLIGHT OBSTACLE REPORT							
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:

FIG

RNAV (GPS) RWY 9L
MIAMI-OPA LOCKA EXEC (OPF)



T For uncompensated Baro-VNAV systems, LNAV/VNAV NA below 8°C or above 54°C. Rwy 9L helicopter visibility reduction below $\frac{3}{4}$ SM NA. Inop table does not apply to LPV all Cats. For inop ALS, increase LNAV/VNAV all Cats and LNAV Cats A and B visibility to 1 SM, and LNAV Cats C and D visibility to $\frac{1}{8}$ SM. Caution: Lights on highway 0.7 NM north may be mistaken for runway.





MISSED APPROACH: Climb to 2000 direct JOLYN and on 076° track to JANUS and hold.

GND CON 120.025	CLNC DEL 119.2	GCO 119.45
---------------------------	--------------------------	----------------------

MISSED APCH FIX

[illegible]

VGSI and RNAV glidepath not coincident
(VGSI Angle 3.00/TCH 55).



MIRL Rwy 9R-27L
HIRL Rwys 9L-27R and 12-30 **L**

MIAMI-OPA LOCKA EXEC (OPF)
RNAV (GPS) RWY 9L

24137

WAAS CH 53422 W09A	APP CRS 093°	Rwy Idg 8002 TDZE 8 Apt Elev 8
--	------------------------	---

RNAV (GPS) RWY 9L
MIAMI-OPA LOCKA EXEC (OPF)


V Baro-VNAV NA when using Miami Intl alt
A systems, LNAV/VNAV NA below -15°C (RNP-0.3 NA. Helicopter visibility reduction not received, use Miami Intl altimeter setting Cat D visibility ¼ SM. For Inop MALSR, inop LNAV Cats A and B visibility to 1 mile and MALSR, when using Miami Intl altimeter setting LNAV/VNAV all Cats visibility to 1½ miles. Inop table does not apply to LPV all Cats. Do not be mistaken for runway.

OLD


MISSED APPROACH:
Climb to 2000 direct
JOLYN and on track
076° to JANUS and hold.

ATIS 125.9	MIA MI APP CON 128.6 306.975	OPA LOCKA TOWER ★ 134.675 (CTAF) 0	GND CON 120.025	CLNC DEL 119.2	GCO 119.45
----------------------	--	--	---------------------------	--------------------------	----------------------

Procedure NA for arrivals at
WUDIP on V7 northwest bound.




MISSED APCH FIX




ELEV	8	D	TDZE	8
------	---	----------	------	---

VGSI and RNAV glidepath not coincident
(VGSI Angle 3.00/TCH 55).

Holding Pattern



CATEGORY		A	B	C	D
LPV	DA		258- ³ / ₄	250 (300- ³ / ₄)	
RNAV/ VNAV	DA		321- ³ / ₄	313 (400- ³ / ₄)	
RNAV	MDA		420- ³ / ₄	412 (500- ³ / ₄)	
CIRCLING		540-1	532 (600-1)	620-1 ³ / ₄ 612 (700-1 ³ / ₄)	740-2 ¹ / ₄ 732 (800-2 ¹ / ₄)



MIRL Rwy 9R-27L
HIRL Rwy 9L-27R and 12-30 **L**


MIAMI, FLORIDA
Orig-C 02DEC21

25°54'N-80°17'W


MIAMI-OPA LOCKA EXEC (OPF)
RNAV (GPS) RWY 9L

SE-3, 28 NOV 2024 to 26 DEC 2024


KOPF
MIAMI-OPA LOCKA EXEC
MIAMI, FL
RNAV (GPS) RWY 9L
1:500,000




KOPF
MIAMI-OPA LOCKA EXEC
MIAMI, FL
RNAV (GPS) RWY 9L
LPV FINAL/MISSED
1:100,000



KOPF
MIAMI-OPA LOCKA EXEC
MIAMI, FL
RNAV (GPS) RWY 9L
LNAV/VNAV FINAL/MISSED
1:100,000



KOPF
MIAMI-OPA LOCKA EXEC
MIAMI, FL
RNAV (GPS) RWY 9L
LNAV FINAL/MISSED
1:100,000



KOPF
MIAMI-OPA LOCKA EXEC
MIAMI, FL
RNAV (GPS) RWY 9L
CIRCLING
1:100,000

