

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 02/20/2025	APWS Task ID: 2A279CEC5A0E4595BC7FB0B3D8C72BB4	APWS Project ID: 95EC2335BFDE4161AA38C9B68B755CC0
Procedure: RNAV (GPS) RWY 20 AMDT 1C		Enroute: NO	Specialist: Young, Silvia		Agreement Number:
Airport ID: KPPO			Airport City: LA PORTE		State: IN
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE DATA USED FOR KPPO AIRPORT AND RWYS. CLEAR T-NOTAM 1/0253. CRC REMAINDER CHANGED FROM "634A8394" TO "8ED3116C". CONTACT CASIMIR TABAKA 405.202.7857 QUALITY 41 CHECKED QUALITY 30 CHECKED					

FIPC BASIC FORM							
PROCEDURE: RNAV (GPS) RWY 20 AMDT 1C			AIRPORT NAME: LA PORTE MUNI		AIRPORT ID: KPPO	SPECIAL CONTROL NO: BG-10-255-24	
FAC ID: KPPO20.01		CITY: LA PORTE			ST: IN	ORIG CHART DATE: 02/20/2025	
DFL TYPE: PROC/W	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:		PTS TASK ID: 2A279CEC5A0E4595BC7FB0B3D8C72BB4		
PREFLIGHT NOTES							
REVIEWER: marc webber					DATE: 02/12/2025		
COMMENTS:					CHECK ONE:		
					☒ FLT CK REQ ☐ NFCR ☐ REJECT		
							YES
					CPV COMPLETE?		X
PROCEDURE RESULTS							
INSPECTION DATE: 02/12/2025		CREW #: VN424	N #: N75	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: marc webber @ 02/12/2025 10:30			PRINTED NAME: WEBBER, MARC RAYMOND				NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS:							
IN-FLIGHT OBSTACLE REPORT							
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:

WAAS CH 87034 W20A	APP CRS 203°	Rwy Idg TDZE Apt Elev	5000 812 812
--	------------------------	-----------------------------	---

RNAV (GPS) RWY 20
LA PORTE MUNI (PPO)



RNP APCH - GPS.

T Circling Rwy 14, 32 NA at night. Rwy 20 helicopter visibility reduction below $\frac{3}{4}$ SM NA. VDP NA
A when using SBN altimeter setting. When local altimeter setting not received, use SBN altimeter setting:
 increase all MDAs 60 feet; LNAV visibility Cat C and D $\frac{1}{8}$ SM and LP visibility Cat C and D $\frac{1}{4}$ SM.

MISSED APPROACH:
Climb to 2300 direct
YUKIS and hold.

AWOS-3PT
119,825

SOUTH BEND APP CON ★
132.05 257.8


UNICOM
123.0 (CTAF) **L**

(270°T)
 2500 NoPT
 273°
 (14.4)


(IAF)
 GIPPER
 CH

Procedure NA for arrivals on GIJ VORTAC
airway radials 209 CW 310.

PROTOTYPE-
NOT FOR NAVIGATION





MISSED APCH FIX




2300



VGSI and descent angles not coincident (VGSI Angle 3.45/TCH 27).



CATEGORY	A	B	C	D
LP MDA	1220-1	408 (500-1)	1220-1 $\frac{1}{8}$	408 (500-1 $\frac{1}{8}$)
LNAV MDA	1280-1	468 (500-1)	1280-1 $\frac{3}{8}$	468 (500-1 $\frac{3}{8}$)
 CIRCLING	1320-1	508 (600-1)	1560-2 $\frac{1}{4}$ 748 (800-2 $\frac{1}{4}$)	1560-2 $\frac{1}{2}$ 748 (800-2 $\frac{1}{2}$)



LA PORTE, INDIANA

Amdt 1C FIG

41°34'N-86°44'W

LA PORTE MUNI (PPO)

RNAV (GPS) RWY 20



LA PORTE, INDIANA

AL-6248 (FAA)


24137

WAAS CH 87034 W20A	APP CRS 203°	Rwy Idg TDZE Apt Elev	5000 812 812
--	------------------------	-----------------------------	---


RNAV (GPS) RWY 20
LA PORTE MUNI (PPO)

⚠ DME/DME RNP-0.3 NA. When local altimeter setting not received, use South Bend altimeter setting and increase all MDA 60 feet; increase LP Cat C/D and LNAV Cat C/D visibility 1/8 mile. Helicopter visibility reduction below 3/4 SM NA. Circling Rwy 14, 32 NA at night.	MISSED APPROACH: Climb to 2300 direct YUKIS and hold.
---	---

AWOS-3PT 119.825	SOUTH BEND APP CON ★ 132.05 257.8	UNICOM 123.0 (CTAF) 📶
----------------------------	---	--



2300	YUKIS	BOTIW	BOOTE	4 NM Holding Pattern
2300	2300	2500	2500	2500
VGSI and descent angles not coincident (VGSI Angle 3.45/TCH 27).				
2 NM 3.2 NM 6.8 NM				
CATEGORY	A	B	C	D
LP MDA	1200-1	388 (400-1)	1200-1 1/8	388 (400-1 1/8)
LNAV MDA	1280-1	468 (500-1)	1280-1 3/8	468 (500-1 3/8)
CIRCLING	1320-1	508 (600-1)	1560-2 1/4 748 (800-2 1/4)	1560-2 1/2 748 (800-2 1/2)



LA PORTE, INDIANA
Amdt 1B 23APR20

41°34'N-86°44'W

LA PORTE MUNI (PPO)
RNAV (GPS) RWY 20

EC-2, 16 MAY 2024 to 13 JUN 2024

EC-2, 16 MAY 2024 to 13 JUN 2024

KPPO
LA PORTE, IN
LA PORTE MUNI
RNAV (GPS) RWY 20 A1C
LP FINAL
1:100,000

LNAV/LP BOTIW to ZAXEP
TOWER (1107) 18-000072

LP ZAXEP to KPPO:RW20:AER
ANTENNA (966) 18-069772

