

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 03/19/2026	APWS Task ID: 2E75D06758BE4AF1ABA5F7BDFB5A97BF	APWS Project ID: E81A4A50266A4361AB4B092B51FD3601
Procedure: RNAV (GPS) RWY 6, AMDT 1		Enroute: NO	Specialist: Gorman, Barbara		Agreement Number:
Airport ID: KMRC			Airport City: COLUMBIA/MOUNT PLEASANT		State: TN
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			

Procedure Comments:
ACTIVE DATA USED FOR AIRPORT AND RUNWAY.
REMOVE NOTAM FDC 5/7288.
CONTACT: CASIMIR TABAKA 405.954.7931



FIPC BASIC FORM

PROCEDURE: RNAV (GPS) RWY 6 AMDT 1		AIRPORT NAME: MAURY COUNTY RGNL		AIRPORT ID: KMRC	SPECIAL CONTROL NO: AG-11-027-25
FAC ID: KMRC06.01		CITY: COLUMBIA/MOUNT PLEASANT		ST: TN	ORIG CHART DATE: 03/19/2026
DFL TYPE: PROC/G	THIRD PARTY: <input type="checkbox"/> YES	EST. TIME ON SITE: 0.5	REIMB. NUMBER:	PTS TASK ID: 2E75D06758BE4AF1ABA5F7BDFB5A97BF	

PREFLIGHT NOTES

REVIEWER:	DATE:
COMMENTS:	CHECK ONE: <input type="checkbox"/> FLT CK REQ <input type="checkbox"/> NFCR <input type="checkbox"/> REJECT
	<input type="checkbox"/> YES <input type="checkbox"/> NO
	CPV COMPLETE? <input checked="" type="checkbox"/> X <input type="checkbox"/>

PROCEDURE RESULTS

INSPECTION DATE: 12/09/2025	CREW #: VN546	N #: N79	INSTRUMENT PROCEDURE STATUS: <input checked="" type="checkbox"/> SAT <input type="checkbox"/> SAT W/CHANGES <input type="checkbox"/> UNSAT	ARINC CODING: <input checked="" type="checkbox"/> SAT <input type="checkbox"/> SAT/GOLD <input type="checkbox"/> UNSAT
FLIGHT INSPECTOR SIGNATURE: jon d holland @ 12/09/2025 17:08		PRINTED NAME: HOLLAND, JON DAVID		NOTAM INITIATED? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO

FLIGHT INSPECTOR REMARKS:
 Special Number: AG-11-027-25. Maury County Regional, Columbia/Mount Pleasant, TN, RNAV (GPS) RWY 6, AMDT 1, Reconfiguration, Completed SAT.
 Waypoints moved, new FAS obstacle, new MAHP

 REMOVE NOTAM FDC 5/7288.

IN-FLIGHT OBSTACLE REPORT

OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:
--------------------------	---------------------------------	-----------------------------	-----------------------------------	-----------------------------------

CURRENT

COLUMBIA/MOUNT PLEASANT, TENNESSEE

AL-5706 (FAA)

24193

APP CRS	Rwy Idg	6000
055°	TDZE	670
	Apt Elev	681

RNAV (GPS) RWY 6
MAURY COUNTY RGNL (MRC)


▼ DME/DME RNP-0.3 NA. Visibility reduction by helicopters NA. When local altimeter setting not received, use Nashville Intl altimeter setting; increase all MDA 120 feet and increase LNAV Cat B visibility ¼ SM, Cats C and D visibility ½ SM, increase Circling Cat C visibility ½ SM.

MISSED APPROACH:
Climb to 3000 direct URSAW and hold.

AWOS-3
128.625

MEMPHIS CENTER
125.85 379.25



UNICOM
122.8 (CTAF) 0



SE-1, 04 SEP 2025 to 02 OCT 2025

SE-1, 04 SEP 2025 to 02 OCT 2025

ELEV **681** **D** TDZE **670**



CATEGORY	A	B	C	D
LNAV MDA	1340-1	670 (700-1)	1340-1¾ 670 (700-1¾)	1340-2 670 (700-2)
CIRCLING	1340-1 659 (700-1)	1360-1 679 (700-1)	1380-2 699 (700-2)	1620-3 939 (1000-3)

MIRL Rwy 6-24
REIL Rwy 6
REIL Rwy 24 **0**

COLUMBIA/MOUNT PLEASANT, TENNESSEE

Orig-A 09SEP21

35°33'N-87°11'W

MAURY COUNTY RGNL (MRC)
RNAV (GPS) RWY 6

PENDING -
CHART 10/02/25

COLUMBIA/MOUNT PLEASANT, TENNESSEE

AL-5706 (FAA)

FIG

RNAV (GPS) RWY 6

MAURY COUNTY RGNL (MRC)

APP CRS 055°	Rwy Ldg TDZE Apt Elev	6000 671 681
------------------------	-----------------------------	---

RNP APCH - GPS.

▼ Rwy 6 helicopter visibility reduction below ¼ SM NA. Circling NA to Rwy's 17 and 35.
▲ When local altimeter setting not received, use BNA altimeter setting and increase all MDAs 120 feet and LNAV visibility Cat A ¼ SM, and Circling visibility Cat A/C ¼ SM.


MISSED APPROACH:
Climb to 3000 direct
URSAW and hold.

AWOS-3
128.625



MEMPHIS CENTER
125.85 379.25

UNICOM
122.8 (CTAF) 0

PROTOTYPE-
NOT FOR NAVIGATION



ELEV 681	D	TDZE 671
----------	----------	----------



CATEGORY	A	B	C	D
LNAV MDA	1460-1 789 (800-1)	1460-1¼ 789 (800-1¼)	1460-2½	789 (800-2½)
CIRCLING	1460-1 779 (800-1)	1460-1¼ 779 (800-1¼)	1460-2½ 779 (800-2½)	1620-3 939 (1000-3)

MIRL Rwy 6-24
REIL Rwy 6
REIL Rwy 24 0

COLUMBIA/MOUNT PLEASANT, TENNESSEE

MAURY COUNTY RGNL (MRC) RNAV (GPS) RWY 6

Orig-B FIG

35°33'N-87°11'W

APP CRS 055°	Rwy Ldg TDZE Apt Elev	6000 671 681
------------------------	-----------------------------	---

RNAV (GPS) RWY 6


MAURY COUNTY RGNL (MRC)

RNP APCH - GPS.



▼ Rwy 6 helicopter visibility reduction below 3/4 SM NA. Circling NA to Rwy 17 and 35. VDP NA when using BNA altimeter setting. When local altimeter setting not received, use BNA altimeter setting and increase all MDAs 120 feet and LNAV visibility Cat A 1/4 SM, and Circling visibility Cat A/C 1/2 SM.

MISSED APPROACH:
Climbing left turn to 3000 direct CEMVU and hold.

AWOS-3 128.625	MEMPHIS CENTER 125.85 379.25	UNICOM 122.8 (CTAF) 0
--------------------------	--	---------------------------------



ELEV 681	D	TDZE 671
----------	----------	----------



CATEGORY	A	B	C	D
LNAV MDA	1460-1 789 (800-1)	1460-1 1/4 789 (800-1 1/4)	1460-2 1/2	789 (800-2 1/2)
CIRCLING	1460-1 779 (800-1)	1460-1 1/4 779 (800-1 1/4)	1460-2 1/2 779 (800-2 1/2)	1620-3 939 (1000-3)

MIRL Rwy 6-24
 REIL Rwy 6 & 24 **0**