

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 08/07/2025	APWS Task ID: 303A5F1A5FF346D7931229A11600C6A7	APWS Project ID: 6292DF3097B44F449301838823968DF6
Procedure: RNAV (GPS) RWY 12 AMDT 1		Enroute: NO	Specialist: Armentrout, Britney		Agreement Number:
Airport ID: 9S2			Airport City: SCOBAY		State: MT
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: PENDING AIRNAV DATA USED. CONTACT RAKE MCGRAW AJV-A422 405-954-8711. 6/25/2025: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 04/28/2025. 1. TERMINAL ROUTES: GEMPE TO DOGNE RNP VALUE CHANGED FROM 0.30 TO 1.00. QUALITY 41 CHECKED QUALITY 35 CHECKED					

FIPC BASIC FORM							
PROCEDURE: RNAV (GPS) RWY 12 AMDT 1			AIRPORT NAME: SCOBAY		AIRPORT ID: K9S2	SPECIAL CONTROL NO: SG-04-427-25	
FAC ID: K9S212.01		CITY: SCOBAY			ST: MT	ORIG CHART DATE: 08/07/2025	
DFL TYPE: PROC/G	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.5	REIMB. NUMBER:		PTS TASK ID: 303A5F1A5FF346D7931229A11600C6A7		
PREFLIGHT NOTES							
REVIEWER:					DATE:		
COMMENTS:					CHECK ONE:		
					☐ FLT CK REQ ☐ NFCR ☐ REJECT		
							YES
					CPV COMPLETE?		X
PROCEDURE RESULTS							
INSPECTION DATE: 05/22/2025		CREW #: VN583	N #: N89	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: hannah wiesneski @ 05/22/2025 20:08			PRINTED NAME: WIESNESKI, HANNAH MARION				NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS: Complete SAT. FIG is incorrect, NIJBU hold should be depicted as 5NM in length to match 8260-3. ARINC coding SAT for 5 NM hold.							
IN-FLIGHT OBSTACLE REPORT							
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:

SCOBEY, MONTANA

AL-9500 (FAA)

FIG




APP CRS 122°	Rwy Ldg 4020
TDZE 2426	
Apt Elev 2434	

RNAV (GPS) RWY 12

SCOBEY (9S2)

RNP APCH - GPS. V VDP NA when using PWD altimeter setting. Circling Rwy 30 NA at night. A When local altimeter setting not received, use PWD altimeter setting and increase all MDAs 120 feet.			MISSED APPROACH: Climb to 2900 then climbing right turn to 4500 direct NIJBU and hold.		
AWOS-3PT 128.325		SALT LAKE CITY CENTER 126.85 305.2		AUNICOM 122.8 (CTAF) 0	

PROTOTYPE: NOT FOR NAVIGATION



CATEGORY	A	B	C	D
LNAV MDA	2740-1	314 (400-1)	NA	
CIRCLING	2940-1	506 (700-1)	NA	

ELEV	2434	TDZE	2426
MIRL Rwy 12-30 0			

AUTOMATED AL-9500 RNAV (GPS) RWY 12

NW-1

28 APR 2025

COMPILER: CG

REVIEWER:

DBL CHKR:

EFF: FIG

SCOBEY, MONTANA

Amdt 1 FIG

48°48'N-105°26'W

SCOBEY (9S2)

RNAV (GPS) RWY 12


APP CRS	Rwy Idg	4020
122°	TDZE	2426
	Apt Elev	2434

RNAV (GPS) RWY 12


SCOBEY (9S2)

▼ NA DME/DME RNP-0.3 NA. Use Wolf Point altimeter setting; when not received procedure not authorized. Helicopter visibility reduction below ¾ SM NA.	MISSED APPROACH: Climb to 3600 then climbing right turn to 6000 direct NUBU WP and hold.
--	--

AWOS-3PT 128.325	OLF ASOS 118.325	SALT LAKE CITY CENTER 126.85 305.2	AUNICOM 122.8 (CTAF) 0
---------------------	---------------------	---------------------------------------	---------------------------



VGSI and descent angles not coincident (VGSI Angle 3.00/TCH 25).			
GEMPE DOGNE RW12			
4500 3700 3185			
122° 122° 122°			
5 NM 4 NM			
Procedure Turn NA			
CATEGORY	A	B	C
LNAV MDA	3100-1	674 (700-1)	NA
CIRCLING	3100-1	3160-1	NA
	666 (700-1)	726 (800-1)	





NW-1, 26 DEC 2024 to 23 JAN 2025

NW-1, 26 DEC 2024 to 23 JAN 2025

96
600000

[illegible]





AIRPORT ID: K9S2
AIRPORT NAME: SCOBEY
CITY: SCOBEY
STATE: MT
PROCEDURE ID: RNAV (GPS)
RWY 12 AMDT 1
SCALE: 1:100,000 CIRCLING