

Flight Procedures Cover Page	Task Action: Abbreviated Amendment	Task Type: IAP	Estimated Chart Date: 05/19/2022	APWS Task ID: 34CA5F3220044E4FA997A6FB17D86C0E	APWS Project ID: 0F03D2C004B94BF58A79604D73F377FD
Procedure: RNAV (GPS) RWY 7 AMDT 0C		Enroute: NO	Specialist: Miller, Ralph		Agreement Number:
Airport ID: KFDY			Airport City: FINDLAY		State: OH
Facility ID:	Facility Type:	Flight Inspection Remark Type:			
Procedure Comments: ABBREVIATED AMENDMENT. ORDER 8260.3, CHAPTER 2, NEW CIRCLING CRITERIA APPLIED, INCORPORATING T-NOTAM 1/0817 RAISING CIRCLING CAT D MINIMUMS AND ADJUSTING ALTERNATRE MINIMUMS. INCORPORATE T-NOTAM 1/1304. RAISING LNAV/VNAV DA HAT. ACTIVE DATA USED. CONTACT JASON KRETSCHMER, AJV-A421, 405-954-5077. Processed IAW Technical Support Group (AJF-17) Memo dated 07/07/2021, Subject: Guidance for Procedural Changes Requiring Flight Inspection/Validation					

QUALITY
16
CHECKED

QUALITY
38
CHECKED


APP CRS	Rwy Idg	4558
074°	TDZE	810
	Apt Elev	813

OLD

RNAV (GPS) RWY 7
FINDLAY (F'DY)

RNP APCH	For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -1.6°C or above 47°C. Baro-VNAV and VDP NA when using Lima Allen County altimeter setting. Rwy 7 helicopter visibility reduction below ¾ SM NA. When local altimeter setting not received, use Lima Allen County altimeter setting: increase DA to 1377 feet; increase all MDAs 80 feet; increase LNAV Cat C visibility ⅛ SM and Circling Cat C/D visibility ¼ SM.	MISSED APPROACH: Climb to 2500 direct DOYET and hold.
----------	--	---

ASOS 132.85	TOLEDO APP CON 120.8 317.55	UNICOM 122.725 (CTAF) 0
----------------	--------------------------------	----------------------------



Procedure NA for arrivals at KINDE on V47 southbound.

36

 (IAF)
 KINDE

4 NM Holding Pattern

VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/ TCH 24).

PURIC

NOBIC

2500 ← 254°
074° →

GP 3.00°
TCH 39

2400

2400

2400

2500

DOYET

*1.4 NM to RW07

*LNAV only

6 NM

3.5 NM

1.4

CATEGORY	A	B	C	D
LNAV/VNAV DA	1297-1¾ 487 (500-1¾)			
LNAV MDA	1260-1	450 (500-1)	1260-1¾ 450 (500-1½)	1260-1½ 450 (500-1½)
CIRCLING	1440-1	627 (700-1)	1440-1¾ 627 (700-1¾)	1440-2 627 (700-2)

ELEV 813 D TDZE 810

81

25

36

5883 X 100

6499 X 100


074° to RW07

HIRL Rwy 7-25 and 18-36

REIL Rwy 7, 25 and 36

EC-2, 21 MAY 2020 to 18 JUN 2020

EC-2, 21 MAY 2020 to 18 JUN 2020



AIRPORT ID	KFDY
AIRPORT NAME	FINDLAY
CITY	FINDLAY
STATE	OH
Proc ID:	RNAV GPS RWY 7
Amdt #	ORIG-C
Scale:	1:100,000
Segment	LNAV AND CIRCLING

LNAV/VNAV NOBIC to KFDY:RW07:AER ELEVATOR (1000)
39-030657

Circling CAT D TOWER (1234)
39-020159

Circling CAT A BUILDING (994)
39-001027

Circling CAT B TOWER (1072)
39-000072

Circling CAT C TOWER (1139)
39-004246