

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: Textual DP	Estimated Chart Date: 09/03/2026	APWS Task ID: 352039F701E64844B950219A1A93D6A3	APWS Project ID: F216CDF632C94E10BE4C27D8572A5B50
Procedure: TAKEOFF MINIMUMS AND OBSTACLE DP AMDT 5		Enroute: NO	Specialist: Hill, Phillip		Agreement Number:
Airport ID: KMTW			Airport City: MANITOWOC		State: WI
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: UTILIZED ACTIVE AIRNAV DATA FOR KMTW AIRPORT AND RUNWAYS. NEW ICA IMPLEMENTED. CLEARED FDC NOTAM FDC 5/7051. CONTACT ROBERT HAMILTON: AJV-A433, 405-954-4608. QUALITY 42 CHECKED					

FIPC BASIC FORM						
PROCEDURE: TAKEOFF MINIMUMS AND OBSTACLE DP AMDT 5			AIRPORT NAME: MANITOWOC COUNTY		AIRPORT ID: KMTW	SPECIAL CONTROL NO: BP-06-140-26
FAC ID: KMTW		CITY: MANITOWOC			ST: WI	ORIG CHART DATE: 09/03/2026
DFL TYPE: PROC/T	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:	PTS TASK ID: 352039F701E64844B950219A1A93D6A3		
PREFLIGHT NOTES						
REVIEWER: scott wiebe					DATE: 08/07/2026	
COMMENTS:					CHECK ONE:	
					☒ FLT CK REQ ☐ NFCR ☐ REJECT	
						YES
					CPV COMPLETE?	
					X	
PROCEDURE RESULTS						
INSPECTION DATE: 08/07/2026	CREW #: VN219	N #: N83	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☐ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: scott wiebe @ 08/07/2026 11:57			PRINTED NAME: WIEBE, GREGORY SCOTT			NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS:						
IN-FLIGHT OBSTACLE REPORT						
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:		

MANITOWOC, WI
MANITOWOC COUNTY (MTW)
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES
AMDT 4 12MAR09 (09071) (FAA)
TAKEOFF MINIMUMS:
Rwy 17, 300-1½ or std. with a min. climb of 254' per NM to 1000.

DEPARTURE PROCEDURE:
Rwy 7, climb heading 072° to 1200 before proceeding on course.

Rwy 25, climb heading 252° to 1200 before proceeding on course.

TAKEOFF OBSTACLE NOTES:
Rwy 7, tree 520' from DER, 279' left of centerline, 27' AGL/666' MSL.

Rwy 17, stack 1.24 NM from DER, 1915' left of centerline, 310' AGL/893' MSL.

Trees beginning 23' from DER, 16' left of centerline, up to 94' AGL/743' MSL.

Trees beginning 1802' from DER, 76' right of centerline, up to 98' AGL/747' MSL.

Flagpole 1234' from DER, 512' right of centerline, 36' AGL/695' MSL.

Antenna 989' from DER, 511' right of centerline, 39' AGL/688' MSL.

Rwy 25, tree 734' from DER, 321' right of centerline, 48' AGL/697' MSL.

Tree 1870' from DER, 223' left of centerline, 63' AGL/722' MSL.

Train on railroad, 744' from DER, on centerline, 23' AGL/676' MSL.

Rwy 35, trees beginning 167' from DER, 477' right of centerline, up to 66' AGL/710' MSL.

Tree 2012' from DER, 863' left of centerline, 67' AGL/716' MSL.

MARION, IL
VETERANS AIRPORT OF SOUTHERN ILLINOIS (MWA)
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES
AMDT 1 17AUG17 (17229) (FAA)
TAKEOFF MINIMUMS:
Rwy 11, 600-3 or std. w/min. climb of 235' per NM to 1200.

DEPARTURE PROCEDURE:
Rwy 11, Climb via heading 107° to 1100 before turning left.

TAKEOFF OBSTACLE NOTES:
Rwy 2, trees beginning 119' from DER, 265' left of centerline, up to 106' AGL/543' MSL.

Rwy 11, poles beginning 630' from DER, 496' right of centerline, up to 75' AGL/518' MSL.

Tree 1298' from DER, 594' right of centerline, 81' AGL/528' MSL.

Tank 5154' from DER, 800' right of centerline, 164' AGL/601' MSL.

Tower 3.16 NM from DER, 1.32 NM left of centerline, 490' AGL/980' MSL.

Rwy 20, trees beginning 1538' from DER, 823' right of centerline, up to 68' AGL/521' MSL.

Rwy 29, wind sock 341' from DER, 291' left of centerline, 11' AGL/461' MSL.

Trees beginning 559' from DER, 360' right of centerline, up to 77' AGL/534' MSL.

Theater screen 1347' from DER, 634' right of centerline, 77' AGL/530' MSL.

MARSHFIELD, WI
MARSHFIELD MUNI (MFI)
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES
ORIG-A 12JUN25 (25163) (FAA)
TAKEOFF OBSTACLE NOTES:
Rwy 5, vehicles on road 9' from DER, 30' right of centerline, 3' AGL/1251' MSL.

Trees, poles beginning 32' from DER, 5' right of centerline, up to 100' AGL/1344' MSL.

Vegetation 32' from DER, 183' left of centerline, 1252' MSL.

Trees, poles beginning 83' from DER, 1' left of centerline, up to 100' AGL/1344' MSL.

Trees 3905' from DER, 655' left of centerline, 100' AGL/1347' MSL.

Rwy 16, vehicles on road 7' from DER, 38' left of centerline, 3' AGL/1257' MSL.

Tree 244' from DER, 453' right of centerline, 1291' MSL.

Trees beginning 374' from DER, 478' right of centerline, up to 1319' MSL.

Rwy 23, tree 10' from DER, 473' right of centerline, 1255' MSL.

Trees beginning 34' from DER, 51' right of centerline, up to 100' AGL/1354' MSL.

Trees beginning 86' from DER, 4' left of centerline, up to 100' AGL/1354' MSL.

Trees beginning 3807' from DER, 1268' right of centerline, up to 100' AGL/1364' MSL.

Trees 4331' from DER, 1418' right of centerline, 100' AGL/1367' MSL.

Trees 4488' from DER, 1567' right of centerline, 100' AGL/1377' MSL.

Trees 4645' from DER, 1716' right of centerline, 100' AGL/1380' MSL.

Trees 5850' from DER, 2023' right of centerline, 100' AGL/1403' MSL.

Rwy 34, terrain 45' from DER, 370' left of centerline, 1280' MSL.

Terrain 195' from DER, 276' left of centerline, 1284' MSL.

Terrain 209' from DER, 485' left of centerline, 1285' MSL.

Vehicles on road 1008' from DER, 759' left of centerline, 1306' MSL.

Pole 1117' from DER, 684' left of centerline, 34' AGL/1317' MSL.

Pole 1368' from DER, 587' left of centerline, 36' AGL/1319' MSL.

Pole 1548' from DER, 516' left of centerline, 41' AGL/1327' MSL.

Elevator, building, tree beginning 1550' from DER, 554' left of centerline, up to 59' AGL/1350' MSL.

Trees, pole beginning 1769' from DER, 416' left of centerline, up to 1351' MSL.

Tree 1837' from DER, 641' left of centerline, 1368' MSL.

Trees beginning 1914' from DER, 284' right of centerline, up to 59' AGL/1329' MSL.

CON'T

19 MAR 2026 to 16 APR 2026

19 MAR 2026 to 16 APR 2026