

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 06/13/2024	APWS Task ID: 37D34A2FD21D4F52954669B5B128C684	APWS Project ID: B253A16F46A0436D98C3AD084A5BF8C2
Procedure: RNAV (GPS) RWY 31 AMDT 2A		Enroute: NO	Specialist: Prater, Nicholas		Agreement Number:
Airport ID: KATS			Airport City: ARTESIA		State: NM
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE AIRNAV DATA USED. CIRCLING MINS ADJUSTED TO MATCH OTHER APPROACHES REQUEST TABLE TOP FLIGHT INSPECTION. CONTACT RAKE MCGRAW, AJV-A422 405-954-8711. 05/6/24: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 4/15/2024. 1. TERMINAL ROUTES: ADDED FO TO MAP WAYPOINT TYPE FOR LEKKI TO RWY31 LEG. QUALITY 12 CHECKED QUALITY 41 CHECKED					


WAAS CH 82535 W31A	APP CRS 306°	Rwy Idg TDZE Apt Elev	6132 3520 3545
--	------------------------	-----------------------------	---

OLD


RNAV (GPS) RWY 31
ARTESIA MUNI (ATS)

 For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -22°C (-7°F) or above 52°C (125°F). DME/DME RNP-0.3 NA.	MISSED APPROACH: Climb to 6500 direct UNOPE and hold.
---	---

AWOS-3 126.725	ROSWELL APP CON * 119.6 239.0	UNICOM 123.075 (CTAF) 1
--------------------------	---	-----------------------------------



ELEV 3545	D	TDZE 3520
-----------	----------	-----------



6500

UNOPE

HOLAS

5 NM Holding Pattern

* LNAV only.

* 1 NM to RW31

LEKKI

5200

5200

306°

5900

126°

306°

GP 3.00°

TCH 50

RW31

1 NM

4.2 NM

5.9 NM

CATEGORY

A

B

C

D

LPV DA

3720-¾

200 (200-¾)

LNAV/VNAV DA

3809-1

289 (300-1)

LNAV MDA

3880-1

360 (400-1)

CIRCLING

3980-1

4000-1

4080-1½

4240-2¼


435 (500-1)

455 (500-1)

535 (600-1½)

695 (700-2¼)

MIRL Rwy 4-22 and 13-31 1



AIRPORT ID:	KATS
AIRPORT NAME:	ARTESIA MUNI
CITY, STATE:	ARTESIA, NM
PROC ID:	RNAV (GPS) RWY 31
AMDT:	2A
MAP:	CIRCLING
SCALE:	1:100,000