

RADIO FIX AND HOLDING DATA RECORD

NAME: JAURN

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402848.77N/1115718.84W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	FAIRFIELD	FFU	VORTAC	VH	340.87	356.87	12.33	12.33	9600	17500
2	WASATCH	TCH	VORTAC	H	160.85	176.85	22.22	22.22	9600	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

FAIRFIELD (FAC 1) AND WASATCH (FAC 2) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V21	1, 2				(US)
IAP	ILS OR LOC RWY 13			KPVU	PROVO	UT (US)
IAP	RNAV (GPS) RWY 13			KPVU	PROVO	UT (US)
IAP	RNAV (GPS) RWY 12			KSPK	SPANISH FORK	UT (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 12

DATE OF REVISION: 01/22/2026

REASON FOR REVISION:

1. TYPE: REMOVED "INT".
2. FIX MAKE-UP FACILITIES: REMOVED "PROVO I-PVU LOC/DME" AND "PROVO PVU VOR/DME".
3. EXPANDED SERVICE VOLUME (ESV): REMOVED "I-PVU LOC/DME".
4. UPDATED REMARKS: FAIRFIELD (FAC 1) AND WASATCH (FAC 2) USED TO ESTABLISH FIX COORDINATES.
5. FIX USE: REMOVED "ILS OR LOC RWY 16L KSLC SALT LAKE CITY UT (US)".
6. FIX USE: REMOVED "ILS OR LOC RWY 17 KSLC SALT LAKE CITY UT (US)".
7. FIX USE: REMOVED "IAP RNAV (GPS) Y RWY 12 KSPK SPANISH FORK UT (US)."
8. AMENDED FIX USE FROM "IAP RNAV (GPS) Z RWY 12 KSPK SPANISH FORK UT (US)" TO "IAP RNAV (GPS) RWY 12 KSPK SPANISH FORK UT (US)"

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: CORY SLANE

APPROVED BY:

DATE: 12/18/2025

OFFICE: AJV-A33

NAME: ROBERT HAMILTON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: JEGRA

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402025.48N/1120645.34W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE
IAP

USE TITLE
RNAV (GPS) RWY 12

FAC

PAT

AIRPORT IDENT
KSPK

CITY
SPANISH FORK

STATE
UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 01/22/2026

REASON FOR REVISION:

1. REMOVED FIX USE "IAP RNAV (GPS) Y RWY 12 KSPK SPANISH FORK UT (US)."
2. AMENDED FIX USE FROM "IAP RNAV (GPS) Z RWY 12 KSPK SPANISH FORK UT (US)" TO "IAP RNAV (GPS) RWY 12 KSPK SPANISH FORK UT (US)"

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: CORY SLANE

APPROVED BY:

DATE: 12/18/2025

OFFICE: AJV-A433

NAME: ROBERT HAMILTON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: JUKOM

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402256.25N/1120134.24W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE

USE TITLE

FAC

PAT

AIRPORT IDENT

CITY

STATE

IAP

ILS OR LOC RWY 13

KPVU

PROVO

UT (US)

IAP

RNAV (GPS) RWY 13

KPVU

PROVO

UT (US)

IAP

RNAV (GPS) RWY 12

KSPK

SPANISH FORK

UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 01/22/2026

REASON FOR REVISION:

1. REMOVED FIX USE "IAP RNAV (GPS) Y RWY 12 KSPK SPANISH FORK UT (US)."

2. AMENDED FIX USE FROM "IAP RNAV (GPS) Z RWY 12 KSPK SPANISH FORK UT (US)" TO "IAP RNAV (GPS) RWY 12 KSPK SPANISH FORK UT (US)"

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: CORY SLANE

APPROVED BY:

DATE: 12/18/2025

OFFICE: AJV-A433

NAME: ROBERT HAMILTON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: OCACE

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 402245.54N/1115445.34W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE
IAP

USE TITLE
RNAV (GPS) RWY 12

FAC

PAT

AIRPORT IDENT
KSPK

CITY
SPANISH FORK

STATE
UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2

DATE OF REVISION: 01/22/2026

REASON FOR REVISION:

1. REMOVED FIX USE "IAP RNAV (GPS) Y RWY 12 KSPK SPANISH FORK UT (US)."
2. AMENDED FIX USE FROM "IAP RNAV (GPS) Z RWY 12 KSPK SPANISH FORK UT (US)" TO "IAP RNAV (GPS) RWY 12 KSPK SPANISH FORK UT (US)"

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: CORY SLANE

APPROVED BY:

DATE: 12/18/2025

OFFICE: AJV-A433

NAME: ROBERT HAMILTON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: TAYTR

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 401158.26N/1120617.78W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING MIN	ALTITUDES MAX	TEMPLATES MIN	MAX
1	SW		WP	205.91	025.91	L	4	11000	11000	10	10

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	AAO	402115.00N/1121118.00W	9968	4B

PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
1	230	360

REASON FOR NONSTANDARD HOLDING:

PAT 1 TRAFFIC DECONFLICTION

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 13			KPVU	PROVO	UT (US)
IAP	RNAV (GPS) RWY 13			KPVU	PROVO	UT (US)
IAP	RNAV (GPS) RWY 12			KSPK	SPANISH FORK	UT (US)
STAR	TAYTR (RNAV)		1	KPVU	PROVO	UT (US)
STAR	TAYTR (RNAV)		1	KSPK	SPANISH FORK	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 01/22/2026

REASON FOR REVISION:

1. REMOVED FIX USE "IAP RNAV (GPS) Y RWY 12 KSPK SPANISH FORK UT (US)."
2. AMENDED FIX USE FROM "IAP RNAV (GPS) Z RWY 12 KSPK SPANISH FORK UT (US)" TO "IAP RNAV (GPS) RWY 12 KSPK SPANISH FORK UT (US)"

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: CORY SLANE

APPROVED BY:

DATE: 12/18/2025

OFFICE: AJV-A433

NAME: ROBERT HAMILTON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: VERNE

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 401117.30N/1122529.33W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	DELTA	DTA	VORTAC	H	348.00	004.00	53.24	53.24	11500	17500
2	FAIRFIELD	FFU	VORTAC	VH	241.00	257.00		22.85	11500	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
DTA	VORTAC	R-348	54	11000	19100

FIX RESTRICTIONS:

MCA V257 12200 NORTHBOUND

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	S		WP	162.02	342.02	R		7	11500	14000	10	11

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	AAO	401454.00N/1123236.00W	9213	4B

PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
1	230	320

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
PATTERN 1 ALIGNED TO AVOID SEVIER MOA.
DELTA (FAC1) AND FAIRFIELD (FAC2) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE (US)
EN ROUTE	V257	1				UT (US)
IAP	TACAN RWY 12	1, 2		KDPG	DUGWAY PROVING GROUND	UT (US)
IAP	RNAV (GPS) RWY 12		1	KSPK	SPANISH FORK	UT (US)
IAP	RNAV (GPS)-A		1	KSPK	SPANISH FORK	UT (US)

REQUIRED CHARTING: MILITARY IAP, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 9

DATE OF REVISION: 01/22/2026

REASON FOR REVISION:

1. AMENDED FIX USE "EN ROUTE V257 (US)" TO "EN ROUTE V257 FAC 1 (US)".
2. REMOVED FIX USE "IAP RNAV (GPS) Y RWY 12 KSPK SPANISH FORK UT (US)".
3. AMENDED FIX USE FROM "IAP RNAV (GPS) Z RWY 12 KSPK SPANISH FORK UT (US)" TO "IAP RNAV (GPS) RWY 12 KSPK SPANISH FORK UT (US)"

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: CORY SLANE

APPROVED BY:

DATE: 12/18/2025

OFFICE: AJV-A433

NAME: ROBERT HAMILTON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: YALVU

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 401323.25N/1114646.16W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE
IAP

USE TITLE
RNAV (GPS) RWY 12

FAC

PAT

AIRPORT IDENT
KSPK

CITY
SPANISH FORK

STATE
UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3

DATE OF REVISION: 01/22/2026

REASON FOR REVISION:

1. REMOVED FIX USE "IAP RNAV (GPS) Y RWY 12 KSPK SPANISH FORK UT (US)."
2. AMENDED FIX USE FROM "IAP RNAV (GPS) Z RWY 12 KSPK SPANISH FORK UT (US)" TO "IAP RNAV (GPS) RWY 12 KSPK SPANISH FORK UT (US)"

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: CORY SLANE

APPROVED BY:

DATE: 12/18/2025

OFFICE: AJV-A433

NAME: ROBERT HAMILTON

SIGNATURE: