

RADIO FIX AND HOLDING DATA RECORD

NAME: CLAMY **STATE:** MA **COUNTRY:** US **ICAO REGION CODE:** K6

LATITUDE/LONGITUDE: 411040.00N/0703206.97W **TYPE:** WP, INT, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	NANTUCKET	ACK	VOR/DME	VH	270.00	255.00	23.85	23.85	2000	17500
2	MARTHAS VINEYARD	MVY	VOR/DME	L	180.00	165.00		13.56	2000	17500
3	PROVIDENCE	PVD	VOR/DME	H	142.79	128.79	51.99	51.99	3000	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
PVD	VOR/DME	R-143	52	3000	14600

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	HOLDING ALTITUDES DME	MIN	MAX	TEMPLATES MIN	MAX
1	W	ACK	VOR/DME	270.00	090.00	L	1		2000	17500	4	18
2	W	WP	WP	270.00	090.00	L		4	2000	6000	4	6
3	NW	PVD	VOR/DME	322.79	142.79	L	1		2000	17500	5	18

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	SHIP MAST	411040.00N/0703206.97W	250	2C
2	200	SHIP MAST	411040.00N/0703206.97W	250	2C
3	200	SHIP MAST	411040.00N/0703706.97W	250	2C

REASON FOR NONSTANDARD HOLDING:

PAT 1 ATC REQUEST
 PAT 2 ATC REQUEST
 PAT 3 ATC REQUEST

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

REMARKS:

NANTUCKET (FAC 1) AND MARTHAS VINEYARD (FAC 2) USED TO ESTABLISH FIX COORDINATES.
 PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	T705					(US)
EN ROUTE	V46	1, 2, 3				(US)
IAP	RNAV (GPS) RWY 33		2	ACK	NANTUCKET	MA (US)
IAP	VOR RWY 24	1, 2	1	ACK	NANTUCKET	MA (US)
IAP	ILS OR LOC RWY 24	1, 2, 3	1, 3	MVY	VINEYARD HAVEN	MA (US)
IAP	RNAV (GPS) RWY 24		2	MVY	VINEYARD HAVEN	MA (US)
IAP	VOR RWY 6	1, 2, 3	1	MVY	VINEYARD HAVEN	MA (US)
STAR	CLAMY (RNAV)			ACK	NANTUCKET	MA (US)

REQUIRED CHARTING: STAR, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 17 **DATE OF REVISION:** 05/14/2026

REASON FOR REVISION:

1. FIX USE: ADDED "CLAMY (RNAV)" AT KACK.
 2. CHARTING: ADDED "STAR."

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A432 **NAME:** HENRY BRADSHAW

APPROVED BY: **DATE:** 04/09/2026 **OFFICE:** AJV-A432 **NAME:** CASIMIR TABAKA

SIGNATURE:
Digitally signed by
CASIMIR L TABAKA
 Jan 27, 2026



RADIO FIX AND HOLDING DATA RECORD

NAME: DEEPO STATE: MA COUNTRY: US ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 410653.96N/0705009.85W TYPE: WP, INT, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	NANTUCKET	ACK	VOR/DME	VH	270.00	255.00	38.00	38.00	3000	17500
2	NORWICH	ORW	VOR/DME	L	130.34	116.34		58.86	3000	17500
3	MARTHAS VINEYARD	MVY	VOR/DME	L	226.01	211.01		19.66	3000	17500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	HOLDING DME	ALTITUDES MIN	ALTITUDES MAX	TEMPLATES MIN	TEMPLATES MAX
1	SW		WP	208.60	028.60	R		4	3000	6000	5	6
2	W		WP	270.32	090.32	R		4	11000	15000	8	13

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	SHIP	410653.96N/0705009.85W	208	2C
2	210	WINDMILL (25-077157)	410944.70N/0705939.23W	873	9I

HOLDING RESTRICTIONS:
HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

NANTUCKET (FAC1) AND NORWICH (FAC2) USED TO ESTABLISH FIX COORDINATES.
PRECIPITOUS TERRAIN EVALUATION COMPLETED.
PAT 2 210 KIAS AND 4NM LEGS AT ATC REQUEST.
PAT 1 208 SHIP HEIGHT PER COAST GUARD.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	Q430					(US)
EN ROUTE	T300					(US)
EN ROUTE	T705					(US)
EN ROUTE	V46	1, 2, 3				(US)
IAP	RNAV (GPS) RWY 32			KFMH	FALMOUTH	MA (US)
IAP	RNAV (GPS) RWY 33			KMVY	VINEYARD HAVEN	MA (US)
IAP	RNAV (GPS) RWY 6		1	KMVY	VINEYARD HAVEN	MA (US)
STAR	CLAMY (RNAV)			KACK	NANTUCKET	MA (US)
STAR	DEEPO (RNAV)		2	KACK	NANTUCKET	MA (US)

REQUIRED CHARTING: STAR, MILITARY IAP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 9 DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX USE: ADDED "STAR CLAMY (RNAV)" AT KACK.

INITIATED BY: DATE: ORGANIZATION: NAME:
OFFICE OF PRIMARY RESPONSIBILITY: AJV-A432 NAME: HENRY BRADSHAW
APPROVED BY: DATE: 04/09/2026 OFFICE: AJV-A432 NAME: CASIMIR TABAKA

SIGNATURE:

Digitally signed by
CASIMIR L TABAKA
Jan 27, 2026



RADIO FIX AND HOLDING DATA RECORD

NAME: JORDN **STATE:** NY **COUNTRY:** US **ICAO REGION CODE:** K6

LATITUDE/LONGITUDE: 410316.92N/0715452.66W **TYPE:** WP, INT, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	SANDY POINT	SEY	VOR/DME	VL	261.35	246.35	16.76	16.78	2000	17500
2	GROTON	GON	VOR/DME	T	173.33	159.33		17.66	2000	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
GON	VOR/DME	R-173	18	12000	17500

HOLDING: **HOLDING TYPE OF ACTION:** MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	E		WP	079.12	259.12	L	4	3000	10000	5	10

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	410157.00N/0715839.00W	397	4B

REASON FOR NONSTANDARD HOLDING:

PAT 1 ATC REQUEST

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN(S).

REMARKS:

SANDY POINT (FAC 1) AND GROTON (FAC 2) USED TO ESTABLISH FIX COORDINATES.
 MIN HOLDING 2000 OVER AMAGANSETT WILDLIFE REFUGE. PVD MIN CARDINAL ALT 3000.
 PRECIPITOUS TERRAIN EVALUATION COMPLETED.
 CHART ON SECTIONAL PER ATC REQUEST.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	T358					(US)
EN ROUTE	V268	1, 2				(US)
IAP	RNAV (GPS) RWY 33			GON	GROTON (NEW LONDON)	CT (US)
IAP	RNAV (GPS) Z RWY 10			JPX	EAST HAMPTON	NY (US)
IAP	RNAV (GPS) Z RWY 28			JPX	EAST HAMPTON	NY (US)
IAP	RNAV (GPS) RWY 10			BID	BLOCK ISLAND	RI (US)
STAR	CLAMY (RNAV)		1	ACK	NANTUCKET	MA (US)
STAR	JORDN (RNAV)			PVD	PROVIDENCE	RI (US)

REQUIRED CHARTING: STAR, IAP, AREA, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 16

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

- FIX USE: ADDED "STAR CLAMY (RNAV)" AT KACK.
- PATTERNS: PAT 1 LEG LENGTH CHANGED FROM "6" TO "4" AND MIN TEMPLATE SIZE FROM "7" TO "5".
- CONT OBS: PAT 1 UPDATED AIRSPEED FROM "230" TO "200".
- REMARKS: REMOVED "PAT 1 ATC REQUEST FOR STAND ALONE HOLDING."

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A432 **NAME:** HENRY BRADSHAW

APPROVED BY: **DATE:** 04/09/2026 **OFFICE:** AJV-A432 **NAME:** CASIMIR TABAKA

SIGNATURE:

Digitally signed by
CASIMIR L TABAKA
 Jan 27, 2026



RADIO FIX AND HOLDING DATA RECORD

NAME: NEWBE **STATE:** RI **COUNTRY:** US **ICAO REGION CODE:** K6

LATITUDE/LONGITUDE: 411224.39N/0710426.92W **TYPE:** WP, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	NANTUCKET	ACK	VOR/DME	VH	279.92	264.92	47.62	47.62		3000	17500
2	SANDY POINT	SEY	VOR/DME	VL	098.91	083.91	22.86	22.86		2000	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
ACK	VOR/DME	R-280	48	3000	5100

FIX RESTRICTIONS:

MRA V34 3000

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	W	ACK	VOR/DME	279.92	099.92	R	1		3000	10000	6	11
2	W		WP	280.00	100.00	R		4	3000	10000	5	10

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	WINDMILL (25-077153)	411340.58N/0710345.02W	873	9D
2	200	WINDMILL (25-077153)	411340.58N/0710345.02W	873	9D

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN(S).

REMARKS:

NANTUCKET (FAC 1) USED TO ESTABLISH FIX COORDINATES.
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	T216					(US)
EN ROUTE	T300					(US)
EN ROUTE	V34	1, 2	1			(US)
IAP	RNAV (GPS) RWY 5			FMH	FALMOUTH	MA (US)
IAP	RNAV (GPS) RWY 6			MVY	VINEYARD HAVEN	MA (US)
IAP	RNAV (GPS) RWY 28			BID	BLOCK ISLAND	RI (US)
STAR	CLAMY (RNAV)		2	ACK	NANTUCKET	MA (US)

REQUIRED CHARTING: STAR, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 10

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

- FIX USE: ADDED "STAR CLAMY (RNAV)" AT KACK.
- CHARTING: ADDED "STAR."
- CONT OBS: UPDATED PAT 2 AIRSPEED FROM "230" TO "200."
- REMARKS: REMOVED "PAT 2 ATC REQUEST FOR STAND ALONE WP HOLDING."
- HOLDING: UPDATED PAT 2 DME LENGTH FROM "6" TO "4" AND MIN TEMPLATE SIZE FROM "7" TO "5."

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A432 **NAME:** HENRY BRADSHAW

APPROVED BY: **DATE:** 04/09/2026 **OFFICE:** AJV-A432 **NAME:** CASIMIR TABAKA

SIGNATURE:

Digitally signed by
CASIMIR L TABAKA

Jan 27, 2026



RADIO FIX AND HOLDING DATA RECORD

NAME: ORCHA

STATE: NY

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 405455.46N/0721843.64W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	Q167					(US)
EN ROUTE	Q220					(US)
EN ROUTE	T287					(US)
EN ROUTE	T320					(US)
EN ROUTE	T358					(US)
EN ROUTE	T705					(US)
IAP	ILS OR LOC RWY 24			KFOK	WESTHAMPTON BEACH	NY (US)
IAP	RNAV (GPS) RWY 24			KFOK	WESTHAMPTON BEACH	NY (US)
IAP	RNAV (GPS) RWY 6			KFOK	WESTHAMPTON BEACH	NY (US)
STAR	SARDI (RNAV)			KGON	GROTON (NEW LONDON)	CT (US)
STAR	CLAMY (RNAV)			KACK	NANTUCKET	MA (US)
STAR	SARDI (RNAV)			KWST	WESTERLY	RI (US)

REQUIRED CHARTING: STAR, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 10

DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

1. FIX USE: ADDED "STAR CLAMY (RNAV)" AT KACK.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A432

NAME: HENRY BRADSHAW

APPROVED BY:

DATE: 04/09/2026

OFFICE: AJV-A432

NAME: CASIMIR TABAKA

SIGNATURE:

Digitally signed by
CASIMIR L TABAKA

Jan 27, 2026



IAP	ILS RWY 5 (CAT II & III)	KPVD	PROVIDENCE	RI (US)
IAP	RNAV (GPS) RWY 16	KPVD	PROVIDENCE	RI (US)
IAP	RNAV (GPS) RWY 5	KPVD	PROVIDENCE	RI (US)
IAP	VOR RWY 5	KPVD	PROVIDENCE	RI (US)
STAR	WOONS	KBOS	BOSTON	MA (US)
STAR	WOONS	1B9	MANSFIELD	MA (US)
STAR	WOONS	KGHG	MARSHFIELD	MA (US)
STAR	CLAMY (RNAV)	KACK	NANTUCKET	MA (US)
STAR	WOONS	KOWD	NORWOOD	MA (US)
STAR	PARCH (RNAV)	6 KFRG	FARMINGDALE	NY (US)
STAR	PARCH (RNAV)	6 KJFK	NEW YORK	NY (US)

REQUIRED CHARTING: DP, STAR, MILITARY IAP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 50 **DATE OF REVISION:** 05/14/2026

REASON FOR REVISION:
1. FIX USE: ADDED "STAR CLAMY (RNAV)" AT KACK.

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
OFFICE OF PRIMARY RESPONSIBILITY:		AJV-A432	NAME: HENRY BRADSHAW
APPROVED BY:	DATE: 04/09/2026	OFFICE: AJV-A432	NAME: CASIMIR TABAKA

SIGNATURE: *Digitally signed by*
CASIMIR L TABAKA
Jan 27, 2026



INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**
OFFICE OF PRIMARY RESPONSIBILITY: AJV-A432 **NAME:** HENRY BRADSHAW
APPROVED BY: **DATE:** 04/09/2026 **OFFICE:** AJV-A432 **NAME:** CASIMIR TABAKA

SIGNATURE:

Digitally signed by
CASIMIR L TABAKA
Jan 27, 2026



