

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
JATTS	TWO	JATTS2.JATTS	ONE	06/05/2008	

**TYPE:**

OBSTACLE     COPTER     SID     SPECIAL     RNAV

**DP ROUTE DESCRIPTION:**

TAKEOFF RWY 24: CLIMB ON HEADING 239.16 TO 5900, THEN CLIMBING LEFT TURN DIRECT JOBRO, THEN ON TRACK 093.24 TO JATTS BEFORE PROCEEDING ON COURSE.

**TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):**

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	---------------------------------	------------------------	----------------------	---------------	-----------------	------------	-------------	--------------------------------

**PBN REQUIREMENT NOTES:**

RNAV 1 - GPS.

**EQUIPMENT REQUIREMENT NOTES:**

**PROCEDURAL DATA NOTES:**

**TAKEOFF MINIMUMS:**

RWY 6: NA - OBSTACLES.  
RWY 24: STANDARD.

**TAKEOFF OBSTACLE NOTES:**

**CONTROLLING OBSTACLES:**

OBSTACLES MANDATING DP ROUTE DEVELOPMENT: RWY 24: 10978 FT MSL AAO 434736.00N/1131548.00W, 7726 FT MSL AAO 433957.00N/1131800.00W.

**MSA:**

AOC, 13200

**LOST COMMUNICATION PROCEDURES:**

**ADDITIONAL FLIGHT DATA:**

AIRPORT MV: AOC 11E/2030.  
DME/DME ASSESSMENT: NOT CONDUCTED.  
CHART: CRATERS OF THE MOON WILDERNESS AREA.  
CHART: D.O.E. NATIONAL SECURITY AREA.  
CHART: V269.  
CHART NOTE: CROSS JATTS AT OR ABOVE 10100 ON V269 NORTHWEST BOUND.

**AIRPORTS SERVED:**

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
AOC	ARCO	ID

**COMMUNICATIONS:**

CHART: CTAF.

**FIXES AND/OR NAVAIDS:**

**REMARKS:**

ORDER 8260.3G, ICA USED FOR DESIGN AND EVALUATION.



**DP NAME**  
JATTS

**NUMBER**  
TWO

**DP COMPUTER CODE**  
JATTS2.JATTS

**SUPERSEDED NUMBER**  
ONE

**DATED**  
06/05/2008

**ACTUAL EFFECTIVE DATE**

**FLIGHT INSPECTED BY**

TROY E DEVINE

*Digitally signed by*  
**CASIMIR L TABAKA**

Mar 26, 2026

**OFFICE**

AJF

**DATE**

03/24/2026

**DEVELOPED BY**

CASIMIR L. TABAKA (ROBERT A. SWINSON)

*Digitally signed by*  
**CASIMIR L TABAKA**

Mar 26, 2026

**OFFICE**

AJV-A432

**DATE**

01/13/2026

**APPROVED BY**

CASIMIR L. TABAKA

*Digitally signed by*  
**CASIMIR L TABAKA**

Mar 26, 2026

**OFFICE**

AJV-A432

**DATE**

06/04/2026

**TITLE**

MANAGER

**REQUIRED EFFECTIVE DATE:**

ROUTINE

**COORDINATED WITH:**

**A4A**  **ALPA**  **AOPA**  **APA**  **HAI**  **NBAA**

**OTHER:** ZLC, AMGR

**CHANGES - REASONS:**

- ROUTE DESCRIPTION: CHANGED FROM "TAKEOFF RWY 24: CLIMB HEADING 235.17 TO 5900 THEN CLIMBING LEFT TURN DIRECT JOBRO, THEN VIA 089.24 TRACK TO JATTS BEFORE PROCEEDING ON COURSE" TO "TAKEOFF RWY 24: CLIMB ON HEADING 239.16 TO 5900, THEN CLIMBING LEFT TURN DIRECT JOBRO, THEN ON TRACK 093.24 TO JATTS BEFORE PROCEEDING ON COURSE" – NEW OBSTACLE EVALUATION, AOC MAGVAR UPDATED TO (E11/2030).
- PBN REQUIREMENT NOTES: ADDED "RNAV 1 - GPS" - IAW 8260.46K, 2-1-5I(2).
- UPDATED TAKEOFF OBSTACLE NOTES - NEW OBSTACLE EVALUATION.
- CONTROLLING OBSTACLES: CHANGED FROM "RWY 24: 11199 MSL AAO 434735.00N/1131545.00W" TO "OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 24: 7726 FT MSL TREE 433957.00N/1131800.00W., 10978 FT MSL TREE 434736.00N/1131548.00W" - NEW OBSTACLE EVALUATION.
- PROCEDURAL DATA NOTES: REMOVED "NOTE: GPS REQUIRED, NOTE: RNAV 1" - IAW 8260.46K, 2-1-5I(2).
- MSA: ADDED "AOC, 13200" - IAW 8260.46K, 3-1-2.
- ADDED REMARK: ORDER 8260.3G, ICA USED FOR DESIGN AND EVALUATION - IAW 8260.46K PARA 2-1-1.I



FEDERAL AVIATION ADMINISTRATION  
 FLIGHT STANDARDS SERVICE  
 DEPARTURE (DATA RECORD)

<u>DP NAME</u> JATTS		<u>NUMBER</u> TWO		<u>DP COMPUTER CODE</u> JATTS2.JATTS		<u>SUPERSEDED NUMBER</u> ONE		<u>DATED</u> 06/05/2008	<u>ACTUAL EFFECTIVE DATE</u>
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
RW24 (AER)	433623.82N/1131921.07W	N	-	-	-	-			
5900 MSL	-	-	-	VA	250.16	-	AT/ABOVE 5900		
JOBRO	432038.22N/1131910.04W	Y	FB	DF	-	-			LEFT TURN
JATTS	431600.48N/1125427.28W	Y	FB	TF	104.24	18.63			

