

RADIO FIX AND HOLDING DATA RECORD

NAME: EKKHO

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 411327.17N/1120435.59W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II - III)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II - III)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I - II)			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 17			KSLC	SALT LAKE CITY	UT (US)
STAR	SKEES (RNAV)			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 02/20/2025

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: WESTLEY OWENS

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A431

NAME: ERIC N SUSKI

SIGNATURE:



RADIO FIX AND HOLDING DATA RECORD

NAME: IRRON **STATE:** UT **COUNTRY:** US **ICAO REGION CODE:** K2

LATITUDE/LONGITUDE: 410839.00N/1120058.35W **TYPE:** WP, RADAR, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	SALT LAKE CITY	I-MOY	LOC/DME		343.96	354.96	22.42	22.42		11000	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-MOY	LOC/DME	R-344	23	11000	17500

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

REMARKS:

I-MOY DME ANT: 404618.72N/1115818.13W

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II - III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 10 **DATE OF REVISION:** 02/20/2025

REASON FOR REVISION:

1. LATITUDE/LONGITUDE: CHANGED FROM "410838.97N/1120058.75W" TO "410839.00N/1120058.35" - MOVED 30 FEET EAST.
2. FIX MAKE-UP FACILITIES: FAC 1 MAG COURSE CHANGED FROM "343.95" TO "343.96" AND TRUE COURSE CHANGED FROM "354.95" TO "354.96" - UPDATED TO COMMISSIONED LOCALIZER COURSE.
3. REMARKS: CHANGED "I-MOY DME ANT: 404618.71N/1115818.11W" TO "404618.71N/1115818.13W".
4. FIX USE: CHANGED KSLC IAP FROM "RNAV (GPS) RWY 16L" TO "RNAV (GPS) Y RWY 16L".
5. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 16L" AND ALL ASSOCIATIONS.
6. FIX USE: DELETED KSLC STAR "SKEES (RNAV)" AND ALL ASSOCIATIONS - PER ATC REQUEST.
7. FIX USE: CONSOLIDATED KSLC IAP LINES "ILS RWY 16L (CAT II) AND ILS RWY16L (CAT III)".

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 **NAME:** WESTLEY OWENS

APPROVED BY: **DATE:** 02/20/2025 **OFFICE:** AJV-A431 **NAME:** ERIC N SUSKI

SIGNATURE:



RADIO FIX AND HOLDING DATA RECORD

NAME: LGOON STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 405830.35N/1115947.17W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	SALT LAKE CITY	I-MOY	LOC/DME		343.96	354.96	12.24	12.24		7500	8700

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-MOY	LOC/DME	R-344	12	7500	8700

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

I-MOY DME ANT: 404618.72N/1115818.13W.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II - III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6

DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

1. LATITUDE/LONGITUDE: CHANGED FROM "405815.22N/1115945.57W" TO "405830.35N/1115947.17W" - FIX MOVED .25 NM NORTH.
2. FIX MAKEUP: FAC 1 (I-MOY) MAG/TRUE BRG CHANGED FROM "343.95/354.95" TO "343.96/354.96".
3. FIX MAKEUP: FAC 1 (I-MOY) DME/DISTANCE CHANGED FROM "11.99/11.98" TO "12.24/12.24".
4. REMARKS: DELETED "FIX ESTABLISHED AT ILS GSIP USING RNP PFAF FORMULA".
5. REMARKS: CHANGED "I-MOY DME ANT: 404618.71N/1115818.11W" TO "I-MOY DME ANT: 404618.72N/1115818.13W"
6. FIX USE: KSLC IAP: CHANGED FROM "RNAV (GPS) RWY 16L" TO "RNAV (GPS) Y RWY 16L".
7. FIX USE: KSLC IAP: ADDED "RNAV (RNP) Z RWY 16L AND ALL ASSOCIATIONS."
8. FIX USE: CONSOLIDATED KSLC IAPS "ILS RWY 16L (CAT II) AND ILS RWY 16L (CAT III)".

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 NAME: WESTLEY OWENS

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A431 NAME: ERIC N SUSKI

SIGNATURE:



RADIO FIX AND HOLDING DATA RECORD

NAME: TOOME STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 410313.01N/1120020.18W TYPE: RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	SALT LAKE CITY	I-MOY	LOC/DME		343.96	354.96	16.96	16.96		8000	9000

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-MOY	LOC/DME	R-344	17	8700	9000

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

I-MOY MRA BASED ON MVAC AND FLOOR OF CONTROLLED AIRSPACE BY ATC REQUEST.
I-MOY DME ANT: 404618.72N/1115818.13W

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II - III)	1		KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4 DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

1. LATITUDE/LONGITUDE: CHANGED FROM "440239.16N/1120016.46W" TO "410313.01N/1120020.18W" - FIX MOVED .57 NM NORTH.
2. FIX MAKE-UP FACILITIES: FAC 1 (I-MOY) CHANGED DME/DISTANCE FROM "16.40/16.40" TO "16.96/16.96"; CHANGED MAG/TRUE COURSE FROM "343.95/354.95" TO "343.96/354.96".
3. REMARKS: DELETED "FIX ESTABLISHED AT ILS GSIP USING RNP PFAF FORMULA".
4. REMARKS: DELETED "STEPDOWN FIX REQUIRED BY ATC FOR SEPARATION".
5. REMARKS: CHANGED "I-MOY DME ANT 404618.71N/1115818.11W" TO "404618.72N/1115818.13W".
6. FIX USE: CONSOLIDATED KSLC IAPS "ILS RWY 16L (CAT II) AND ILS RWY 16L (CAT III)".

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 NAME: WESTLEY OWENS

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A431 NAME: ERIC N SUSKI

SIGNATURE:



EN ROUTE	V32		(US)
EN ROUTE	V484		(US)
IAP	RNAV (GPS)-A	KHCR	UT (US)
IAP	ILS OR LOC RWY 3	KOGD	OGDEN UT (US)
IAP	RNAV (GPS) RWY 3	KOGD	OGDEN UT (US)
IAP	ILS OR LOC RWY 16L	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 16R	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 17	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 34L	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 34R	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 16L (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 16R (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 16R (SA CAT I)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 17 (SA CAT I - SA CAT II)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34L (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34L (SA CAT I)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34R (CAT II - III)	KSLC	SALT LAKE CITY UT (US)
IAP	ILS RWY 34R (SA CAT I)	KSLC	SALT LAKE CITY UT (US)
IAP	LDA RWY 35	KSLC	SALT LAKE CITY UT (US)
IAP	RNAV (GPS) RWY 34R	KSLC	SALT LAKE CITY UT (US)
IAP	ILS OR LOC RWY 17	KTVY	TOOELE UT (US)
STAR	BEARR	KSLC	SALT LAKE CITY UT (US)
STAR	BONNEVILLE	KSLC	SALT LAKE CITY UT (US)
STAR	BRIGHAM CITY	KSLC	SALT LAKE CITY UT (US)
STAR	DELTA (RNAV)	KSLC	SALT LAKE CITY UT (US)
STAR	JAMMN	KSLC	SALT LAKE CITY UT (US)
STAR	LEEHY (RNAV)	KSLC	SALT LAKE CITY UT (US)
STAR	WAATS (RNAV)	KSLC	SALT LAKE CITY UT (US)

REQUIRED CHARTING: DP, STAR, IAP, AREA, EN ROUTE LOW, EN ROUTE HIGH, SPECIAL IAP, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 23

DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

1. HOLDING: PAT 1: CHANGED LEG LENGTH TIME FROM "1 1/2" TO "1".
2. HOLDING: PAT 2: CHANGED LEG LENGTH TIME FROM "1 1/2" TO "1".
3. HOLDING RESTRICTIONS: MOVED "TCH VORTAC MAG VAR: E16/1975" TO REMARKS.
4. HOLDING RESTRICTIONS: ADDED "HOLDING LIMITED TO ESTABLISHED HOLDING PATTERNS".
5. FIX USE: CONSOLIDATED KSLC IAPS "ILS RWY 17 (SA CAT I) AND ILS RWY 17 (SA CAT II)".
6. REQUIRED CHARTING: ADDED "CONTROLLER LOW AND CONTROLLER HIGH".

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 **NAME:** WESTLEY OWENS

APPROVED BY: **DATE:** 02/20/2025 **OFFICE:** AJV-A431 **NAME:** ERIC N SUSKI

SIGNATURE:

ROBERT G HAMILTON

Jan 13, 2025



RADIO FIX AND HOLDING DATA RECORD

NAME: WEBER STATE: UT COUNTRY: US ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 411513.95N/1120144.88W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	SALT LAKE CITY	I-MOY	LOC/DME		343.96	354.96	29.02	29.02		11000	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-MOY	LOC/DME	R-344	33	11000	17500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

I-MOY DME ANT: 404618.72N/1115818.13W.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II - III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II - III)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I - II)			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 17			KSLC	SALT LAKE CITY	UT (US)
STAR	CARTR (RNAV)			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6

DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

1. LATITUDE/LONGITUDE: CHANGED FROM "411911.85N/1120213.36W" TO "411513.95N/1120144.88W" - FIX MOVED 3.98 NM SOUTH/FIX NAME RETAINED AT ATC REQUEST.
2. FIX MAKE-UP FACILITIES: FAC 1 MAG/TRUE BRG CHANGED FROM "343.95/354.95" TO "343.96/354.96".
3. FIX MAKE-UP FACILITIES: FAC 1 DME/DISTANCE FROM NM CHANGED FROM "33.00" TO "29.02".
4. FIX MAKE-UP FACILITIES: FAC 1 MRA CHANGED FROM "12000" TO "11000".
5. REMARKS: CHANGED "I-MOY DME ANT: 404618.71N/1115818.11W" TO "404618.72N/1115818.13W".
6. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 17" AND ALL ASSOCIATIONS.
7. FIX USE: ADDED ALPHABETICAL IDENTIFIER "Y" TO RNAV (GPS) RWY 17 AT KSLC.
8. FIX USE: ADDED KSLC IAP "RNAV (GPS) Y RWY 16L" AND ALL ASSOCIATIONS.
9. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 16L" AND ALL ASSOCIATIONS.
10. FIX USE: ADDED KSLC IAP "RNAV (GPS) Y RWY 16R" AND ALL ASSOCIATIONS.
11. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 16R" AND ALL ASSOCIATIONS.
12. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 17" AND ALL ASSOCIATIONS.
13. FIX USE: ADDED KSLC IAP "ILS OR LOC RWY 16R" AND ALL ASSOCIATIONS.
14. FIX USE: ADDED KSLC IAP "ILS RWY 16R (CAT II - III)" AND ALL ASSOCIATIONS.
15. FIX USE: ADDED KSLC IAP "ILS RWY 16R (SA CAT I)" AND ALL ASSOCIATIONS.
16. FIX USE: ADDED KSLC IAP "ILS RWY 16L (CAT II - III)" AND ALL ASSOCIATIONS.
17. FIX USE: ADDED KSLC STAR "CARTR (RNAV)" AND ALL ASSOCIATIONS.
18. FIX USE: REMOVED KSLC STAR "NORDK (RNAV)" AND ALL ASSOCIATIONS.

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 NAME: WESTLEY OWENS

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A431 NAME: ERIC N SUSKI

SIGNATURE:

Digitally signed by
ROBERT G HAMILTON

Jan 13, 2025



RADIO FIX AND HOLDING DATA RECORD

NAME: YYIPP **STATE:** UT **COUNTRY:** US **ICAO REGION CODE:** K2
LATITUDE/LONGITUDE: 405349.09N/1115914.40W **TYPE:** WP, RADAR, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC	MRA	MAA
1	SALT LAKE CITY	I-MOY	LOC/DME		343.96	354.96	7.54	7.53 45778	6000	8700

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

REMARKS:
I-MOY DME ANT: 404618.72N/1115818.13W.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II - III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6 **DATE OF REVISION:** 02/20/2025

REASON FOR REVISION:

1. LATITUDE/LONGITUDE: CHANGED FROM "405344.95N/1115914.02W" TO "405349.09N/1115914.40W" - FIX MOVED 419 FT NORTH.
2. FIX MAKE-UP FACILITIES: FAC 1 (I-MOY) CHANGED FROM MAG/TRUE BRG "343.95/354.95" TO "343.96/354.96".
3. FIX MAKE-UP FACILITIES: FAC 1 (I-MOY) DME/DISTANCE TO FIX(NM) CHANGED FROM "7.47/7.47" TO "7.54/7.53".
4. FIX MAKE-UP FACILITIES: FAC 1 (I-MOY) DISTANCE TO FIX (FT) CHANGED FROM "45360" TO "45778".
5. FIX USE: CHANGED KSLC IAP FROM "RNAV (GPS) RWY 16L" TO "RNAV (GPS) Y RWY 16L" AND ALL ASSOCIATIONS.
6. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 16L" AND ALL ASSOCIATIONS.
7. REMARKS: CHANGED "I-MOY DME ANT: 404618.71N/1115818.11W" TO "404618.72N/1115818.13W".

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**
OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 **NAME:** WESTLEY OWENS
APPROVED BY: **DATE:** 02/20/2025 **OFFICE:** AJV-A431 **NAME:** ERIC N SUSKI

SIGNATURE:
Digitally signed by
ROBERT G HAMILTON
Jan 13, 2025

