

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
YUTES (RNAV)	THREE	YUTES.YUTES3	TWO	03/19/2026	

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
FLECC	FLECC.YUTES3	FLECC	FLECC						
			BVL VORTAC	077.04	51.60	12000	11200		
			KNOLE	079.00	41.00	12000	11000		AT 17000
			SKWAH	079.65	10.98	12000	11000		AT/ABOVE 14000
			YUTES	079.57	04.01	12000	11000		

ARRIVAL ROUTE DESCRIPTION:

LANDING RWY 16L/R: FROM YUTES ON TRACK 086.58/12.54 TO DUGGY, THEN ON TRACK 072.99/4.89 TO CROSS JAXXX AT 12000 AND AT 250 KIAS, THEN ON TRACK 030.75/4.06 TO MAGNE, THEN ON TRACK 343.86/4.65 TO CROSS LAWVA AT 11000 AND AT 210 KIAS, THEN ON TRACK 343.86. EXPECT RADAR VECTORS FOR THE RNAV (RNP) Z RWY 16R APPROACH OR RADAR VECTORS TO 16L/R FINAL APPROACH COURSE.

LANDING RWY 17: FROM YUTES ON TRACK 086.58/12.54 TO DUGGY, THEN ON TRACK 072.99/4.89 TO CROSS JAXXX AT 12000 AND AT 250 KIAS, THEN ON TRACK 030.75/4.06 TO MAGNE, THEN ON TRACK 343.86/4.65 TO CROSS LAWVA AT 11000 AND AT 210 KIAS, THEN ON TRACK 343.86. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

LANDING RWY 34L/R: FROM YUTES ON TRACK 066.62/10.82 TO GOGGL, THEN ON TRACK 070.33/5.40 TO CROSS BUSHH AT 12000 AND AT 250 KIAS, THEN ON TRACK 102.94/4.52 TO MARYZ, THEN ON TRACK 163.90/2.59 TO CROSS SURYP AT 11000 AND AT 210 KIAS, THEN ON TRACK 163.88. EXPECT RADAR VECTORS FOR THE RNAV (RNP) Z RWY 34L APPROACH OR RADAR VECTORS TO 34L/R, RWY 35 FINAL APPROACH COURSE.

LANDING RWY 35: FROM YUTES ON TRACK 066.62/10.82 TO GOGGL, THEN ON TRACK 070.33/5.40 TO CROSS BUSHH AT 12000 AND AT 250 KIAS, THEN ON TRACK 102.94/4.52 TO MARYZ, THEN ON TRACK 163.90/2.59 TO CROSS SURYP AT 11000 AND AT 210 KIAS, THEN ON TRACK 163.90. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AIRCRAFT ONLY

NOTE: GPS REQUIRED.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT FFU VORTAC: HOLD S, RT, 340.00 INBOUND, 7 NM LEGS.

CHART HOLDING AT FLECC: HOLD W, RT, 077.04 INBOUND, 10 NM LEGS.

CHART HOLDING AT KNOLE: HOLD W, RT, 079.58 INBOUND, 10 NM LEGS.

CHART HOLDING AT MOINT: HOLD W, RT, 085.61 INBOUND, 7 NM LEGS.

CHART HOLDING AT YUTES: HOLD W, LT, 079.58 INBOUND, 10 NM LEGS.

CHART: CEEDR.

CHART: RROYY.

COMMUNICATIONS:

CHART: SALT LAKE ARTCC

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
YUTES (RNAV)	THREE	YUTES.YUTES3	TWO	03/19/2026	

AIRPORTS SERVED:

AIRPORT ID
SLC

CITY
SALT LAKE CITY

STATE
UT

LOST COMMUNICATIONS PREFERENCES:

LANDING NORTH: AFTER SURYP PROCEED TO CEEDR, THEN LEFT TURN TO FFU AND HOLD AT 11000.

LANDING SOUTH: AFTER LAWVA PROCEED TO RROY, THEN LEFT TURN TO MOINT AND HOLD AT 12000.

REMARKS:

CLIMB IN LOST COMM DUE TO MOUNTAINOUS TERRAIN IN AREA.

11100 FT MOCA VALUES DUE TO 9006 MSL AAO LOCATED BETWEEN DUGGY-JAXXX.

MOINT HOLD UTILIZES 1000 FT ROC AS IT RESIDES IN TERMINAL ENVIRONMENT.

ABBREVIATED ADMT;NO FC REQUIRED.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: UNSAT.

MAG VAR: SLC 11E/2020

CHART AT LAWVA TERMINUS: SLC LDG RWY 16L/R, 17

CHART AT SURYP TERMINUS: SLC LDG RWY 34L/R, 35

FLIGHT INSPECTED BY:

ORGANIZATION: **DATE:**

PROCESSED IAW TECHNICAL SUPPORT GROUP (AJF-17) MEMO DATED 07/07/2021, SUBJECT: GUIDANCE FOR PROCEDURAL CHANGES REQUIRING FLIGHT INSPECTION/ VALIDATION.

Flight Inspected Signature:

Digitally signed by

ALLAN WILL

Jul 09, 2026

Digitally signed by

ALLAN WILL

Jul 09, 2026

DEVELOPED BY:

Mark Whitney

SLC ARTCC

06/06/2026

Developed By Signature:

Digitally signed by

ALLAN WILL

Jul 09, 2026

APPROVED BY:

Kyle Thompson

AJV-A400

Approved By Signature:

CHANGES:

1. ADDED A SPEED RESTRICTION OF AT 250 KIAS AT JAXXX WP AND BUSHH WP.

2. ADDED A SPEED RESTRICTION OF AT 210 KIAS AT LAWVA WP AND SURYP WP.


REASONS:

1-2 ATC REQUEST FOR POST-IMPLEMENTATION.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
YUTES (RNAV)	THREE	YUTES.YUTES3	TWO	03/19/2026	
Graphic Depiction 1					



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name YUTES (RNAV)	Number THREE		STAR Computer Code YUTES.YUTES3		Superseded Number TWO		Dated 03/19/2026		Effective Date
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
En Route Transition									
FLECC	404207.83N / 1145316.21W	Y		IF					FLECC.YUTES3
BVL VORTAC	404333.95N / 1134526.70W	Y	FB	TF	088.04	51.60			
KNOLE	404321.37N / 1125131.15W	Y	FB	TF	090.00	41.00	AT 17000	AT 250K	
SKWAH	404313.00N / 1123704.48W	Y	FB	TF	090.65	10.98	AT/ABOVE 14000		
YUTES	404310.50N / 1123148.39W	Y	FB	TF	090.57	04.01			
Runway Transition									
YUTES	404310.50N / 1123148.39W	Y		IF					
DUGGY	404130.00N / 1121528.13W	Y	FB	TF	097.58	12.54			
JAXXX	404200.61N / 1120904.13W	Y	FB	TF	083.99	04.89	AT 12000	AT 250K	
MAGNE	404502.61N / 1120530.47W	Y	FB	TF	041.75	04.06			
LAWVA	404940.43N / 1120603.40W	Y	FO	TF	354.86	04.65	AT 11000	AT 210K	
KSLC:RWY 16L,RWY 16R				FM	354.86				
Runway Transition									
YUTES	404310.50N / 1123148.39W	Y		IF					
DUGGY	404130.00N / 1121528.13W	Y	FB	TF	097.58	12.54			
JAXXX	404200.61N / 1120904.13W	Y	FB	TF	083.99	04.89	AT 12000	AT 250K	
MAGNE	404502.61N / 1120530.47W	Y	FB	TF	041.75	04.06			
LAWVA	404940.43N / 1120603.40W	Y	FO	TF	354.86	04.65	AT 11000	AT 210K	
KSLC:RWY 17				FM	354.86				
Runway Transition									
YUTES	404310.50N / 1123148.39W	Y		IF					
GOGGL	404528.87N / 1121754.11W	Y	FB	TF	077.62	10.82			
BUSHH	404617.49N / 1121052.65W	Y	FB	TF	081.33	05.40	AT 12000	AT 250K	
MARYZ	404427.24N / 1120526.49W	Y	FB	TF	113.94	04.52			



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name YUTES (RNAV)		Number THREE		STAR Computer Code YUTES.YUTES3			Superseded Number TWO		Dated 03/19/2026	Effective Date
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>	
SURYP	404152.31N / 1120508.31W	Y	FO	TF	174.90	02.59	AT 11000	AT 210K		
KSLC:RWY 34L,RWY 34R				FM	174.90					
Runway Transition										
YUTES	404310.50N / 1123148.39W	Y		IF						
GOGGL	404528.87N / 1121754.11W	Y	FB	TF	077.62	10.82				
BUSHH	404617.49N / 1121052.65W	Y	FB	TF	081.33	05.40	AT 12000	AT 250K		
MARYZ	404427.24N / 1120526.49W	Y	FB	TF	113.94	04.52				
SURYP	404152.31N / 1120508.31W	Y	FO	TF	174.90	02.59	AT 11000	AT 210K		
KSLC:RWY 35				FM	174.90					