

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 11/27/2025	APWS Task ID: 4A07F5C4A81247BABD509ED334821F37	APWS Project ID: C90354056044464E9D57605B43C7314B
Procedure: RNAV (GPS) RWY 12 AMDT 1C		Enroute: NO	Specialist: Ulvestad, Arthur		Agreement Number:
Airport ID: KATW			Airport City: APPLETON		State: WI
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE AIRPORT DATA USED. CLEAR NOTAM 5/4633 LNAV MDA 1280/HAT 362. CIRCLING CAT D NEW OBSTACLE, MDA UNCHANGED. CONTACT: KYLE THOMPSON 405-954-2135 09/22/25: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 09/15/25. 1. CHANGED LNAV/VNAV DA FROM 1329/HAT 411 TO DA 1280/HAT 362 - MATCH LNAV/VNAV MINS TO LNAV MINS. 2. LNAV/VNAV VISIBILITY CHANGED FROM 1 1/8 TO 1 - IAW 8260.3G TABLE 3-3-1. QUALITY 35 CHECKED QUALITY 10 CHECKED					

WAAS
CH **82716**
W12A

APP CRS
118°

Rwy Idg
TDZE **918**
Apt Elev **918**

OLD


RNAV (GPS) RWY 12

APPLETON INTL (ATW)

▼ For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C (4°F) or above 47°C (116°F). DME/DME RNP-0.3 NA. When local altimeter not received, use Green Bay-Austin Straubel Intl altimeter setting and increase all DA 81 feet and all MDA 100 feet. Increase LPV and LNAV/VNAV all Cats and LNAV Cat C/D visibility ½ mile. Baro-VNAV and VDP NA when using Green Bay-Austin Straubel altimeter setting.

▲ MISSED APPROACH: Climb to 2700 direct APESE and hold.

ATIS 127.15	GREEN BAY APP CON★ 126.3 338.2	APPLETON TOWER★ 119.6 (CTAF) 0	GND CON 121.7	UNICOM 122.95
-----------------------	--	--	-------------------------	-------------------------



4 NM Holding Pattern

GP 3.00° TCH 50

ARALE

ZOGLO

HODNO 1.7 NM to RW12

2700 APESE

*LNAV only

*0.9 NM to RW12

*1500

6.1 NM

3.4 NM

0.8

0.9

CATEGORY	A	B	C	D
LPV DA		1118-¾	200 (200-¾)	
LNAV/ VNAV DA		1329-1½	411 (500-1½)	
LNAV MDA		1240-1	322 (400-1)	
CIRCLING	1340-1 422 (500-1)	1380-1 462 (500-1)	1400-1½ 482 (500-1½)	1480-2 562 (600-2)

ELEV 918

TDZE 918

REIL Rwy 12 and 21 0

HIRL Rwy 12-30 and 3-21 0

KATW
APPLETON INTL
APPLETON, WI
RNAV (GPS) RWY 12
AMDT 1C
1:500K

OTC GREEN BAY APP
20 NM ON 119.4 338.2

GREEN BAY CLASS C


See NOTAMS/Supplement
for Class C eff hrs

RNAV ZOGLO to HODNO AAO (1136)

Missed Level Surface TOWER (1344)
55-000059

RNAV HODNO to KATW:RW12:AER TREE (1014)
55-100577

APESSE TOWER (1344)
55-000059



KATW
APPLETON INTL
APPLETON, WI
RNAV (GPS) RWY 12
AMDT 1C
1:100K
CIRCLING

Circling CAT A/B AAO (1029)

Circling CAT C TOWER (1032)
55-001042

Circling CAT D TOWER (1119)
55-000475

