

RADIO FIX AND HOLDING DATA RECORD

NAME: CRESTVIEW VORTAC **STATE:** FL **COUNTRY:** US **ICAO REGION CODE:** K7

LATITUDE/LONGITUDE: 304934.23N/0864044.92W **TYPE:**

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	CRESTVIEW	CEW	VORTAC	VH							45000

HOLDING: **HOLDING TYPE OF ACTION:** CANCEL

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG TIME	LENGTH DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	W	CEW	VORTAC	286.22	106.22	L	1		2200	6000	4	5

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	TOWER (12-003481)	304919.44N/0864236.56W	616	1A

REASON FOR NONSTANDARD HOLDING:

PAT 1 ATC REQUEST / AIRSPACE

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
REFERENCE MAG VAR: E3/1965.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	OPPTO			OZR	FORT RUCKER	AL (US)
DP	ALEXANDRIA			LBX	ANGLETON/LAKE JACKSON	TX (US)
DP	ALEXANDRIA			GLS	GALVESTON	TX (US)
DP	ALEXANDRIA			AXH	HOUSTON	TX (US)
DP	ALEXANDRIA			CXO	HOUSTON	TX (US)
DP	ALEXANDRIA			DWH	HOUSTON	TX (US)
DP	ALEXANDRIA			EFD	HOUSTON	TX (US)
DP	ALEXANDRIA			HOU	HOUSTON	TX (US)
DP	ALEXANDRIA			IAH	HOUSTON	TX (US)
DP	ALEXANDRIA			IWS	HOUSTON	TX (US)
DP	ALEXANDRIA			SGR	HOUSTON	TX (US)
DP	ALEXANDRIA			TME	HOUSTON	TX (US)
DP	ALEXANDRIA			T41	LA PORTE	TX (US)
EN ROUTE	J2					(US)
EN ROUTE	J50					(US)
EN ROUTE	V115					(US)
EN ROUTE	V198					(US)
EN ROUTE	V241					(US)
IAP	VOR/DME RWY 30			12J	BREWTON	AL (US)
IAP	ILS OR LOC RWY 6			OZR	FORT RUCKER/OZARK	AL (US)
IAP	NDB RWY 6			OZR	FORT RUCKER/OZARK	AL (US)
IAP	VOR RWY 24			OZR	FORT RUCKER/OZARK	AL (US)
IAP	VOR RWY 6			OZR	FORT RUCKER/OZARK	AL (US)
IAP	HI-ILS Y OR LOC Y RWY 10			MGM	MONTGOMERY	AL (US)
IAP	HI-TACAN-J			MGM	MONTGOMERY	AL (US)
IAP	ILS OR LOC RWY 17			CEW	CRESTVIEW	FL (US)
IAP	RNAV (GPS) RWY 17			CEW	CRESTVIEW	FL (US)
IAP	RNAV (GPS) RWY 35			CEW	CRESTVIEW	FL (US)
IAP	VOR-A		1	CEW	CRESTVIEW	FL (US)
IAP	RNAV (GPS) RWY 14			DTS	DESTIN	FL (US)
IAP	RNAV (GPS) RWY 32			DTS	DESTIN	FL (US)
IAP	COPTER RNAV (GPS) 004			NDZ	MILTON	FL (US)
IAP	COPTER TACAN 004			NDZ	MILTON	FL (US)
IAP	ILS Y OR LOC RWY 32			NDZ	MILTON	FL (US)
IAP	ILS Z OR RNAV (GPS) RWY 32			NDZ	MILTON	FL (US)
IAP	ILS Y OR LOC Y RWY 14			NSE	MILTON	FL (US)
IAP	ILS OR LOC RWY 16			ECP	PANAMA CITY	FL (US)
IAP	ILS RWY 16 (SA CAT I)			ECP	PANAMA CITY	FL (US)
IAP	ILS RWY 16 (SA CAT II)			ECP	PANAMA CITY	FL (US)
IAP	HI-VOR Z RWY 19		1	NPA	PENSACOLA	FL (US)
IAP	VOR RWY 8			PNS	PENSACOLA	FL (US)
IAP	ILS Y OR LOC Y RWY 30		1	VPS	VALPARAISO	FL (US)

REQUIRED CHARTING: DP, MILITARY IAP, MILITARY DP, IAP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

QUALITY
16
CHECKED

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 16

DATE OF REVISION: 10/05/2023

REASON FOR REVISION:

1. ADDED KNDZ ILS Y OR LOC RWY 32, KNDZ ILS Z OR RNAV (GPS) RWY 32, KNDZ COPTER RNAV (GPS) 004, KNDZ COPTER TACAN 004, AND KNSE ILS Y OR LOC Y RWY 14 TO FIX USE.
2. CHANGED FIX USE TITLE KMGM HI-ILS OR LOC RWY 10 TO HI-ILS Y OR LOC Y RWY 10, AND KMGM HI-TACAN-A TO HI-TACAN-J.
3. DELETED KATL LA GRANGE STAR FROM FIX USE.
4. REQUIRED CHARTING: ADDED MILITARY DP AND REMOVED STAR.

07/28/26: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 07/10/26.

DELETED CRESTVIEW VORTAC REVISION 17 ADDED CANCELLATION OF CRESTVIEW VORTAC REVISION 16.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A422

NAME: JAMES HAUGH

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A433

NAME: ROBERT HAMILTON

SIGNATURE:

Digitally signed by

ROBERT G HAMILTON

Jul 10, 2026



RADIO FIX AND HOLDING DATA RECORD

NAME: HIHIT

STATE: AL

COUNTRY: US

ICAO REGION CODE: K7

LATITUDE/LONGITUDE: 310008.71N/0865907.04W

TYPE: DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	CRESTVIEW	CEW	VORTAC	H	300.81	303.81	19.00	19.00 115446	1600	4000

HOLDING:

HOLDING TYPE OF ACTION:

REMARKS:

K12J VOR/DME RWY 30 PUBLISHED USING FLIGHT CHECK EXTENDED FINAL VALUE OF CEW R-300.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	VOR/DME RWY 30	1		12J	BREWTON	AL (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4

DATE OF REVISION: 04/08/2010

REASON FOR REVISION:

UPDATED FIX USE.
UPDATED COORDINATES.
FIX MOVED 38.11 FT.
ADDED DISTANCE FROM FACILITY.

THIS IS A UPDATED COPY OF THE FORM DEVELOPED ON 07/16/2009.

ADDED REMARKS K12J VOR/DME RWY 30 PUBLISHED USING FLIGHT CHECK EXTENDED FINAL VALUE OF CEW R-300.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 02/05/2010

OFFICE: AVN-110

NAME: FRANK JACKSON

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A433

NAME: ROBERT HAMILTON

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: EST
ARTCC: ZJX
ATC FACILITY: PNS APP CON
OTHER:

Digitally signed by

ROBERT G HAMILTON

Jul 10, 2026



RADIO FIX AND HOLDING DATA RECORD

NAME: ITNEW

STATE: FL

COUNTRY: US

ICAO REGION CODE: K7

LATITUDE/LONGITUDE: 304849.17N/0865439.45W

TYPE: DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	CRESTVIEW	CEW	VORTAC	H	263.48	266.48	12.00	12.00		3100	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V241	1				(US)
EN ROUTE	V198	1				FL (US)

REQUIRED CHARTING: EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4

DATE OF REVISION: 10/29/2026

REASON FOR REVISION:

FIX USE REMOVED VOR/DME RWY 30 @ 12J
REQUIRED CHARTING REMOVED IAP

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: JOSHUA DUGAN

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A433

NAME: ROBERT HAMILTON

SIGNATURE:

Digitally signed by

ROBERT G HAMILTON

Jul 10, 2026



RADIO FIX AND HOLDING DATA RECORD

NAME: ITUYU

STATE: AL

COUNTRY: US

ICAO REGION CODE: K7

LATITUDE/LONGITUDE: 310135.76N/0864030.31W

TYPE: DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	CRESTVIEW	CEW	VORTAC	H	358.00	001.00	12.00	12.00		2500	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V115	1				AL (US)

REQUIRED CHARTING: EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3

DATE OF REVISION: 10/29/2026

REASON FOR REVISION:

FIX USE REMOVED VOR/DME RWY 30 @ 12J
REQUIRED CHARTING REMOVED IAP ADDED CONTROLLER LOW

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: JOSHUA DUGAN

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A433

NAME: ROBERT HAMILTON

SIGNATURE:

Digitally signed by
ROBERT G HAMILTON
Jul 10, 2026

QUALITY
18
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: JIKUD

STATE: FL

COUNTRY: US

ICAO REGION CODE: K7

LATITUDE/LONGITUDE: 305755.36N/0865514.68W

TYPE: DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	CRESTVIEW	CEW	VORTAC	H	300.81	303.81	15.00	15.00		2300	6000

HOLDING:

HOLDING TYPE OF ACTION:

REMARKS:

K12J VOR/DME RWY 30 PUBLISHED USING FLIGHT CHECK EXTENDED FINAL VALUE OF CEW R-300.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	VOR/DME RWY 30	1		12J	BREWTON	AL (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 04/08/2010

REASON FOR REVISION:

THIS IS A UPDATED COPY OF THE FORM DEVELOPED ON 07/16/2009.

ADDED REMARKS K12J VOR/DME RWY 30 PUBLISHED USING FLIGHT CHECK EXTENDED FINAL VALUE OF CEW R-300.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 02/05/2010

OFFICE: AVN-110

NAME: FRANK JACKSON

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A433

NAME: ROBERT HAMILTON

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: EST
ARTCC: ZJX
ATC FACILITY: PNS APP CON
OTHER:

Digitally signed by

ROBERT G HAMILTON

Jul 10, 2026



RADIO FIX AND HOLDING DATA RECORD

NAME: MARBG

STATE: AL

COUNTRY: US

ICAO REGION CODE: K7

LATITUDE/LONGITUDE: 310240.97N/0870332.80W

TYPE: DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	CRESTVIEW	CEW	VORTAC	H	300.81	303.81	23.57	23.57	560	17500

HOLDING:

HOLDING TYPE OF ACTION:

REMARKS:

K12J VOR/DME RWY 30 PUBLISHED USING FLIGHT CHECK EXTENDED FINAL VALUE OF CEW R-300.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	VOR/DME RWY 30	1		12J	BREWTON	AL (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 04/08/2010

REASON FOR REVISION:

ADDED CEW AS FACILITY 1.
MOVED FIX 908 FEET SOUTHEAST.
CHANGED FIX FROM CNF TO DME.

THIS IS A UPDATED COPY OF THE FORM DEVELOPED ON 08/31/2009.

ADDED REMARKS K12J VOR/DME RWY 30 PUBLISHED USING FLIGHT CHECK EXTENDED FINAL VALUE OF CEW R-300.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

DEVELOPED BY:

DATE: 08/31/2009

OFFICE: AVN-101

NAME: EUGENE NEWTON (DAVID DANNER)

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A433

NAME: ROBERT HAMILTON

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: EST
ARTCC: ZJX
ATC FACILITY:
OTHER:

Digitally signed by

ROBERT G HAMILTON

Jul 10, 2026



RADIO FIX AND HOLDING DATA RECORD

NAME: ROICE

STATE: FL

COUNTRY: US

ICAO REGION CODE: K7

LATITUDE/LONGITUDE: 305615.26N/0865220.52W

TYPE: DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	CRESTVIEW	CEW	VORTAC	H	300.81	303.81	12.00	12.00	2300	17500

HOLDING:

HOLDING TYPE OF ACTION: CANCEL

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	SE	CEW	VORTAC	300.81	300.81	R	1	2300 6000	4 5

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	305921.00N/0865118.00W	502	4E

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN.

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED.
K12J VOR/DME RWY 30 PUBLISHED USING FLIGHT CHECK EXTENDED FINAL VALUE OF CEW R-300.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	VOR/DME RWY 30	1	1	12J	BREWTON	AL (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3

DATE OF REVISION: 04/08/2010

REASON FOR REVISION:

FIX MOVED 2 NM.
UPDATED FIX COORDINATES.
UPDATED FIX USE.
CHANGED HOLDING SPEED FROM 230 TO 200.
UPDATED HOLDING OBSTACLE.
UPDATED MRA/MAA.
UPDATED MAX HOLDING ALTITUDE.
ADDED DISTANCE FROM FACILITY.

THIS IS A UPDATED COPY OF THE FORM DEVELOPED ON 07/16/2009

CHANGED HOLDING PATTERN 1 OUTBOUND RADIAL FROM 120.81 TO 300.81, HOLDING IS AWAY FROM NAVAID.
ADDED REMARK K12J VOR/DME RWY 30 PUBLISHED USING FLIGHT CHECK EXTENDED FINAL VALUE OF CEW R-300.

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
DEVELOPED BY:	DATE: 02/05/2010	OFFICE: AVN-101	NAME: FRANK JACKSON
APPROVED BY:	DATE: 09/24/2026	OFFICE: AJV-A433	NAME: ROBERT HAMILTON

SIGNATURE:

DISTRIBUTION: NFDC
FPO: EST
ARTCC: ZJX
ATC FACILITY: PNS APP CON
OTHER:

Digitally signed by
ROBERT G HAMILTON
Jul 10, 2026

