

RADIO FIX AND HOLDING DATA RECORD

NAME: BHIVE STATE: UT COUNTRY: US ICAO REGION CODE: K2
 LATITUDE/LONGITUDE: 405830.37N/1120107.76W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	SALT LAKE CITY	I-UAT	LOC/DME		343.95	354.95	12.22	12.21		7500	8700

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

I-UAT DME ANT: 404619.63N/1115946.36W

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16R	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II - III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16R	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16R	1		KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6 DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

1. MOVED FIX 2338 FT SOUTH FOR REDESIGNED APPROACHES TO RWY 16R AT KSLC.
2. FIX MAKE-UP FACILITIES: FAC 1 DME CHANGED FROM 12.60 TO 12.22 AND DIST FROM FAC NM CHANGED FROM 12.60 TO 12.21.
3. REMARKS: UPDATED I-UAT DME ANT LAT/LONG: FROM 404619.61N/1115946.36W TO 404619.63N/1115946.36W.
4. FIX USE: CHANGED IAP RNAV (GPS) RWY 16R AT KSLC TO RNAV (GPS) Y RWY 16R, AND COMBINED FORMATTING FOR IAP'S ILS RWY 16R CAT II AND CAT III AT KSLC.
5. FIX USE: ADDED IAP RNAV (RNP) Z RWY 16R AT KSLC.

INITIATED BY: DATE: ORGANIZATION: NAME:
 OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 NAME: RICHARD CHRISTENSEN
 APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A431 NAME: ERIC N SUSKI
 SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: BNKER

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 405351.36N/1120035.12W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	SALT LAKE CITY	I-UAT	LOC/DME		343.95	354.95	7.55	7.55	45864	6000	8700

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

I-UAT DME ANT: 404619.63N/1115946.36W

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16R	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II - III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16R			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 7

DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

- MOVED FIX 384 FT NORTH FOR ALIGNMENT WITH NEW RWY 16R PROCEDURES AT AIRPORT.
- FIX MAKE-UP FACILITIES: FAC 1 DME AND DIST FROM FAC NM CHANGED FROM 7.49 TO 7.55, AND FEET FROM 45481 TO 45864.
- REMARKS: REMOVED "USED RNP PFAF FORMULA TO CALCULATE FIX COORDINATES".
- REMARKS: UPDATED LAT/LONG FOR I-UAT DME ANT: FROM "404619.61N/1115946.36W" TO "404619.63N/1115946.36W".
- FIX USE: CHANGED IAP RNAV (GPS) RWY 16R AT KSLC TO RNAV (GPS) Y RWY 16R, AND COMBINED FORMATTING FOR IAP'S ILS RWY 16R CAT II AND CAT III AT KSLC.
- FIX USE: ADDED IAP RNAV (RNP) Z RWY 16R AT KSLC.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: RICHARD CHRISTENSEN

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A431

NAME: ERIC N SUSKI

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: EKKHO

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 411327.17N/1120435.59W

TYPE: WP

AIRSPACE DOCKET:
FIX TYPE OF ACTION: ESTABLISH

HOLDING:
HOLDING TYPE OF ACTION:
FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II - III)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II - III)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I - II)			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 17			KSLC	SALT LAKE CITY	UT (US)
STAR	SKEES (RNAV)			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 02/20/2025

INITIATED BY:
DATE:
ORGANIZATION:
NAME:
OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: WESTLEY OWENS

APPROVED BY:
DATE: 02/20/2025

OFFICE: AJV-A431

NAME: ERIC N SUSKI

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: LAWVA

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 404940.43N/1120603.40W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
USE TYPE						
IAP	RNAV (RNP) Z RWY 16R			KSLC	SALT LAKE CITY	UT (US)
STAR	PITTT (RNAV)			KSLC	SALT LAKE CITY	UT (US)
STAR	YUTES (RNAV)			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 02/20/2025

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A433

NAME: GUY COPELAND

APPROVED BY:

DATE: 12/26/2024

OFFICE: AJV-A430

NAME: BEV L BORDY

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: RRUFF STATE: UT COUNTRY: US ICAO REGION CODE: K2
 LATITUDE/LONGITUDE: 410839.42N/1120219.12W TYPE: WP, RADAR, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	SALT LAKE CITY	I-UAT	LOC/DME		343.95	354.95	22.40	22.40		9000	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-UAT	LOC/DME	R-344	23	9000	17500

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

I-UAT DME ANT: 404619.63N/1115946.36W

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16R	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II - III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16R			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 8 DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

- REMARKS: UPDATED I-UAT DME ANT COORDINATES FROM 404619.61N/1115946.36W TO 404619.63N/1115946.36W.
- FIX USE: ADDED IAP RNAV (RNP) Z RWY 16R AT KSLC, AND RNAV (GPS) RWY 16R CHANGED TO RNAV (GPS) Y RWY 16R AT KSLC.
- FIX USE: COMBINED FORMATTING FOR IAP'S ILS RWY 16R CAT II AND CAT III AT KSLC.

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 NAME: RICHARD CHRISTENSEN

APPROVED BY: DATE: 02/20/2025 OFFICE: AJV-A431 NAME: ERIC N SUSKI

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: STACO

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 404919.91N/1122510.55W

TYPE: WP, INT, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	WASATCH	TCH	VORTAC	VH	249.32	265.32	20.00	20.00	8100	17500
2	OGDEN	OGD	VORTAC	VL	197.30	211.30	28.17	28.17	8100	17500
3	MALAD CITY	MLD	VOR/DME	VH	162.00	179.00	82.63	82.63	13000	17500
4	FAIRFIELD	FFU	VORTAC	VH	310.42	326.42	39.46	39.46	12100	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
MLD	VOR/DME	R-162	83	13000	17500

FIX RESTRICTIONS:

MCA V257 10500 SOUTHBOUND
MCA V200 11000 SOUTHEAST BOUND

HOLDING:

HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME DME	HOLDING ALTITUDES MIN MAX	TEMPLATES MIN MAX
1	W	TCH	VORTAC	249.32	069.32	R	1	9000 17500	11 18
2	W		WP	251.32	071.32	R		9000 17500	10 17
3	W	TCH	VORTAC	249.32	069.32	L	1	8100 14000	10 11
4	W		WP	251.32	071.32	L		8100 17500	10 17
5	W		WP	252.32	072.32	R		9000 12000	10 10

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	AAO	403920.79N/1123720.86W	8239	2C
2	230	AAO	403920.79N/1123720.86W	8239	2C
3	230	AAO	405048.00N/1122957.00W	6847	4B
4	230	AAO	405048.00N/1122957.00W	6847	4B
4	310	AAO	403921.00N/1123721.00W	8235	4B
5	230	AAO	403920.79N/1123720.86W	8239	2C

PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
1	230	145
2	230	260
3	230	140
4	310	220
4	230	160
5	230	260

REASON FOR NONSTANDARD HOLDING:

PAT 3 AVOID RISING TERRAIN TO THE SOUTH.
PAT 4 AVOID RISING TERRAIN TO THE SOUTH

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERNS.

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
4	RNAV (GPS) Y RWY 16R	KSLC	SALT LAKE CITY	UT (US)

REMARKS:

WASATCH (FAC 1) AND OGDEN (FAC 2) USED TO ESTABLISH FIX COORDINATES.
PRECIPITOUS TERRAIN EVALUATION COMPLETED.
PAT 3 AND 4 HOLDING ALTITUDES TO REMAIN AT 8100 FOR KSLC ILS OR LOC RWY 34L, ILS OR LOC RWY 16R, AND RNAV (GPS) RWY 34L.
FAC 1 ALTITUDE BELOW AIRWAY MEA FOR HOLDING AT KSLC.
DISTANCE OF 39.46 USED TO DERIVE TEMPLATES FOR PAT 1.
PAT 2 CONTROLLING OBSTACLE LOCATED 2698 FT INTO SECONDARY AREA.
PAT 5 CONTROLLING OBSTACLE LOCATED 3355 FT INTO SECONDARY AREA.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	STACO (RNAV)		5	KTVY	TOOELE	UT (US)
DP	TAKEOFF MINS	1, 2		KTVY	TOOELE	UT (US)
EN ROUTE	V200	1, 2, 4				(US)
EN ROUTE	V257	1, 3, 4				(US)

EN ROUTE	V32	1, 2, 4	1			(US)
IAP	RNAV (GPS) RWY 3			KOGD	OGDEN	UT (US)
IAP	ILS OR LOC RWY 16R	1, 2	3	KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 34L	1, 2	3	KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II - III)	1, 2	3	KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)	1, 2	3	KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (CAT II - III)	1, 2	3	KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 34L (SA CAT I)	1, 2	3	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 34L		4	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16R		4	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 34L		4	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16R		4	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 34L		4	KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) RWY 34		2	U42	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: DP, IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 26

DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

1. FIX MAKE-UP FACILITIES: FAC 1, 2, 3 AND 4 CLASS UPDATED: FAC 1, 3, 4 FROM H TO VH, FAC 2 FROM L TO VL.
2. CONTROLLING OBSTRUCTIONS: PAT 3 AND 4 OBST CHANGED FROM 6849 6C AAO 405050.80N/1122946.60W TO 6847 4B AAO 405048.00N/1122957.00W, AND ADDED 310 AIRSPEED OBST 8235 4B AAO 403921.00N/1123721.00W TO PAT 4.
3. PRECIPITOUS TERRAIN ADDITIONS: PAT 4 230 SPEED CHANGED FROM 150 TO 160, ADDED 310 SPEED 220 PR ADDITION TO PAT 4, AND ADDED PAT 3 230 SPEED 140 PR ADDITION.
4. PROCEDURES REQUIRING CLIMB-IN-HOLD: ADDED PAT 4 RNAV (GPS) Y RWY 16R AT KSLC.
5. REMARKS: ADDED OGDEN (FAC 2) TO ESTABLISH FIX COORDINATES, AND REMOVED DISTANCE OF 28.17 USED TO DERIVE TEMPLATES FOR PAT 4.
6. FIX USE: CORRECTED FORMATTING FOR ILS RWY 16R/34L AT KSLC TO COMBINE CAT II AND III TO MATCH PUBLICATION PLATES.
7. FIX USE: ADDED RNAV (RNP) Z RWY 16R AND RNAV (RNP) Z RWY 34L AT KSLC.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: RICHARD CHRISTENSEN

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A431

NAME: ERIC N SUSKI

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: WEBER

STATE: UT

COUNTRY: US

ICAO REGION CODE: K2

LATITUDE/LONGITUDE: 411513.95N/1120144.88W

TYPE: WP, RADAR, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	SALT LAKE CITY	I-MOY	LOC/DME		343.96	354.96	29.02	29.02	11000	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-MOY	LOC/DME	R-344	33	11000	17500

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

I-MOY DME ANT: 404618.72N/1115818.13W.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 16L	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS OR LOC RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16L (CAT II - III)	1		KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (CAT II - III)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 16R (SA CAT I)			KSLC	SALT LAKE CITY	UT (US)
IAP	ILS RWY 17 (SA CAT I - II)			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (GPS) Y RWY 17			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16L			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 16R			KSLC	SALT LAKE CITY	UT (US)
IAP	RNAV (RNP) Z RWY 17			KSLC	SALT LAKE CITY	UT (US)
STAR	CARTR (RNAV)			KSLC	SALT LAKE CITY	UT (US)

REQUIRED CHARTING: STAR, IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6

DATE OF REVISION: 02/20/2025

REASON FOR REVISION:

1. LATITUDE/LONGITUDE: CHANGED FROM "411911.85N/1120213.36W" TO "411513.95N/1120144.88W" - FIX MOVED 3.98 NM SOUTH/FIX NAME RETAINED AT ATC REQUEST.
2. FIX MAKE-UP FACILITIES: FAC 1 MAG/TRUE BRG CHANGED FROM "343.95/354.95" TO "343.96/354.96".
3. FIX MAKE-UP FACILITIES: FAC 1 DME/DISTANCE FROM NM CHANGED FROM "33.00" TO "29.02".
4. FIX MAKE-UP FACILITIES: FAC 1 MRA CHANGED FROM "12000" TO "11000".
5. REMARKS: CHANGED "I-MOY DME ANT: 404618.71N/1115818.11W" TO "404618.72N/1115818.13W".
6. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 17" AND ALL ASSOCIATIONS.
7. FIX USE: ADDED ALPHABETICAL IDENTIFIER "Y" TO RNAV (GPS) RWY 17 AT KSLC.
8. FIX USE: ADDED KSLC IAP "RNAV (GPS) Y RWY 16L" AND ALL ASSOCIATIONS.
9. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 16L" AND ALL ASSOCIATIONS.
10. FIX USE: ADDED KSLC IAP "RNAV (GPS) Y RWY 16R" AND ALL ASSOCIATIONS.
11. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 16R" AND ALL ASSOCIATIONS.
12. FIX USE: ADDED KSLC IAP "RNAV (RNP) Z RWY 17" AND ALL ASSOCIATIONS.
13. FIX USE: ADDED KSLC IAP "ILS OR LOC RWY 16R" AND ALL ASSOCIATIONS.
14. FIX USE: ADDED KSLC IAP "ILS RWY 16R (CAT II - III)" AND ALL ASSOCIATIONS.
15. FIX USE: ADDED KSLC IAP "ILS RWY 16R (SA CAT I)" AND ALL ASSOCIATIONS.
16. FIX USE: ADDED KSLC IAP "ILS RWY 16L (CAT II - III)" AND ALL ASSOCIATIONS.
17. FIX USE: ADDED KSLC STAR "CARTR (RNAV)" AND ALL ASSOCIATIONS.
18. FIX USE: REMOVED KSLC STAR "NORDK (RNAV)" AND ALL ASSOCIATIONS.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: WESTLEY OWENS

APPROVED BY:

DATE: 02/20/2025

OFFICE: AJV-A431

NAME: ERIC N SUSKI

SIGNATURE: