

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: Textual DP	Estimated Chart Date: 10/29/2026	APWS Task ID: 4E3F19D1732445FC92D017EB88C85D4C	APWS Project ID: 00ACAE7CC0C84EC5BBD608FBD345CA19
Procedure: TAKEOFF MINIMUMS AND OBSTACLE DP AMDT 3		Enroute: NO	Specialist: Hirst, Charles		Agreement Number:
Airport ID: KCKV			Airport City: CLARKSVILLE		State: TN
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: REMOVE DECOMISSIONED RUNWAY 5/23, IMPLEMENT NEW ICA, LOWER PROCEDURE MINIMUMS PENDING AIRNAV AIRPORT AND RUNWAY DATA USED FOR ADDITIONAL INFORMATION CONTACT APRIL SARMENTO, MANAGER 405-954-0337					





CHATTANOOGA, TN (CON'T)

LOVELL FLD (CHA) (CON'T)

Rwy 33 (CON'T), trees beginning 1.7 NM from DER, 1629' left of centerline, up to 974' MSL.
 Trees beginning 1.9 NM from DER, 2446' left of centerline, up to 1002' MSL.
 Tree 1.9 NM from DER, 3461' left of centerline, 1022' MSL.
 Pole and trees beginning 2.0 NM from DER, 241' left of centerline, up to 92' AGL/1099' MSL.
 Tree 2.3 NM from DER, 60' right of centerline, 84' AGL/1033' MSL.
 Tree 2.5 NM from DER, 1570' left of centerline, 105' AGL/1126' MSL.
 Tree 2.5 NM from DER, 1088' left of centerline, 1085' MSL.

CLARKSVILLE, TN

OUTLAW FLD (CKV)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 2A 13JUN24 (24165) (FAA)

TAKEOFF MINIMUMS:

Rwy 35, 300-1 $\frac{1}{8}$ or std w/min climb of 245'/NM to 800 or alternatively, with std takeoff minimums and a normal 200'/NM climb gradient, takeoff must occur no later than 2000' prior to DER.

TAKEOFF OBSTACLE NOTES:

Rwy 5, transmission lines, tree, traverse way beginning 7' from DER, 121' right of centerline, up to 26' AGL/565' MSL.
 Pole, transmission line beginning 90' from DER, 368' right of centerline, up to 587' MSL.
 Trees beginning 136' from DER, 367' left of centerline, up to 559' MSL.
 Trees beginning 161' from DER, 299' right of centerline, up to 602' MSL.
 Trees beginning 248' from DER, 206' left of centerline, up to 566' MSL.
 Tree 313' from DER, 522' right of centerline, 613' MSL.
 Tree 355' from DER, 215' left of centerline, 569' MSL.
 Trees beginning 363' from DER, 291' right of centerline, up to 619' MSL.
 Tree 528' from DER, 313' left of centerline, 571' MSL.
 Tree 542' from DER, 533' left of centerline, 594' MSL.
 Tree 561' from DER, 524' left of centerline, 604' MSL.
 Trees beginning 594' from DER, 11' left of centerline, up to 627' MSL.
 Trees beginning 667' from DER, 3' right of centerline, up to 650' MSL.
 Trees beginning 1657' from DER, 172' left of centerline, up to 628' MSL.
 Trees beginning 1720' from DER, 94' left of centerline, up to 632' MSL.
 Trees beginning 1740' from DER, 25' left of centerline, up to 644' MSL.
 Trees, transmission line beginning 2542' from DER, 2' right of centerline, up to 657' MSL.
Rwy 17, tree 13' from DER, 364' right of centerline, 580' MSL.
 Transmission lines 40' from DER, 501' left of centerline, 24' AGL/576' MSL.
 Trees beginning 57' from DER, 440' right of centerline, up to 594' MSL.
 Poles, transmission line beginning 167' from DER, 449' left of centerline, up to 39' AGL/578' MSL.
 Transmission line, poles beginning 367' from DER, 333' left of centerline, up to 35' AGL/580' MSL.
 Tree 591' from DER, 532' left of centerline, 68' AGL/601' MSL.
 Trees beginning 627' from DER, 493' left of centerline, up to 608' MSL.
 Trees, poles beginning 696' from DER, 210' left of centerline, up to 619' MSL.
 Trees beginning 1567' from DER, 238' right of centerline, up to 598' MSL.
 Trees beginning 2129' from DER, 271' right of centerline, up to 621' MSL.
 Trees beginning 2242' from DER, 115' right of centerline, up to 622' MSL.
Rwy 23, trees beginning 1' from DER, 377' right of centerline, up to 636' MSL.
 Trees, traverse ways, transmission line, pole beginning 31' from DER, 8' right of centerline, up to 639' MSL.
 Trees beginning 399' from DER, 8' left of centerline, up to 561' MSL.
 Trees beginning 535' from DER, 240' left of centerline, up to 590' MSL.
 Trees, spires beginning 708' from DER, 165' left of centerline, up to 596' MSL.
Rwy 35, tree 4' from DER, 413' right of centerline, 43' AGL/571' MSL.
 Tree 8' from DER, 463' right of centerline, 48' AGL/576' MSL.
 Trees beginning 23' from DER, 341' right of centerline, up to 590' MSL.
 Tree 368' from DER, 500' right of centerline, 595' MSL.
 Tree 383' from DER, 588' right of centerline, 70' AGL/596' MSL.
 Tree, pole, transmission line beginning 446' from DER, 226' right of centerline, up to 606' MSL.
 Pole 930' from DER, 249' left of centerline, 11' AGL/562' MSL.
 Pole 1180' from DER, 585' left of centerline, 33' AGL/585' MSL.
 Transmission line, poles beginning 1201' from DER, 562' left of centerline, up to 37' AGL/589' MSL.
 Poles, transmission line, building, tree beginning 1209' from DER, 221' left of centerline, up to 49' AGL/601' MSL.
 Trees beginning 1440' from DER, 728' right of centerline, up to 610' MSL.
 Tree 1453' from DER, 823' right of centerline, 618' MSL.
 Tree 1487' from DER, 895' right of centerline, 102' AGL/643' MSL.
 Trees, pole beginning 1496' from DER, 522' left of centerline, up to 612' MSL.
 Trees, poles, tanks beginning 1524' from DER, 100' right of centerline, up to 649' MSL.
 Tree 1592' from DER, 557' left of centerline, 61' AGL/616' MSL.
 Trees beginning 1597' from DER, 450' left of centerline, up to 626' MSL.
 Trees beginning 1676' from DER, 487' left of centerline, up to 72' AGL/627' MSL.
 Trees, poles, transmission line beginning 1711' from DER, 394' left of centerline, up to 636' MSL.
 Trees, poles beginning 1822' from DER, 145' left of centerline, up to 639' MSL.
 Trees beginning 2373' from DER, 271' left of centerline, up to 644' MSL.
 Trees beginning 2728' from DER, 784' left of centerline, up to 649' MSL.
 Trees beginning 2956' from DER, 148' right of centerline, up to 661' MSL.

CON'T

19 MAR 2026 to 16 APR 2026

19 MAR 2026 to 16 APR 2026





26078

CLARKSVILLE, TN (CON'T)

OUTLAW FLD (CKV) (CON'T)

Rwy 35 (CON'T), trees beginning 3714' from DER, 1366' left of centerline, up to 657' MSL.
Transmission line 5156' from DER, 1669' right of centerline, 137' AGL/695' MSL.
Transmission lines beginning 5165' from DER, 990' right of centerline, up to 136' AGL/693' MSL.

CLEVELAND, TN

CLEVELAND RGNL JETPORT (RZR)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 2 08NOV18 (18312) (FAA)

TAKEOFF MINIMUMS:

Rwy 21, 300-1¾ or std. w/min. climb of 260' per NM to 1200.

DEPARTURE PROCEDURE:

Rwy 3, climb heading 034° to 2200 before turning right.

Rwy 21, climb heading 214° to 2400 before proceeding on course.

TAKEOFF OBSTACLE NOTES:

Rwy 21, tree 3009' from DER, 676' left of centerline, 920' MSL.

Tree 1.1 NM from DER, 2087' left of centerline, 1011' MSL.

Tree 1.1 NM from DER, 2321' left of centerline, 1021' MSL.

Tower 1.1 NM from DER, 65' left of centerline, 196' AGL/1054' MSL.

Tower 1.4 NM from DER, 880' right of centerline, 225' AGL/1075' MSL.

COLUMBIA-MT. PLEASANT, TN

MAURY COUNTY RGNL (MRC)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 3A 21JUN18 (21224) (FAA)

TAKEOFF MINIMUMS:

Rwys 17, 35, NA-Environmental.

Rwy 6, 300-1½ or std. w/min. climb of 301' per NM to 1100.

Rwy 24, 400-2¼ or std. w/min. climb of 278' per NM to 1200.

DEPARTURE PROCEDURE:

Rwy 24, climb heading 235° to 1200 before turning left.

TAKEOFF OBSTACLE NOTES:

Rwy 6, trees beginning 1177' from DER, 591' left of centerline, up to 92' AGL/751' MSL.

Trees beginning 1123' from DER, 732' right of centerline, up to 96' AGL/745' MSL.

Poles 24' from DER, 356' left of centerline, 42' AGL/691' MSL.

Trees beginning 2716' from DER, 921' left of centerline, up to 88' AGL/757' MSL.

Rwy 24, trees beginning 1819' from DER, 190' right of centerline, up to 124' AGL/739' MSL.

Trees beginning 1239' from DER, 700' left of centerline, up to 104' AGL/718' MSL.

Trees beginning 1299' from DER, 217' left of centerline, up to 96' AGL/712' MSL.

Pole 21' from DER, 487' right of centerline, 23' AGL/677' MSL.

Trees beginning 1725' from DER, 10' left of centerline, up to 106' AGL/719' MSL.

Trees beginning 2607' from DER, 324' left of centerline, up to 107' AGL/735' MSL.

COPPERHILL, TN

MARTIN CAMPBELL FLD (1A3)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 1 06OCT22 (22279) (FAA)

TAKEOFF MINIMUMS:

Rwy 2, std. w/min. climb of 440' per NM to 3000 or 2400-3 for VCOA.

Rwy 20, std. w/min. climb of 240' per NM to 4600 or 2400-3 for VCOA.

DEPARTURE PROCEDURE:

Rwy 2, climb on heading 019° to 4000 before proceeding on course.

Rwy 20, climb on heading 199° to 3700 before proceeding on course.

VCOA:

All runways, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Martin Campbell Fld at or above 4000 before proceeding on course.

TAKEOFF OBSTACLE NOTES:

Rwy 2, trees beginning 27' from DER, 8' left of centerline, up to 1817' MSL.

Trees beginning 65' from DER, 6' right of centerline, up to 1827' MSL.

Trees 1224' from DER, 661' right of centerline, 1840' MSL.

Trees beginning 1318' from DER, 369' right of centerline, up to 1853' MSL.

Trees beginning 1634' from DER, 128' right of centerline, up to 1860' MSL.

Trees beginning 1.9 NM from DER, 1461' left of centerline, up to 2119' MSL.

Trees beginning 1.9 NM from DER, 488' left of centerline, up to 2186' MSL.

Trees beginning 2.1 NM from DER, 5' right of centerline, up to 2301' MSL.

Tree 2.1 NM from DER, 509' left of centerline, 2253' MSL.

Trees beginning 2.1 NM from DER, 103' left of centerline, up to 2312' MSL.

Rwy 20, trees abeam from DER, 163' left of centerline, 1811' MSL.

Trees beginning 4' from DER, 141' right of centerline, up to 1827' MSL.

Trees beginning 8' from DER, 211' left of centerline, up to 1813' MSL.

Trees 155' from DER, 494' left of centerline, 1837' MSL.

CON'T



26078



19 MAR 2026 to 16 APR 2026

19 MAR 2026 to 16 APR 2026