

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
SASIE	EIGHT	SASIE.SASIE8	SEVEN	12/29/2022	

TRANSITION ROUTES:

Transition Name	Transition Computer Code	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitude/Fixes
ARDMORE	ADM.SASIE8	ADM VORTAC	ADM VORTAC						
		ADM VORTAC	CAINE	124.60 & 125.12 (ADM R-125 & BYP R-305)	51.53	5000	3600		
		CAINE	SASIE	215.00 (FUZ R-035)	15.88	5000	2400		
BONHAM	BYP.SASIE8	BYP VORTAC	BYP VORTAC						
		BYP VORTAC	SASIE	248.06 (BYP R-248)	18.93	5000	2400		
FORT SMITH	FSM.SASIE8	FSM VORTAC	FSM VORTAC						
		FSM VORTAC	KOMMA	214.84 (FSM R-215)	30.00	FL180	3700		
		KOMMA	MAMEE	214.85 (FSM R-215)	42.54	FL180	3700		
		MAMEE	BIRLE	214.74 (BYP R-035)	15.00	13000	2800		
		BIRLE	GAATZ	214.74 (BYP R-035)	31.00	5000	2400		
		GAATZ	BYP VORTAC	214.74 (BYP R-035)	29.00	5000	2400		
		BYP VORTAC	SASIE	248.06 (BYP R-248)	18.93	5000	2400		
LITTLE ROCK	LIT.SASIE8	LIT VORTAC	LIT VORTAC						
		LIT VORTAC	MEEOW	246.95 (LIT R-247)	74.08	FL200	3300		

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>		<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
SASIE		EIGHT	SASIE.SASIE8	SEVEN	12/29/2022	
		MEEOW	GLOVE	244.19 (BYP R-064)	83.17	FL200 3300
		GLOVE	ROBEY	244.19 (BYP R-064)	31.00	5000 2400
		ROBEY	BYP VORTAC	244.19 (BYP R-064)	29.00	5000 2400
		BYP VORTAC	SASIE	248.06 (BYP R-248)	18.93	5000 2400
CAINE	CAINE.SASIE8	CAINE	CAINE			
		CAINE	SASIE	215.00 (FUZ R-035)	15.88	5000 2400
PARIS	PRX.SASIE8	PRX VOR/DME	PRX VOR/DME			
		PRX VOR/DME	MONTE	262.79 & 263.36 (PRX R-263 & BYP R-083)	22.41	5000 2400
		MONTE	BYP VORTAC	263.36 (BYP R-083)	17.00	5000 2400
		BYP VORTAC	SASIE	248.06 (BYP R-248)	18.93	5000 2400
TULSA	TUL.SASIE8	TUL VORTAC	TUL VORTAC			
		TUL VORTAC	MAMEE	157.35 (TUL R-157)	106.05	FL180 3600
		MAMEE	BIRLE	214.74 (BYP R-035)	15.00	13000 2800
		BIRLE	GAATZ	214.74 (BYP R-035)	31.00	5000 2400
		GAATZ	BYP VORTAC	214.74 (BYP R-035)	29.00	5000 2400
		BYP VORTAC	SASIE	248.06 (BYP R-248)	18.93	5000 2400



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name		Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SASIE		EIGHT	SASIE.SASIE8	SEVEN	12/29/2022	
TEXARKANA	TXK.SASIE8	TXK VORTAC	TXK VORTAC			
		TXK VORTAC	GLOVE	285.85 (TXK R-286)	55.89	5000 2400
		GLOVE	ROBEY	244.19 (BYP R-064)	31.00	5000 2400
		ROBEY	BYP VORTAC	244.19 (BYP R-064)	29.00	5000 2400
		BYP VORTAC	SASIE	248.06 (BYP R-248)	18.93	5000 2400

ARRIVAL ROUTE DESCRIPTION:

FROM SASIE, THEN ON HEADING 255.00 . EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PROCEDURAL DATA NOTES:

NOTE: DME REQUIRED FOR FIXES ROBEY AND MONTE.
NOTE: RADAR REQUIRED
WEST SATELLITE JETS LANDING NORTH: CROSS SASIE AT 10000.
WEST SATELLITE JETS LANDING SOUTH: CROSS SASIE AT 11000.
NOTE: ATC ASSIGNED ONLY FOR AIRCRAFT LANDING ADS.
NOTE: LANDING ADS: JETS EXPECT TO CROSS SASIE AT 6000. PROPS EXPECT TO CROSS SASIE AT 5000 OR 6000.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING: BYP VORTAC, HOLD NE, RT, 224.95 INBOUND.
CHART HOLDING: GAATZ, HOLD NE, RT, 214.74 INBOUND.
CHART HOLDING: BIRLE, HOLD NE, RT, 214.74 INBOUND.
CHART HOLDING: ROBEY, HOLD NE, LT, 244.19 INBOUND, 4 NM LEGS.
CHART HOLDING: GLOVE, HOLD NE, RT, 244.19 INBOUND.

COMMUNICATIONS:

CHART LONE STAR APPROACH CONTROL.

AIRPORTS SERVED:

AIRPORT NAME	CITY	STATE
ADS	DALLAS	TX

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
SASIE	EIGHT	SASIE.SASIE8	SEVEN	12/29/2022	

GKY	ARLINGTON	TX
50F	FORT WORTH	TX
CPT	CLEBURNE	TX
LUD	DECATUR	TX
DTO	DENTON	TX
AFW	FORT WORTH	TX
FTW	FORT WORTH	TX
NFW	FORT WORTH	TX
FWS	FORT WORTH	TX
GPM	GRAND PRAIRIE	TX
WEA	WEATHERFORD	TX

LOST COMMUNICATIONS PREFERENCES:

REMARKS:

ABBREVIATED AMENDMENT.

ADDITIONAL FLIGHT DATA:

CHART: COP ADM 125 (31) / BYP 305 (31).



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
SASIE	EIGHT	SASIE.SASIE8	SEVEN	12/29/2022	

FLIGHT INSPECTED BY:	ORGANIZATION:	DATE:	<i>Digitally signed by</i> ROBERT G HAMILTON
JOHNATHAN R WEAVER	AJF	06/25/2025	Jun 26, 2025
DEVELOPED BY:			<i>Digitally signed by</i> ROBERT G HAMILTON
JOHN BORDY (PHILIP G. SMART)	AJV-A433	02/07/2024	Jun 26, 2025
APPROVED BY:			<i>Digitally signed by</i> ROBERT G HAMILTON
JOHN BORDY	AJV-A33		Jun 26, 2025

CHANGES:

1. DISTANCE FROM LIT VORTAC TO FIX MEEOW CHANGED FROM 70.00 NM TO 74.08NM.
2. REMOVED COP ON LIT TRANSITION; BYP R-064 EXTENDED TO FIX MEEOW.
3. CHANGED ALL REFERENCE OF TURBOJETS TO JET.
4. REMOVED OR AS ASSIGNED BY ATC IN ARRIVAL DSECRPTION.
5. REMOVED ARPT NAME FROM ARPTS SERVED; REMOVED K IDENT.
6. MOCA CHANGES SEGMENT LIT VORTAC TO MEEOW FROM 3000 TO 3300 AND MEEOW TO GLOVE FROM 3000 TO 3300.

REASONS:

1. LIT VORTAC MOVED FROM 8.06 NM NORTH.
2. PREVENT MOVEMENT OF FIXES AFTER LIT RE-ALIGNMENT; MATCH FUTURE AIRWAY/ STAR AMDTS.
3. 5, 6. IAW 8260.19J CRITERIA.
4. PER AFS, STATEMENT NOT ALLOWED IN ARRIVAL AFTER SPECIFYING A HEADING.

07/28/25: THIS IS AN UPDATED COPY OF THE FORMS DEVELOPED ON 02/07/24.

1. TRANSITION ROUTE LITTLE ROCK, LIT TO MEEOW TO GLOVE MEA CHANGED FROM FL180 TO FL200 - BYP ESV AT MEEOW UNSAT BELOW FL200 PER FC RESULTS DATED 06/25/2025.

08/12/25: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 06/26/25.

1. COMMUNICATIONS CHANGED FROM CHART REGIONAL APPROACH CONTROL TO CHART LONE STAR APPROACH CONTROL - NAME CAHNGE WAS EFFECTIVE OCT 31 2024.

QUALITY
25
CHECKED

QUALITY
25
CHECKED

QUALITY
14
CHECKED