

RADIO FIX AND HOLDING DATA RECORD

NAME: ALTNN **STATE:** FL **COUNTRY:** US **ICAO REGION CODE:** K7

LATITUDE/LONGITUDE: 264224.34N/0801615.27W **TYPE:** WP, INT, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	FORT LAUDERDALE	FLL	VOR/DME	VH	357.57	351.57	38.27	38.27	2600	17500
2	PALM BEACH	PBI	VORTAC	VH	282.20	279.20		10.04	2600	17500

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

REMARKS:

FORT LAUDERDALE (FAC 1) AND PALM BEACH (FAC 2) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	MIAMI	1, 2		KHWO	HOLLYWOOD	FL (US)
DP	ALTNN (RNAV)			KHST	HOMESTEAD	FL (US)
DP	ALTNN (RNAV)			X51	HOMESTEAD	FL (US)
DP	MIAMI	1, 2		X51	HOMESTEAD	FL (US)
DP	ALTNN (RNAV)			KMIA	MIAMI	FL (US)
DP	MIAMI	1, 2		KMIA	MIAMI	FL (US)
DP	ALTNN (RNAV)			KOPF	MIAMI	FL (US)
DP	MIAMI	1, 2		KOPF	MIAMI	FL (US)
DP	ALTNN (RNAV)			KTMB	MIAMI	FL (US)
DP	MIAMI	1, 2		KTMB	MIAMI	FL (US)
DP	MIAMI	1, 2		KTNT	MIAMI	FL (US)

REQUIRED CHARTING: DP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1 **DATE OF REVISION:** 05/14/2026

REASON FOR REVISION:

FIX MAKE-UP FACILITIES: UPDATED FAC 1 AND 2 CLASS FROM H TO VH.
FIX USE: ADDED DP MIAMI AT KTNT AND X51.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 **NAME:** DEXTER SWEETING

APPROVED BY: **DATE:** 04/09/2026 **OFFICE:** AJV-A422 **NAME:** RAKE MCGRAW

SIGNATURE:



RADIO FIX AND HOLDING DATA RECORD

NAME: BEECH **STATE:** **COUNTRY:** QS **ICAO REGION CODE:** MY

LATITUDE/LONGITUDE: 255830.37N/0792303.15W **TYPE:** WP, INT, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	FORT LAUDERDALE	FLL	VOR/DME	VH	103.79	097.79	42.69	42.69	3000	45000
2	BIMINI	ZBV	VOR/DME	H	347.20	343.20	16.95	16.95	3000	45000

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
FLL	VOR/DME	R-104	43	3000	5100

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

REMARKS:

FORT LAUDERDALE (FAC 1) AND BIMINI (FAC 2) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	FORT LAUDERDALE	1, 2		KFLL	FORT LAUDERDALE	FL (US)
DP	FORT LAUDERDALE	1, 2		KFXE	FORT LAUDERDALE	FL (US)
DP	MIAMI	1, 2		KHWO	HOLLYWOOD	FL (US)
DP	MIAMI	1, 2		X51	HOMESTEAD	FL (US)
DP	MIAMI	1, 2		KMIA	MIAMI	FL (US)
DP	MIAMI	1, 2		KOPF	MIAMI	FL (US)
DP	MIAMI	1, 2		KTMB	MIAMI	FL (US)
DP	MIAMI	1, 2		KTNT	MIAMI	FL (US)
DP	FORT LAUDERDALE	1, 2		KPMP	POMPANO BEACH	FL (US)
EN ROUTE	BR55V	1, 2				(QS)

REQUIRED CHARTING: DP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 11 **DATE OF REVISION:** 05/14/2026

REASON FOR REVISION:

FIX MAKE-UP FACILITIES: UPDATED FAC 2 MAG BRG/TRUE BRG FROM 347.33/343.33 TO 347.20/343.20, DME FROM 16.92 TO 16.95 AND DIST FROM FAC NM FROM 16.92 TO 16.95.
FIX USE: ADDED DP MIAMI AT KTNT AND X51.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 **NAME:** DEXTER SWEETING

APPROVED BY: **DATE:** 04/09/2026 **OFFICE:** AJV-A422 **NAME:** RAKE MCGRAW

SIGNATURE:



RADIO FIX AND HOLDING DATA RECORD

NAME: DORRL **STATE:** FL **COUNTRY:** US **ICAO REGION CODE:** K7

LATITUDE/LONGITUDE: 264153.97N/0802218.39W **TYPE:** WP, INT, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	DOLPHIN	DHP	VORTAC	VH	002.70	358.70	53.76	53.76		4000	17500
2	PALM BEACH	PBI	VORTAC	VH	277.14	274.14	15.37	15.37		4000	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
DHP	VORTAC	R-003	54	4000	14600

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

REMARKS:

DOLPHIN (FAC 1) AND PALM BEACH (FAC 2) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	DORRL (RNAV)			KFLL	FORT LAUDERDALE	FL (US)
DP	FORT LAUDERDALE	1, 2		KFLL	FORT LAUDERDALE	FL (US)
DP	DORRL (RNAV)			KFXE	FORT LAUDERDALE	FL (US)
DP	FORT LAUDERDALE	1, 2		KFXE	FORT LAUDERDALE	FL (US)
DP	MIAMI	1, 2		KHWO	HOLLYWOOD	FL (US)
DP	DORRL (RNAV)			KHST	HOMESTEAD	FL (US)
DP	DORRL (RNAV)			X51	HOMESTEAD	FL (US)
DP	MIAMI	1, 2		X51	HOMESTEAD	FL (US)
DP	DORRL (RNAV)			KMIA	MIAMI	FL (US)
DP	MIAMI	1, 2		KMIA	MIAMI	FL (US)
DP	DORRL (RNAV)			KOPF	MIAMI	FL (US)
DP	MIAMI	1, 2		KOPF	MIAMI	FL (US)
DP	DORRL (RNAV)			KTMB	MIAMI	FL (US)
DP	MIAMI	1, 2		KTMB	MIAMI	FL (US)
DP	MIAM	1, 2		KTNT	MIAMI	FL (US)
DP	DORRL (RNAV)			KPMP	POMPANO BEACH	FL (US)
DP	FORT LAUDERDALE	1, 2		KPMP	POMPANO BEACH	FL (US)

REQUIRED CHARTING: DP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1 **DATE OF REVISION:** 05/14/2026

REASON FOR REVISION:

FIX MAKE-UP FACILITES: UPDATED FAC 1 AND 2 CLASS FROM H TO VH.
FIX USE: ADDED DP MIAMI AT KTNT AND X51.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 **NAME:** DEXTER SWEETING

APPROVED BY: **DATE:** 04/09/2026 **OFFICE:** AJV-A422 **NAME:** RAKE MCGRAW

SIGNATURE:



RADIO FIX AND HOLDING DATA RECORD

NAME: FLMGO **STATE:** FL **COUNTRY:** US **ICAO REGION CODE:** K7

LATITUDE/LONGITUDE: 265441.09N/0804201.87W **TYPE:** WP, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	DOLPHIN	DHP	VORTAC	VH	348.18	344.18	69.14	69.14		3000	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
DHP	VORTAC	R-348	70	3000	14600

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	MIAMI	1		KHWO	HOLLYWOOD	FL (US)
DP	FLMGO (RNAV)			KHST	HOMESTEAD	FL (US)
DP	FLMGO (RNAV)			X51	HOMESTEAD	FL (US)
DP	MIAMI	1		X51	HOMESTEAD	FL (US)
DP	FLMGO (RNAV)			KMIA	MIAMI	FL (US)
DP	MIAMI	1		KMIA	MIAMI	FL (US)
DP	FLMGO (RNAV)			KOPF	MIAMI	FL (US)
DP	MIAMI	1		KOPF	MIAMI	FL (US)
DP	FLMGO (RNAV)			KTMB	MIAMI	FL (US)
DP	MIAMI	1		KTMB	MIAMI	FL (US)
DP	MIAMI	1		KTNT	MIAMI	FL (US)

REQUIRED CHARTING: DP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2 **DATE OF REVISION:** 05/14/2026

REASON FOR REVISION:

FIX USE: ADDED DP MIAMI AT KTNT AND X51.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 **NAME:** DEXTER SWEETING

APPROVED BY: **DATE:** 04/09/2026 **OFFICE:** AJV-A422 **NAME:** RAKE MCGRAW

SIGNATURE:



RADIO FIX AND HOLDING DATA RECORD

NAME: GWAVA **STATE:** FL **COUNTRY:** US **ICAO REGION CODE:** K7
LATITUDE/LONGITUDE: 251559.78N/0795755.47W **TYPE:** WP, INT, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	DOLPHIN	DHP	VORTAC	VH	150.79	146.79	38.10	38.10		1700	17500
2	BIMINI	ZBV	VOR/DME	H	238.50	234.50		44.88		1700	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
ZBV	VOR/DME	R-238	45	1700	14600

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

REMARKS:

DOLPHIN (FAC 1) AND BIMINI (FAC 2) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	MIAMI	1, 2		KHWO	HOLLYWOOD	FL (US)
DP	MIAMI	1, 2		X51	HOMESTEAD	FL (US)
DP	GWAVA (RNAV)			KMIA	MIAMI	FL (US)
DP	MIAMI	1, 2		KMIA	MIAMI	FL (US)
DP	NNOCE (RNAV)			KMIA	MIAMI	FL (US)
DP	MIAMI	1, 2		KOPF	MIAMI	FL (US)
DP	MIAMI	1, 2		KTMB	MIAMI	FL (US)
DP	MIAMI	1, 2		KTNT	MIAMI	FL (US)

REQUIRED CHARTING: DP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4 **DATE OF REVISION:** 05/14/2026

REASON FOR REVISION:

FIX MAKE-UP FACILITIES: FAC 2 UPDATED MAG BRG/TRUE BRG FROM 238.45/234.45 TO 238.50/234.50 AND DIST FROM FAC NM FROM 44.86 TO 44.88.
 FIX USE: ADDED DP MIAMI AT KTNT AND X51.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**
OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 **NAME:** DEXTER SWEETING
APPROVED BY: **DATE:** 04/09/2026 **OFFICE:** AJV-A422 **NAME:** RAKE MCGRAW
SIGNATURE:



RADIO FIX AND HOLDING DATA RECORD

NAME: HURCN **STATE:** FL **COUNTRY:** US **ICAO REGION CODE:** K7

LATITUDE/LONGITUDE: 263029.42N/0805050.22W **TYPE:** WP, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM FEET	MRA	MAA
1	DOLPHIN	DHP	VORTAC	VH	331.70	327.70	50.18	50.18	3000	14500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
DHP	VORTAC	R-332	51	3000	14600

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	MIAMI	1		KHWO	HOLLYWOOD	FL (US)
DP	HURCN (RNAV)			KHST	HOMESTEAD	FL (US)
DP	HURCN (RNAV)			X51	HOMESTEAD	FL (US)
DP	MIAMI	1		X51	HOMESTEAD	FL (US)
DP	HURCN (RNAV)			KMIA	MIAMI	FL (US)
DP	MIAMI	1		KMIA	MIAMI	FL (US)
DP	HURCN (RNAV)			KOPF	MIAMI	FL (US)
DP	MIAMI	1		KOPF	MIAMI	FL (US)
DP	HURCN (RNAV)			KTMB	MIAMI	FL (US)
DP	MIAMI	1		KTMB	MIAMI	FL (US)
DP	MIAMI	1		KTNT	MIAMI	FL (US)

REQUIRED CHARTING: DP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4 **DATE OF REVISION:** 05/14/2026

REASON FOR REVISION:

FIX USE: ADDED DP MIAMI AT KTNT AND X51.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 **NAME:** DEXTER SWEETING

APPROVED BY: **DATE:** 04/09/2026 **OFFICE:** AJV-A422 **NAME:** RAKE MCGRAW

SIGNATURE:



RADIO FIX AND HOLDING DATA RECORD

NAME: KETLL **STATE:** FL **COUNTRY:** US **ICAO REGION CODE:** K7

LATITUDE/LONGITUDE: 252724.17N/0791729.04W **TYPE:** INT, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	VIRGINIA KEY	VKZ	VOR/DME	VH	114.48	110.48	50.03	50.03		2100	17500
2	BIMINI	ZBV	VOR/DME	H	183.53	179.53		14.80		2100	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
VKZ	VOR/DME	R-114	51	2100	14600

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

REMARKS:

VIRGINIA KEY (FAC 1) AND BIMINI (FAC 2) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	MIAMI	1, 2		KHWO	HOLLYWOOD	FL (US)
DP	MIAMI	1, 2		X51	HOMESTEAD	FL (US)
DP	MIAMI	1, 2		KMIA	MIAMI	FL (US)
DP	MIAMI	1, 2		KOPF	MIAMI	FL (US)
DP	MIAMI	1, 2		KTMB	MIAMI	FL (US)
DP	MIAMI	1, 2		KTNT	MIAMI	FL (US)

REQUIRED CHARTING: DP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2 **DATE OF REVISION:** 05/14/2026

REASON FOR REVISION:

FIX MAKE-UP FACILITIES: UPDATED FAC 2 MAG BRG/TRUE BRG FROM 183.36/179.36 TO 183.53/179.53
FIX USE: ADDED DP MIAMI AT KTNT AND X51.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 **NAME:** DEXTER SWEETING

APPROVED BY: **DATE:** 04/09/2026 **OFFICE:** AJV-A422 **NAME:** RAKE MCGRAW

SIGNATURE:



RADIO FIX AND HOLDING DATA RECORD

NAME: MAYNR **STATE:** FL **COUNTRY:** US **ICAO REGION CODE:** K7
LATITUDE/LONGITUDE: 244911.40N/0803434.04W **TYPE:** WP, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	DOLPHIN	DHP	VORTAC	VH	195.94	191.94	59.91	59.91		2900	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
DHP	VORTAC	R-196	60	2900	14600

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	FORT LAUDERDALE	1		KFLL	FORT LAUDERDALE	FL (US)
DP	MAYNR (RNAV)			KFLL	FORT LAUDERDALE	FL (US)
DP	FORT LAUDERDALE	1		KFXE	FORT LAUDERDALE	FL (US)
DP	MIAMI	1		KHWO	HOLLYWOOD	FL (US)
DP	MIAMI	1		X51	HOMESTEAD	FL (US)
DP	MAYNR (RNAV)			KMIA	MIAMI	FL (US)
DP	MIAMI	1		KMIA	MIAMI	FL (US)
DP	MIAMI	1		KOPF	MIAMI	FL (US)
DP	MIAMI	1		KTMB	MIAMI	FL (US)
DP	MIAMI	1		KTNT	MIAMI	FL (US)
DP	FORT LAUDERDALE	1		KPMP	POMPANO BEACH	FL (US)

REQUIRED CHARTING: DP, EN ROUTE LOW, EN ROUTE HIGH, CONTROLLER LOW, CONTROLLER HIGH

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1 **DATE OF REVISION:** 05/14/2026

REASON FOR REVISION:

FIX MAKE-UP FACILITIES: UPDATED FAC 1 CLASS FROM H TO VH.
 FIX USE: ADDED DP MIAMI AT KTNT AND X51.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**
OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 **NAME:** DEXTER SWEETING
APPROVED BY: **DATE:** 04/09/2026 **OFFICE:** AJV-A422 **NAME:** RAKE MCGRAW
SIGNATURE:



RADIO FIX AND HOLDING DATA RECORD

NAME: TALKY STATE: FL COUNTRY: US ICAO REGION CODE: K7

LATITUDE/LONGITUDE: 261003.82N/0793549.29W TYPE: INT, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FEET	MRA	MAA
1	DOLPHIN	DHP	VORTAC	VH	065.42	061.42	46.23	46.23		1700	17500
2	FREEPORT	ZFP	VOR/DME	H	247.63	244.63		53.72		1700	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
DHP	VORTAC	R-065	47	1700	14600

HOLDING: HOLDING TYPE OF ACTION: NO CHANGE

REMARKS:

DOLPHIN (FAC 1) AND FREEPORT (FAC 2) USED TO ESTABLISH FIX COORDINATES.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
DP	MIAMI	1, 2		KHWO	HOLLYWOOD	FL (US)
DP	MIAMI	1, 2		X51	HOMESTEAD	FL (US)
DP	MIAMI	1, 2		KMIA	MIAMI	FL (US)
DP	MIAMI	1, 2		KOPF	MIAMI	FL (US)
DP	MIAMI	1, 2		KTMB	MIAMI	FL (US)
DP	MIAMI	1, 2		KTNT	MIAMI	FL (US)

REQUIRED CHARTING: DP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1 DATE OF REVISION: 05/14/2026

REASON FOR REVISION:

FIX MAKE-UP FACILITIES: UPDATED FAC 1 CLASS FROM H TO VH.
FIX USE: ADDED DP MIAMI AT KTNT AND X51.

INITIATED BY: DATE: ORGANIZATION: NAME:

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A431 NAME: DEXTER SWEETING

APPROVED BY: DATE: 04/09/2026 OFFICE: AJV-A422 NAME: RAKE MCGRAW

SIGNATURE:



