

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name       | Number                    | STAR Computer Code | Superseded Number | Dated        | Effective Date |       |      |     |                            |
|--------------------|---------------------------|--------------------|-------------------|--------------|----------------|-------|------|-----|----------------------------|
| VUUDU (RNAV)       | TWO                       | VUUDU.VUUDU2       | ONE               | 05/19/2022   |                |       |      |     |                            |
| TRANSITION ROUTES: |                           |                    |                   |              |                |       |      |     |                            |
| Transition Name    | Transition Computer Codes | From FIX/NAVAID    | To FIX/NAVAID     | Course       | Distance       | MEA   | MOCA | MAA | Crossing Altitudes / Fixes |
| ACORI              | ACORI.VUUDU2              | ACORI              | ACORI             |              |                |       |      |     |                            |
|                    |                           |                    | BULZI             | 137.92       | 124.30         | FL200 | 2600 |     |                            |
|                    |                           |                    | SNAPY             | 156.02       | 38.62          | FL200 | 2600 |     |                            |
|                    |                           |                    | NICKI             | 156.21       | 38.49          | FL200 | 2600 |     |                            |
|                    |                           |                    | MOLIE             | 149.02       | 91.36          | FL200 | 2600 |     |                            |
|                    |                           |                    | SANTR             | 169.25       | 25.81          | FL200 | 2600 |     |                            |
|                    |                           |                    | HORUT             | 169.63       | 17.00          | FL200 | 2600 |     | AT/BELOW FL260             |
|                    |                           |                    | FANTE             | 169.35       | 19.35          | FL200 | 2600 |     | BETWEEN FL240 AND FL250    |
|                    |                           |                    | HUCUR             | 135.43       | 16.07          | FL180 | 2600 |     | AT/BELOW FL220             |
|                    |                           |                    | RACNO             | 136.30       | 17.75          | 11000 | 2600 |     | AT FL190                   |
|                    |                           |                    | LUCYS             | 081.30       | 14.05          | 11000 | 1400 |     | AT/BELOW 15000             |
|                    |                           |                    | SHRVY             | 081.42       | 12.82          | 9000  | 1400 |     | BETWEEN 11000 AND 13000    |
|                    |                           |                    | VUUDU             | 093.17       | 10.51          | 9000  | 1400 |     |                            |
|                    |                           |                    | DEFUN             | DEFUN.VUUDU2 | DEFUN          | DEFUN |      |     |                            |
| CABLO              | 097.70                    | 66.78              |                   |              |                | FL200 | 2600 |     |                            |
| BULZI              | 127.06                    | 46.28              |                   |              |                | FL200 | 2600 |     |                            |
| SNAPY              | 156.02                    | 38.62              |                   |              |                | FL200 | 2600 |     |                            |
| NICKI              | 156.21                    | 38.49              |                   |              |                | FL200 | 2600 |     |                            |
| MOLIE              | 149.02                    | 91.36              |                   |              |                | FL200 | 2600 |     |                            |
| SANTR              | 169.25                    | 25.81              |                   |              |                | FL200 | 2600 |     |                            |
| HORUT              | 169.63                    | 17.00              |                   |              |                | FL200 | 2600 |     | AT/BELOW FL260             |
| FANTE              | 169.35                    | 19.35              |                   |              |                | FL200 | 2600 |     | BETWEEN FL240 AND FL250    |
| HUCUR              | 135.43                    | 16.07              |                   |              |                | FL180 | 2600 |     | AT/BELOW FL220             |
| RACNO              | 136.30                    | 17.75              |                   |              |                | 11000 | 2600 |     | AT FL190                   |
| LUCYS              | 081.30                    | 14.05              |                   |              |                | 11000 | 1400 |     | AT/BELOW 15000             |
| SHRVY              | 081.42                    | 12.82              |                   |              |                | 9000  | 1400 |     | BETWEEN 11000 AND 13000    |
| VUUDU              | 093.17                    | 10.51              |                   |              |                | 9000  | 1400 |     |                            |



FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name<br>VUUDU (RNAV) |                              | Number<br>TWO      |                  | STAR Computer Code<br>VUUDU.VUUDU2 |          | Superseded Number<br>ONE |      |     | Dated<br>05/19/2022        | Effective Date          |
|------------------------------|------------------------------|--------------------|------------------|------------------------------------|----------|--------------------------|------|-----|----------------------------|-------------------------|
| Transition Name              | Transition<br>Computer Codes | From<br>FIX/NAVAID | To<br>FIX/NAVAID | Course                             | Distance | MEA                      | MOCA | MAA | Crossing Altitudes / Fixes |                         |
| ENEME                        | ENEME.VUUDU2                 | ENEME              | ENEME            |                                    |          |                          |      |     |                            |                         |
|                              |                              |                    | FETAL            | 192.77                             | 31.28    | FL200                    | 2600 |     |                            |                         |
|                              |                              |                    | DOFFY            | 187.10                             | 55.56    | FL200                    | 2600 |     |                            |                         |
|                              |                              |                    | MOLIE            | 176.93                             | 74.18    | FL200                    | 2600 |     |                            |                         |
|                              |                              |                    | SANTR            | 169.25                             | 25.81    | FL200                    | 2600 |     |                            |                         |
|                              |                              |                    | HORUT            | 169.63                             | 17.00    | FL200                    | 2600 |     |                            | AT/BELOW FL260          |
|                              |                              |                    | FANTE            | 169.35                             | 19.35    | FL200                    | 2600 |     |                            | BETWEEN FL240 AND FL250 |
|                              |                              |                    | HUCUR            | 135.43                             | 16.07    | FL180                    | 2600 |     |                            | AT/BELOW FL220          |
|                              |                              |                    | RACNO            | 136.30                             | 17.75    | 11000                    | 2600 |     |                            | AT FL190                |
|                              |                              |                    | LUCYS            | 081.30                             | 14.05    | 11000                    | 1400 |     |                            | AT/BELOW 15000          |
|                              |                              |                    | SHRVY            | 081.42                             | 12.82    | 9000                     | 1400 |     |                            | BETWEEN 11000 AND 13000 |
|                              |                              |                    | VUUDU            | 093.17                             | 10.51    | 9000                     | 1400 |     |                            |                         |
| GAWKS                        | GAWKS.VUUDU2                 | GAWKS              | GAWKS            |                                    |          |                          |      |     |                            | AT/BELOW FL310          |
|                              |                              |                    | BAGGS            | 108.03                             | 13.50    | FL200                    | 2600 |     |                            |                         |
|                              |                              |                    | NOILS            | 114.66                             | 05.85    | FL200                    | 2600 |     |                            | AT/ABOVE FL280          |
|                              |                              |                    | PEBOE            | 114.36                             | 23.80    | FL200                    | 2600 |     |                            | AT/BELOW FL260          |
|                              |                              |                    | PACLA            | 118.11                             | 15.00    | FL200                    | 2600 |     |                            | BETWEEN FL240 AND FL250 |
|                              |                              |                    | TROPS            | 118.23                             | 09.17    | FL180                    | 2600 |     |                            | AT/BELOW FL220          |
|                              |                              |                    | RACNO            | 118.30                             | 23.69    | 11000                    | 2600 |     |                            | AT FL190                |
|                              |                              |                    | LUCYS            | 081.30                             | 14.05    | 11000                    | 1400 |     |                            | AT/BELOW 15000          |
|                              |                              |                    | SHRVY            | 081.42                             | 12.82    | 9000                     | 1400 |     |                            | BETWEEN 11000 AND 13000 |
|                              |                              |                    | VUUDU            | 093.17                             | 10.51    | 9000                     | 1400 |     |                            |                         |
| LUCYS                        | LUCYS.VUUDU2                 | LUCYS              | LUCYS            |                                    |          |                          |      |     |                            | AT/BELOW 15000          |
|                              |                              |                    | SHRVY            | 081.42                             | 12.82    | 9000                     | 1400 |     |                            | BETWEEN 11000 AND 13000 |
|                              |                              |                    | VUUDU            | 093.17                             | 10.51    | 9000                     | 1400 |     |                            |                         |
| MOLIE                        | MOLIE.VUUDU2                 | MOLIE              | MOLIE            |                                    |          |                          |      |     |                            |                         |
|                              |                              |                    | SANTR            | 169.25                             | 25.81    | FL200                    | 2600 |     |                            |                         |
|                              |                              |                    | HORUT            | 169.63                             | 17.00    | FL200                    | 2600 |     |                            | AT/BELOW FL260          |

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name<br>VUUDU (RNAV) |                              | Number<br>TWO      |                  | STAR Computer Code<br>VUUDU.VUUDU2 |          | Superseded Number<br>ONE |      |     | Dated<br>05/19/2022        | Effective Date |
|------------------------------|------------------------------|--------------------|------------------|------------------------------------|----------|--------------------------|------|-----|----------------------------|----------------|
| Transition Name              | Transition<br>Computer Codes | From<br>FIX/NAVAID | To<br>FIX/NAVAID | Course                             | Distance | MEA                      | MOCA | MAA | Crossing Altitudes / Fixes |                |
|                              |                              |                    | FANTE            | 169.35                             | 19.35    | FL200                    | 2600 |     | BETWEEN FL240 AND FL250    |                |
|                              |                              |                    | HUCUR            | 135.43                             | 16.07    | FL180                    | 2600 |     | AT/BELOW FL220             |                |
|                              |                              |                    | RACNO            | 136.30                             | 17.75    | 11000                    | 2600 |     | AT FL190                   |                |
|                              |                              |                    | LUCYS            | 081.30                             | 14.05    | 11000                    | 1400 |     | AT/BELOW 15000             |                |
|                              |                              |                    | SHRVY            | 081.42                             | 12.82    | 9000                     | 1400 |     | BETWEEN 11000 AND 13000    |                |
|                              |                              |                    | VUUDU            | 093.17                             | 10.51    | 9000                     | 1400 |     |                            |                |
| SABEE                        | SABEE.VUUDU2                 | SABEE              | SABEE            |                                    |          |                          |      |     | AT/BELOW FL250             |                |
|                              |                              |                    | TROPS            | 141.07                             | 22.24    | FL180                    | 2600 |     | AT/BELOW FL220             |                |
|                              |                              |                    | RACNO            | 118.30                             | 23.69    | 11000                    | 2600 |     | AT FL190                   |                |
|                              |                              |                    | LUCYS            | 081.30                             | 14.05    | 11000                    | 1400 |     | AT/BELOW 15000             |                |
|                              |                              |                    | SHRVY            | 081.42                             | 12.82    | 9000                     | 1400 |     | BETWEEN 11000 AND 13000    |                |
|                              |                              |                    | VUUDU            | 093.17                             | 10.51    | 9000                     | 1400 |     |                            |                |
| SWAGS                        | SWAGS.VUUDU2                 | SWAGS              | SWAGS            |                                    |          |                          |      |     | AT/BELOW FL250             |                |
|                              |                              |                    | LUCYS            | 353.42                             | 34.08    | 11000                    | 1500 |     | AT/BELOW 15000             |                |
|                              |                              |                    | SHRVY            | 081.42                             | 12.82    | 9000                     | 1400 |     | BETWEEN 11000 AND 13000    |                |
|                              |                              |                    | VUUDU            | 093.17                             | 10.51    | 9000                     | 1400 |     |                            |                |
| ZPLEN                        | ZPLEN.VUUDU2                 | ZPLEN              | ZPLEN            |                                    |          |                          |      |     |                            |                |
|                              |                              |                    | IISLY            | 167.79                             | 61.77    | FL200                    | 2600 |     |                            |                |
|                              |                              |                    | DOFFY            | 161.00                             | 95.89    | FL200                    | 2600 |     |                            |                |
|                              |                              |                    | MOLIE            | 176.93                             | 74.18    | FL200                    | 2600 |     |                            |                |
|                              |                              |                    | SANTR            | 169.25                             | 25.81    | FL200                    | 2600 |     |                            |                |
|                              |                              |                    | HORUT            | 169.63                             | 17.00    | FL200                    | 2600 |     | AT/BELOW FL260             |                |
|                              |                              |                    | FANTE            | 169.35                             | 19.35    | FL200                    | 2600 |     | BETWEEN FL240 AND FL250    |                |
|                              |                              |                    | HUCUR            | 135.43                             | 16.07    | FL180                    | 2600 |     | AT/BELOW FL220             |                |
|                              |                              |                    | RACNO            | 136.30                             | 17.75    | 11000                    | 2600 |     | AT FL190                   |                |
|                              |                              |                    | LUCYS            | 081.30                             | 14.05    | 11000                    | 1400 |     | AT/BELOW 15000             |                |
|                              |                              |                    | SHRVY            | 081.42                             | 12.82    | 9000                     | 1400 |     | BETWEEN 11000 AND 13000    |                |
|                              |                              |                    | VUUDU            | 093.17                             | 10.51    | 9000                     | 1400 |     |                            |                |

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name        | Number     | STAR Computer Code  | Superseded Number | Dated             | Effective Date |
|---------------------|------------|---------------------|-------------------|-------------------|----------------|
| <b>VUUDU (RNAV)</b> | <b>TWO</b> | <b>VUUDU.VUUDU2</b> | <b>ONE</b>        | <b>05/19/2022</b> |                |

**ARRIVAL ROUTE DESCRIPTION:**

DJT: FROM VUUDU ON TRACK 093.47/2.65 TO CROSS TARTY BETWEEN 9000 AND 11000 AND AT 250 KIAS, THEN ON TRACK 116.26/10.00 TO CROSS HLIBT AT OR BELOW 9000.  
 LANDING DJT RWY 10L, 14: FROM HLIBT ON TRACK 117.23/6.34 TO CROSS GULLO AT 5000. EXPECT ILS OR LOC RWY 10L, RNAV (RNP) Z RWY 14 APPROACH.  
 LANDING DJT RWY 28R, 32: FROM HLIBT ON TRACK 118.43/15.08 TO CROSS JANDS AT OR ABOVE 8000, THEN ON TRACK 118.14/7.39 TO CROSS BEKAH AT 6000, THEN ON TRACK 098.78/7.64 TO CROSS COTEB AT 6000 AND AT 210 KIAS, THEN ON TRACK 098.78. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.  
 LANDING 06FA/F45: FROM VUUDU ON TRACK 093.47/2.62 TO CROSS OWLLL AT 9000 AND AT 250 KIAS, THEN ON TRACK 090.02/11.54 TO SHZAM, THEN ON HEADING 091.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.  
 LANDING BCT: FROM VUUDU ON TRACK 093.47/2.62 TO CROSS OWLLL AT 9000 AND AT 250 KIAS, THEN ON TRACK 158.86/15.48 TO VETCH, THEN ON TRACK 110.94/12.23 TO SCALE, THEN ON TRACK 099.00/5.50 TO DIVRR, THEN ON TRACK 099.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.  
 LANDING SUA: FROM VUUDU ON TRACK 093.47/2.62 TO CROSS OWLLL AT 9000 AND AT 250 KIAS, THEN ON TRACK 031.76/19.47 TO MSQTO, THEN ON HEADING 050.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

**PBN REQUIREMENT NOTES:**

RNAV 1 - DME/DME/IRU OR GPS  
 GAWKS TRANSITION: RNAV 1-GPS.

**EQUIPMENT REQUIREMENT NOTES:**

RADAR REQUIRED

**PROCEDURAL DATA NOTES:**

NOTE: JET AIRCRAFT ONLY  
 NOTE: DO NOT FILE LUCYS OR MOLIE TRANSITION - TO BE ASSIGNED BY ATC.  
 NOTE: SABEE TRANSITION FOR TPA AREA DEPARTURES.  
 NOTE: GAWKS TRANSITION, GPS REQUIRED.

**FIXES AND/OR HOLDING PATTERNS:**

CHART HOLDING AT EXONS: HOLD SW, RT, 050.00 INBOUND, 10 NM LEGS.  
 CHART HOLDING AT GAWKS: HOLD W, LT, 108.03 INBOUND, 10 NM LEGS.  
 CHART HOLDING AT HORUT: HOLD N, RT, 169.35 INBOUND, 10 NM LEGS.  
 CHART HOLDING AT MOLIE: HOLD N, RT, 169.25 INBOUND, 10 NM LEGS.  
 CHART HOLDING AT RACNO: HOLD NW, RT, 118.30 INBOUND, 10 NM LEGS.  
 CHART HOLDING AT TROPS: HOLD NW, RT, 117.30 INBOUND, 10 NM LEGS.  
 CHART HOLDING AT VUUDU: HOLD W, LT, 093.17 INBOUND, 10 NM LEGS.  
 CHART HOLDING AT WATES: HOLD W, RT, 106.61 INBOUND, 10 NM LEGS.

**COMMUNICATIONS:**

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name | Number | STAR Computer Code | Superseded Number | Dated      | Effective Date |
|--------------|--------|--------------------|-------------------|------------|----------------|
| VUUDU (RNAV) | TWO    | VUUDU.VUUDU2       | ONE               | 05/19/2022 |                |

AIRPORTS SERVED:

| <u>AIRPORT ID</u> | <u>CITY</u>     | <u>STATE</u> |
|-------------------|-----------------|--------------|
| DJT               | WEST PALM BEACH | FL           |
| BCT               | BOCA RATON      | FL           |
| F45               | WEST PALM BEACH | FL           |
| 06FA              | JUPITER         | FL           |
| SUA               | STUART          | FL           |

LOST COMMUNICATIONS PREFERENCES:

REMARKS:

THE ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.  
WATES, EXONS WP ARE STAND-ALONE HOLDING.  
ABBREVIATED AMDT.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)  
MAG VAR: DJT 06W/2010  
CHART AT GULLO TERMINUS: LDG DJT RWY 10L/14  
CHART AT COTEB TERMINUS: LDG DJT RWY 28R/32  
CHART AT SHZAM TERMINUS: LDG 06FA/F45  
CHART AT DIVRR TERMINUS: LDG BCT  
CHART AT MSQTO TERMINUS: LDG SUA

FLIGHT INSPECTED BY:

Processed IAW Technical Support Group (AJF-17) Memo dated 07/07/2021, Subject: Guidance for Procedural Changes Requiring Flight Inspection/Validation.

ORGANIZATION: DATE:

Flight Inspected Signature:

*Digitally signed by*  
**TARA N MARTINELLI**  
Apr 28, 2026

DEVELOPED BY:

MARK CIARLONE

AJV-A421

04/21/2026

Developed By Signature:

*Digitally signed by*  
**MARK CIARLONE**  
Apr 21, 2026

APPROVED BY:

TARA MARTINELLI

AJV-A421

Approved By Signature:

*Digitally signed by*  
**TARA N MARTINELLI**  
Apr 28, 2026

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name        | Number     | STAR Computer Code  | Superseded Number | Dated             | Effective Date |
|---------------------|------------|---------------------|-------------------|-------------------|----------------|
| <b>VUUDU (RNAV)</b> | <b>TWO</b> | <b>VUUDU.VUUDU2</b> | <b>ONE</b>        | <b>05/19/2022</b> |                |

**CHANGES:**

1. CHANGED AIRPORT ID FROM PBI TO DJT.
2. PBN REQUIREMENTS NOTES: CHANGED GAWKS TRANSITION TO READ RNAV 1-GPS.
3. ADDED NOTE GPS REQUIRED FOR GAWKS TRANSITION.
4. REMOVED ARPT K IDENTIS.

**REASONS:**


1. AIRPORT NAME/ID CHANGE.
2. IAW 8260.19K, 4-5-12D.
3. IAW 8260.19K, 4-5-12J.
4. IAW CURRENT DOCUMENTATION STANDARDS.

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name | Number | STAR Computer Code | Superseded Number | Dated      | Effective Date |
|--------------|--------|--------------------|-------------------|------------|----------------|
| VUUDU (RNAV) | TWO    | VUUDU.VUUDU2       | ONE               | 05/19/2022 |                |

Graphic Depiction 1




FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name | Number | STAR Computer Code | Superseded Number | Dated      | Effective Date |
|--------------|--------|--------------------|-------------------|------------|----------------|
| VUUDU (RNAV) | TWO    | VUUDU.VUUDU2       | ONE               | 05/19/2022 |                |

Graphic Depiction 2






FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name | Number | STAR Computer Code | Superseded Number | Dated      | Effective Date |
|--------------|--------|--------------------|-------------------|------------|----------------|
| VUUDU (RNAV) | TWO    | VUUDU.VUUDU2       | ONE               | 05/19/2022 |                |

Graphic Depiction 3




FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

| Arrival Name | Number | STAR Computer Code | Superseded Number | Dated      | Effective Date |
|--------------|--------|--------------------|-------------------|------------|----------------|
| VUUDU (RNAV) | TWO    | VUUDU.VUUDU2       | ONE               | 05/19/2022 |                |

Graphic Depiction 4



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STAR (DATA RECORD)**

| Arrival Name<br>VUUDU (RNAV) | Number<br>TWO            |          | STAR Computer Code<br>VUUDU.VUUDU2 |                     | Superseded Number<br>ONE |                      | Dated<br>05/19/2022 |              | Effective Date |
|------------------------------|--------------------------|----------|------------------------------------|---------------------|--------------------------|----------------------|---------------------|--------------|----------------|
| <u>FIX/NAVAID</u>            | <u>LAT/LONG</u>          | <u>C</u> | <u>FO/FB</u>                       | <u>LEG<br/>TYPE</u> | <u>TC</u>                | <u>DIST<br/>(NM)</u> | <u>ALTITUDE</u>     | <u>SPEED</u> | <u>REMARKS</u> |
| En Route Transition          |                          |          |                                    |                     |                          |                      |                     |              |                |
| ACORI                        | 314623.36N / 0855129.51W | Y        |                                    | IF                  |                          |                      |                     |              | ACORI .VUUDU2  |
| BULZI                        | 302224.93N / 0840434.47W | Y        | FB                                 | TF                  | 131.92                   | 124.30               |                     |              |                |
| SNAPY                        | 294851.17N / 0834223.61W | Y        | FB                                 | TF                  | 150.02                   | 38.62                |                     |              |                |
| NICKI                        | 291520.19N / 0832031.80W | Y        | FB                                 | TF                  | 150.21                   | 38.49                |                     |              |                |
| MOLIE                        | 280155.53N / 0821825.55W | Y        | FB                                 | TF                  | 143.02                   | 91.36                |                     |              |                |
| SANTR                        | 273708.56N / 0821003.14W | Y        | FB                                 | TF                  | 163.25                   | 25.81                |                     |              |                |
| HORUT                        | 272047.06N / 0820440.37W | Y        | FB                                 | TF                  | 163.63                   | 17.00                | AT/BELOW FL260      | AT 280K      |                |
| FANTE                        | 270211.41N / 0815827.71W | Y        | FB                                 | TF                  | 163.35                   | 19.35                | FL240BFL250         |              |                |
| HUCUR                        | 265156.49N / 0814434.78W | Y        | FB                                 | TF                  | 129.43                   | 16.07                | AT/BELOW FL220      |              |                |
| RACNO                        | 264024.83N / 0812928.08W | Y        | FB                                 | TF                  | 130.30                   | 17.75                | AT FL190            | AT 280K      |                |
| LUCYS                        | 264358.54N / 0811417.39W | Y        | FB                                 | TF                  | 075.30                   | 14.05                | AT/BELOW 15000      |              |                |
| SHRVY                        | 264711.98N / 0810025.77W | Y        | FB                                 | TF                  | 075.42                   | 12.82                | 11000B13000         |              |                |
| VUUDU                        | 264742.70N / 0804841.88W | Y        | FB                                 | TF                  | 087.17                   | 10.51                |                     |              |                |
| En Route Transition          |                          |          |                                    |                     |                          |                      |                     |              |                |
| DEFUN                        | 304851.27N / 0860753.09W | Y        |                                    | IF                  |                          |                      |                     |              | DEFUN .VUUDU2  |
| CABLO                        | 304629.00N / 0845024.00W | Y        | FB                                 | TF                  | 091.70                   | 66.78                |                     |              |                |
| BULZI                        | 302224.93N / 0840434.47W | Y        | FB                                 | TF                  | 121.06                   | 46.28                |                     |              |                |
| SNAPY                        | 294851.17N / 0834223.61W | Y        | FB                                 | TF                  | 150.02                   | 38.62                |                     |              |                |
| NICKI                        | 291520.19N / 0832031.80W | Y        | FB                                 | TF                  | 150.21                   | 38.49                |                     |              |                |
| MOLIE                        | 280155.53N / 0821825.55W | Y        | FB                                 | TF                  | 143.02                   | 91.36                |                     |              |                |
| SANTR                        | 273708.56N / 0821003.14W | Y        | FB                                 | TF                  | 163.25                   | 25.81                |                     |              |                |
| HORUT                        | 272047.06N / 0820440.37W | Y        | FB                                 | TF                  | 163.63                   | 17.00                | AT/BELOW FL260      | AT 280K      |                |
| FANTE                        | 270211.41N / 0815827.71W | Y        | FB                                 | TF                  | 163.35                   | 19.35                | FL240BFL250         |              |                |
| HUCUR                        | 265156.49N / 0814434.78W | Y        | FB                                 | TF                  | 129.43                   | 16.07                | AT/BELOW FL220      |              |                |
| RACNO                        | 264024.83N / 0812928.08W | Y        | FB                                 | TF                  | 130.30                   | 17.75                | AT FL190            | AT 280K      |                |
| LUCYS                        | 264358.54N / 0811417.39W | Y        | FB                                 | TF                  | 075.30                   | 14.05                | AT/BELOW 15000      |              |                |

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STAR (DATA RECORD)**

| Arrival Name<br>VUUDU (RNAV) |                          | Number<br>TWO |              | STAR Computer Code<br>VUUDU.VUUDU2 |           | Superseded Number<br>ONE |                 | Dated<br>05/19/2022 | Effective Date |
|------------------------------|--------------------------|---------------|--------------|------------------------------------|-----------|--------------------------|-----------------|---------------------|----------------|
| <u>FIX/NAVAID</u>            | <u>LAT/LONG</u>          | <u>C</u>      | <u>FO/FB</u> | <u>LEG<br/>TYPE</u>                | <u>TC</u> | <u>DIST<br/>(NM)</u>     | <u>ALTITUDE</u> | <u>SPEED</u>        | <u>REMARKS</u> |
| SHRVY                        | 264711.98N / 0810025.77W | Y             | FB           | TF                                 | 075.42    | 12.82                    | 11000B13000     |                     |                |
| VUUDU                        | 264742.70N / 0804841.88W | Y             | FB           | TF                                 | 087.17    | 10.51                    |                 |                     |                |
| En Route Transition          |                          |               |              |                                    |           |                          |                 |                     |                |
| ENEME                        | 304212.09N / 0822609.31W | Y             |              | IF                                 |           |                          |                 |                     | ENEME .VUUDU2  |
| FETAL                        | 301103.69N / 0823024.76W | Y             | FB           | TF                                 | 186.77    | 31.28                    |                 |                     |                |
| DOFFY                        | 291522.73N / 0823138.10W | Y             | FB           | TF                                 | 181.10    | 55.56                    |                 |                     |                |
| MOLIE                        | 280155.53N / 0821825.55W | Y             | FB           | TF                                 | 170.93    | 74.18                    |                 |                     |                |
| SANTR                        | 273708.56N / 0821003.14W | Y             | FB           | TF                                 | 163.25    | 25.81                    |                 |                     |                |
| HORUT                        | 272047.06N / 0820440.37W | Y             | FB           | TF                                 | 163.63    | 17.00                    | AT/BELOW FL260  | AT 280K             |                |
| FANTE                        | 270211.41N / 0815827.71W | Y             | FB           | TF                                 | 163.35    | 19.35                    | FL240BFL250     |                     |                |
| HUCUR                        | 265156.49N / 0814434.78W | Y             | FB           | TF                                 | 129.43    | 16.07                    | AT/BELOW FL220  |                     |                |
| RACNO                        | 264024.83N / 0812928.08W | Y             | FB           | TF                                 | 130.30    | 17.75                    | AT FL190        | AT 280K             |                |
| LUCYS                        | 264358.54N / 0811417.39W | Y             | FB           | TF                                 | 075.30    | 14.05                    | AT/BELOW 15000  |                     |                |
| SHRVY                        | 264711.98N / 0810025.77W | Y             | FB           | TF                                 | 075.42    | 12.82                    | 11000B13000     |                     |                |
| VUUDU                        | 264742.70N / 0804841.88W | Y             | FB           | TF                                 | 087.17    | 10.51                    |                 |                     |                |
| En Route Transition          |                          |               |              |                                    |           |                          |                 |                     |                |
| GAWKS                        | 271053.38N / 0830515.17W | Y             |              | IF                                 |           |                          | AT/BELOW FL310  |                     | GAWKS.VUUDU2   |
| BAGGS                        | 270803.28N / 0825027.20W | Y             | FB           | TF                                 | 102.03    | 13.50                    |                 |                     |                |
| NOILS                        | 270610.61N / 0824414.80W | Y             | FB           | TF                                 | 108.66    | 05.85                    | AT/ABOVE FL280  |                     |                |
| PEBOE                        | 265837.28N / 0821857.49W | Y             | FB           | TF                                 | 108.36    | 23.80                    | AT/BELOW FL260  | AT 280K             |                |
| PACLA                        | 265256.70N / 0820324.97W | Y             | FB           | TF                                 | 112.11    | 15.00                    | FL240BFL250     |                     |                |
| TROPS                        | 264927.76N / 0815355.96W | Y             | FB           | TF                                 | 112.23    | 09.17                    | AT/BELOW FL220  |                     |                |
| RACNO                        | 264024.83N / 0812928.08W | Y             | FB           | TF                                 | 112.30    | 23.69                    | AT FL190        | AT 280K             |                |
| LUCYS                        | 264358.54N / 0811417.39W | Y             | FB           | TF                                 | 075.30    | 14.05                    | AT/BELOW 15000  |                     |                |
| SHRVY                        | 264711.98N / 0810025.77W | Y             | FB           | TF                                 | 075.42    | 12.82                    | 11000B13000     |                     |                |
| VUUDU                        | 264742.70N / 0804841.88W | Y             | FB           | TF                                 | 087.17    | 10.51                    |                 |                     |                |



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STAR (DATA RECORD)**

| Arrival Name<br>VUUDU (RNAV) |                          | Number<br>TWO |       | STAR Computer Code<br>VUUDU.VUUDU2 |        |              | Superseded Number<br>ONE |         | Dated<br>05/19/2022 | Effective Date |
|------------------------------|--------------------------|---------------|-------|------------------------------------|--------|--------------|--------------------------|---------|---------------------|----------------|
| FIX/NAVAID                   | LAT/LONG                 | C             | FO/FB | LEG<br>TYPE                        | TC     | DIST<br>(NM) | ALTITUDE                 | SPEED   | REMARKS             |                |
| En Route Transition          |                          |               |       |                                    |        |              |                          |         |                     |                |
| LUCYS                        | 264358.54N / 0811417.39W | Y             |       | IF                                 |        |              | AT/BELOW 15000           |         | LUCYS.VUUDU2        |                |
| SHRVY                        | 264711.98N / 0810025.77W | Y             | FB    | TF                                 | 075.42 | 12.82        | 11000B13000              |         |                     |                |
| VUUDU                        | 264742.70N / 0804841.88W | Y             | FB    | TF                                 | 087.17 | 10.51        |                          |         |                     |                |
|                              |                          |               |       |                                    |        |              |                          |         |                     |                |
| En Route Transition          |                          |               |       |                                    |        |              |                          |         |                     |                |
| MOLIE                        | 280155.53N / 0821825.55W | Y             |       | IF                                 |        |              |                          |         | MOLIE.VUUDU2        |                |
| SANTR                        | 273708.56N / 0821003.14W | Y             | FB    | TF                                 | 163.25 | 25.81        |                          |         |                     |                |
| HORUT                        | 272047.06N / 0820440.37W | Y             | FB    | TF                                 | 163.63 | 17.00        | AT/BELOW FL260           | AT 280K |                     |                |
| FANTE                        | 270211.41N / 0815827.71W | Y             | FB    | TF                                 | 163.35 | 19.35        | FL240BFL250              |         |                     |                |
| HUCUR                        | 265156.49N / 0814434.78W | Y             | FB    | TF                                 | 129.43 | 16.07        | AT/BELOW FL220           |         |                     |                |
| RACNO                        | 264024.83N / 0812928.08W | Y             | FB    | TF                                 | 130.30 | 17.75        | AT FL190                 | AT 280K |                     |                |
| LUCYS                        | 264358.54N / 0811417.39W | Y             | FB    | TF                                 | 075.30 | 14.05        | AT/BELOW 15000           |         |                     |                |
| SHRVY                        | 264711.98N / 0810025.77W | Y             | FB    | TF                                 | 075.42 | 12.82        | 11000B13000              |         |                     |                |
| VUUDU                        | 264742.70N / 0804841.88W | Y             | FB    | TF                                 | 087.17 | 10.51        |                          |         |                     |                |
|                              |                          |               |       |                                    |        |              |                          |         |                     |                |
| En Route Transition          |                          |               |       |                                    |        |              |                          |         |                     |                |
| SABEE                        | 270516.20N / 0821129.33W | Y             |       | IF                                 |        |              | AT/BELOW FL250           | AT 280K | SABEE.VUUDU2        |                |
| TROPS                        | 264927.76N / 0815355.96W | Y             | FB    | TF                                 | 135.07 | 22.24        | AT/BELOW FL220           |         |                     |                |
| RACNO                        | 264024.83N / 0812928.08W | Y             | FB    | TF                                 | 112.30 | 23.69        | AT FL190                 | AT 280K |                     |                |
| LUCYS                        | 264358.54N / 0811417.39W | Y             | FB    | TF                                 | 075.30 | 14.05        | AT/BELOW 15000           |         |                     |                |
| SHRVY                        | 264711.98N / 0810025.77W | Y             | FB    | TF                                 | 075.42 | 12.82        | 11000B13000              |         |                     |                |
| VUUDU                        | 264742.70N / 0804841.88W | Y             | FB    | TF                                 | 087.17 | 10.51        |                          |         |                     |                |
|                              |                          |               |       |                                    |        |              |                          |         |                     |                |
| En Route Transition          |                          |               |       |                                    |        |              |                          |         |                     |                |
| SWAGS                        | 261037.07N / 0810559.93W | Y             |       | IF                                 |        |              | AT/BELOW FL250           | AT 280K | SWAGS.VUUDU2        |                |
| LUCYS                        | 264358.54N / 0811417.39W | Y             | FB    | TF                                 | 347.42 | 34.08        | AT/BELOW 15000           |         |                     |                |
| SHRVY                        | 264711.98N / 0810025.77W | Y             | FB    | TF                                 | 075.42 | 12.82        | 11000B13000              |         |                     |                |
| VUUDU                        | 264742.70N / 0804841.88W | Y             | FB    | TF                                 | 087.17 | 10.51        |                          |         |                     |                |

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STAR (DATA RECORD)**

| Arrival Name<br>VUUDU (RNAV) | Number<br>TWO            |          | STAR Computer Code<br>VUUDU.VUUDU2 |                     | Superseded Number<br>ONE |                      | Dated<br>05/19/2022 |              | Effective Date |
|------------------------------|--------------------------|----------|------------------------------------|---------------------|--------------------------|----------------------|---------------------|--------------|----------------|
| <u>FIX/NAVAID</u>            | <u>LAT/LONG</u>          | <u>C</u> | <u>FO/FB</u>                       | <u>LEG<br/>TYPE</u> | <u>TC</u>                | <u>DIST<br/>(NM)</u> | <u>ALTITUDE</u>     | <u>SPEED</u> | <u>REMARKS</u> |
| En Route Transition          |                          |          |                                    |                     |                          |                      |                     |              |                |
| ZPLEN                        | 314128.42N / 0834021.06W | Y        |                                    | IF                  |                          |                      |                     |              | ZPLEN.VUUDU2   |
| IISLY                        | 304237.70N / 0831757.72W | Y        | FB                                 | TF                  | 161.79                   | 61.77                |                     |              |                |
| DOFFY                        | 291522.73N / 0823138.10W | Y        | FB                                 | TF                  | 155.00                   | 95.89                |                     |              |                |
| MOLIE                        | 280155.53N / 0821825.55W | Y        | FB                                 | TF                  | 170.93                   | 74.18                |                     |              |                |
| SANTR                        | 273708.56N / 0821003.14W | Y        | FB                                 | TF                  | 163.25                   | 25.81                |                     |              |                |
| HORUT                        | 272047.06N / 0820440.37W | Y        | FB                                 | TF                  | 163.63                   | 17.00                | AT/BELOW FL260      | AT 280K      |                |
| FANTE                        | 270211.41N / 0815827.71W | Y        | FB                                 | TF                  | 163.35                   | 19.35                | FL240BFL250         |              |                |
| HUCUR                        | 265156.49N / 0814434.78W | Y        | FB                                 | TF                  | 129.43                   | 16.07                | AT/BELOW FL220      |              |                |
| RACNO                        | 264024.83N / 0812928.08W | Y        | FB                                 | TF                  | 130.30                   | 17.75                | AT FL190            | AT 280K      |                |
| LUCYS                        | 264358.54N / 0811417.39W | Y        | FB                                 | TF                  | 075.30                   | 14.05                | AT/BELOW 15000      |              |                |
| SHRVY                        | 264711.98N / 0810025.77W | Y        | FB                                 | TF                  | 075.42                   | 12.82                | 11000B13000         |              |                |
| VUUDU                        | 264742.70N / 0804841.88W | Y        | FB                                 | TF                  | 087.17                   | 10.51                |                     |              |                |
| Common Route                 |                          |          |                                    |                     |                          |                      |                     |              |                |
| VUUDU                        | 264742.70N / 0804841.88W | Y        |                                    | IF                  |                          |                      |                     |              | VUUDU.VUUDU2   |
| TARTY                        | 264749.70N / 0804544.54W | Y        | FB                                 | TF                  | 087.47                   | 02.65                | 9000B11000          | AT 250K      |                |
| HLIBT                        | 264420.94N / 0803515.82W | Y        | FB                                 | TF                  | 110.26                   | 10.00                | AT/BELOW 9000       |              |                |
| Common Route                 |                          |          |                                    |                     |                          |                      |                     |              |                |
| VUUDU                        | 264742.70N / 0804841.88W |          |                                    | IF                  |                          |                      |                     |              | VUUDU.VUUDU2   |
| OWLLL                        | 264749.62N / 0804546.53W |          | FB                                 | TF                  | 087.47                   | 02.62                | AT 9000             | AT 250K      |                |
| SHZAM                        | 264901.36N / 0803256.82W |          | FO                                 | TF                  | 084.02                   | 11.54                |                     |              |                |
| K06FA,KF45                   |                          |          |                                    | VM                  | 085.00                   |                      |                     |              |                |
| Common Route                 |                          |          |                                    |                     |                          |                      |                     |              |                |
| VUUDU                        | 264742.70N / 0804841.88W | Y        |                                    | IF                  |                          |                      |                     |              | VUUDU.VUUDU2   |
| OWLLL                        | 264749.62N / 0804546.53W | Y        | FB                                 | TF                  | 087.47                   | 02.62                | AT 9000             | AT 250K      |                |
| VETCH                        | 263400.67N / 0803754.15W | Y        | FB                                 | TF                  | 152.86                   | 15.48                |                     |              |                |
| SCALE                        | 263050.38N / 0802444.09W | Y        | FB                                 | TF                  | 104.94                   | 12.23                |                     |              |                |

FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STAR (DATA RECORD)

| Arrival Name<br>VUUDU (RNAV) |                          | Number<br>TWO |              | STAR Computer Code<br>VUUDU.VUUDU2 |           | Superseded Number<br>ONE |                 | Dated<br>05/19/2022 | Effective Date |
|------------------------------|--------------------------|---------------|--------------|------------------------------------|-----------|--------------------------|-----------------|---------------------|----------------|
| <u>FIX/NAVAID</u>            | <u>LAT/LONG</u>          | <u>C</u>      | <u>FO/FB</u> | <u>LEG<br/>TYPE</u>                | <u>TC</u> | <u>DIST<br/>(NM)</u>     | <u>ALTITUDE</u> | <u>SPEED</u>        | <u>REMARKS</u> |
| DIVRR                        | 263032.93N / 0801836.73W | Y             | FO           | TF                                 | 093.00    | 05.50                    |                 |                     |                |
| KBCT                         |                          |               |              | FM                                 | 093.00    |                          |                 |                     |                |
| Common Route                 |                          |               |              |                                    |           |                          |                 |                     |                |
| VUUDU                        | 264742.70N / 0804841.88W | Y             |              | IF                                 |           |                          |                 |                     | VUUDU.VUUDU2   |
| OWLLL                        | 264749.62N / 0804546.53W | Y             | FB           | TF                                 | 087.47    | 02.62                    | AT 9000         | AT 250K             |                |
| MSQTO                        | 270524.57N / 0803617.54W | Y             | FO           | TF                                 | 025.76    | 19.47                    |                 |                     |                |
| KSUA                         |                          |               |              | VM                                 | 044.00    |                          |                 |                     |                |
| Runway Transition            |                          |               |              |                                    |           |                          |                 |                     |                |
| HLIBT                        | 264420.94N / 0803515.82W | Y             |              | IF                                 |           |                          | AT/BELOW 9000   |                     |                |
| GULLO                        | 264202.59N / 0802839.81W | Y             | FB           | TF                                 | 111.23    | 06.34                    | AT 5000         |                     |                |
| KDJT:RWY 10L,RWY 14          |                          |               |              |                                    |           |                          |                 |                     |                |
| Runway Transition            |                          |               |              |                                    |           |                          |                 |                     |                |
| HLIBT                        | 264420.94N / 0803515.82W | Y             |              | IF                                 |           |                          | AT/BELOW 9000   |                     |                |
| JANDS                        | 263833.86N / 0801942.64W | Y             | FB           | TF                                 | 112.43    | 15.08                    | AT/ABOVE 8000   |                     |                |
| BEKAH                        | 263546.10N / 0801204.61W | Y             | FB           | TF                                 | 112.14    | 07.39                    | AT 6000         |                     |                |
| COTEB                        | 263523.54N / 0800333.67W | Y             | FO           | TF                                 | 092.78    | 07.64                    | AT 6000         | AT 210K             |                |
| KDJT:RWY 28R,RWY 32          |                          |               |              |                                    |           |                          |                 |                     |                |
|                              |                          |               |              | FM                                 | 092.78    |                          |                 |                     |                |