

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 01/22/2026	APWS Task ID: 587C3E5505A9440EACA12748F43F02F8	APWS Project ID: 31A8A85B1F70441A9089AF7B090C83FD
Procedure: RNAV (GPS) X RWY 35L AMDT 3		Enroute: NO	Specialist: Hardison, Dustin		Agreement Number:
Airport ID: KRNO			Airport City: RENO		State: NV
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			

Procedure Comments:
ACTIVE AIRNAV DATA USED.
Contact Rake McGraw AJV-A422
(405)597-8711



RNAV (GPS) X RWY 35L



RENO/TAHOE INTL (R.NO)

APP CRS 347°	Rwy Ldg TDZE Apt Elev	10011 4410 4415
------------------------	-----------------------------	--

RNP APCH - GPS. MALSRL


⚠ Circling to Rwy 8 NA at night. Baro-VNAV NA. For inop ALS increase LNAV Cat A and B visibility to 1/4 SM. Inop table does not apply to LNAV Cats C and D and LNAV all Cats. **MISSED APPROACH:** Climb to 11000 direct TAKLE and hold, continue climb-in-hold to 11000.

D-ATIS 135.8 363.0	NORCL APP CON 119.2 279.55 126.3 353.9	RENO TOWER 118.7 257.8	GND CON 121.9 348.6
------------------------------	--	----------------------------------	-------------------------------



ELEV 4415 **D** TDZE 4410

HIRL Rwy 17R-35L and 17L-35R
REIL Rwy 8, 17L, 26, and 35R
RCLS Rwy 17R-35L and 17L-35R
MIRL Rwy 8-26



CATEGORY	A	B	C	D
LNAV/VNAV DA	5473-4 1063 (1100-4)			
LNAV MDA	5580-3/4 1170 (1200-3/4)	5580-1 1170 (1200-1)	5580-3 1170 (1200-3)	
CIRCLING	5580-1 1/4 1170 (1200-1 1/4)	5580-1 1/2 1145 (1200-1 1/2)	6460-3 2045 (2100-3)	

AUTOMATED AL-346 RNAV (GPS) X RWY 35L
AUTOMATED AL-346 RNAV (GPS) X RWY 35L

SW-4
17 OCT 2025
COMPILER: CG
REVIEWER:
DBL CHKR:
EFF: FIG

APP CRS 347°	Rwy Idg 10011
	TDZE 4410
	Apt Elev 4415


OLD

RNAV (GPS) X RWY 35L



RENO/TAHOE INTL (RNO)

RNP APCH - GPS	MALS/R	MISSED APPROACH: Climb to 11000 direct TAKLE and hold, continue climb-in-hold to 11000. *Missed approach requires minimum climb of 250 feet per NM to 5600.

D-ATIS 135.8 363.0	NORCAL APP CON 119.2 279.55 126.3 353.9	RENO TOWER 118.7 257.8	GND CON 121.9 348.6	CLNC DEL 124.9 370.85	CPDLC
------------------------------	---	----------------------------------	-------------------------------	---------------------------------	-------




ELEV 4415	TDZE 4410
HIRL Rwy 17R-35L and 17L-35R	
REIL Rwy 8, 17L, 26, and 35R	
MIRL Rwy 8-26	





CATEGORY	A		B		C		D	
LNAV/VNAV DA*	5480-4 1070 (1100-4)							
LNAV/VNAV DA	5521-4 1111 (1200-4)							
LNAV MDA*	5480-3/4 1070 (1100-3/4)		5480-1 1070 (1100-1)		5480-2 1/2 1070 (1100-2 1/2)			
LNAV MDA	5560-3/4 1150 (1200-3/4)		5560-1 1150 (1200-1)		5560-3 1150 (1200-3)			
CIRCLING	5560-1 1/4 1145 (1200-1 1/4)		5560-1 1/2 1145 (1200-1 1/2)		6460-3 2045 (2100-3)			


SW-4, 07 AUG 2025 to 04 SEP 2025

SW-4, 07 AUG 2025 to 04 SEP 2025











KRNO
RENO/TAHOE INTL
RENO, NV
RNAV (GPS) X RWY 35L
AMDT 3
LNAV/VNAV FINAL
1:100,000





Circling CAT A/B ANTENNA (5030)
32-056230

KRNO
RENO/TAHOE INTL
RENO, NV
RNAV (GPS) X RWY 35L
AMDT 3
CIRCLING
1:100,000

Circling CAT C/D TERRAIN+VEG (6157)
TP_N3928000W11942300