

RADIO FIX AND HOLDING DATA RECORD

NAME: ANNND

STATE: VT

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 434434.61N/0722026.76W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	FAC FEET	MRA	MAA
1	LEBANON	I-DVR	LOC/DME		003.97	347.97	8.00	8.03	48766	2800	5100

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 18	1		LEB	LEBANON	NH (US)
IAP	RNAV (GPS) RWY 18			LEB	LEBANON	NH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 10/29/2026

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: DEVON KERCHER

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A431

NAME: ROBERT HAMILTON

SIGNATURE:

QUALITY
37
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: BURGR

STATE: VT

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 434556.76N/0722050.96W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	LEBANON	I-DVR	LOC/DME		003.97	347.97	9.40	9.43		3000	5100

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 18	1		LEB	LEBANON	NH (US)
IAP	RNAV (GPS) RWY 18			LEB	LEBANON	NH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 10/29/2026

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: DEVON KERCHER

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A431

NAME: ROBERT HAMILTON

SIGNATURE:

QUALITY
37
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: BURGR OM

STATE: VT

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 434359.24N/0721950.53W

TYPE: DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	BURGR	DV	OM								5100
2	LEBANON	I-DVR	LOC/DME		006.97	350.97	7.13	7.10	43162	2900	5100

HOLDING:

HOLDING TYPE OF ACTION:

REMARKS:

COORDINATES REFLECT LOCATION ON LOC/AZ CENTERLINE ABEAM THE BURGR OM.
ACTUAL FACILITY LOCATION IS 434358.09N/0722000.54W.
DME ANTENNA COORDINATES: 433656.42N/0721817.89W

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 18	1, 2		LEB	LEBANON	NH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 7

DATE OF REVISION: 06/17/2021

REASON FOR REVISION:

1. LATITUDE/LONGITUDE: CHANGED LATITUDE COORDINATE DECIMAL PORTION FROM .25 TO .24 AND LONGITUDE COORDINATE DECIMAL PORTION FROM .50 TO .53 - FIX MOVED 2.53 FEET WEST TO I-DVR LOCALIZER CENTERLINE.
2. TYPE: REMOVED INT.
3. FIX MAKE-UP FACILITIES SECTION FAC1: CHANGED DIST FROM FAC FEET FROM 42140 TO 43162.
4. FIX MAKE-UP FACILITIES SECTION: REMOVED FAC3 LEB VOR/DME.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A423

NAME: MICHAEL GARRITY

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A431

NAME: ROBERT HAMILTON

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: EST
ARTCC: ZBW
ATC FACILITY: LEB TOWER
OTHER:

QUALITY
3
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: CFBFQ

STATE: NH

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 433745.23N/0721828.54W

TYPE: CNF

AIRSPACE DOCKET:

FIX TYPE OF ACTION: CANCEL

HOLDING:

HOLDING TYPE OF ACTION:

REMARKS:

FIX IS THE FICTIOUS THRESHOLD POINT FOR THE OFFSET

FIX USE:

USE TYPE
IAP

USE TITLE
ILS OR LOC RWY 18

FAC

PAT

AIRPORT IDENT
LEB

CITY
LEBANON

STATE
NH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1

DATE OF REVISION: 06/17/2021

REASON FOR REVISION:

1. LATITUDE/LONGITUDE: CHANGED LATITUDE COORDINATE DECIMAL PORTION FROM .28 TO .23 - FIX MOVED 4.80 FEET SOUTH TO EQUAL SAME DISTANCE FROM INTERSECT POINT OF FAC AND RCL TO LTP PER CRITERIA.

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A423

NAME: MICHAEL GARRITY

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A431

NAME: ROBERT HAMILTON

SIGNATURE:

DISTRIBUTION:

NFDC
FPO: EST
ARTCC: ZBW
ATC FACILITY: LEB TOWER
OTHER:

QUALITY
3
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: FRYYS

STATE: NH

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 435230.37N/0721003.91W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: MODIFY

HOLDING:

HOLDING TYPE OF ACTION: NO CHANGE

FIX USE:

USE TYPE
IAP
IAP

USE TITLE
ILS OR LOC RWY 18
RNAV (GPS) RWY 18

FAC

PAT

AIRPORT IDENT
LEB
LEB

CITY
LEBANON
LEBANON

STATE
NH (US)
NH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5

DATE OF REVISION: 10/29/2026

REASON FOR REVISION:

1. LATITUDE/LONGITUDE: FIX MOVED FROM "434105.86N/0721912.49W" TO "435230.37N/0721003.91W". FIX MOVED 13.1909 NM NORTH.
2. FIX TYPE: REMOVED DME, ADDED WP.
3. FIX MAKE-UP FACILITIES: REMOVED "1 LEBANON I-DVR LOC/DME 006.97 350.97 4.21 4.17 1620 5100".
4. FIX USE: REMOVED FAC 1 FROM ILS OR LOC RWY 18.
5. FIX USE: ADDED "IAP RNAV (GPS) RWY 18 LEB LEBANON NH (US)".
6. REMARKS: REMOVED "DME ANTENNA COORDINATES: 433656.42N/0721817.88W".

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: DEVON KERCHER

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A431

NAME: ROBERT HAMILTON

SIGNATURE:

QUALITY
37
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: HAMMM STATE: VT COUNTRY: US ICAO REGION CODE: K6
 LATITUDE/LONGITUDE: 435038.09N/0722213.97W TYPE: WP, DME

AIRSPACE DOCKET: FIX TYPE OF ACTION: MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	MRA	MAA
1	LEBANON	I-DVR	LOC/DME		003.97	347.97	14.19	14.22	4500	17500

EXPANDED SERVICE VOLUME (ESV):

FAC IDENT	FAC TYPE	RADIAL/BEARING	DISTANCE	MIN ALTITUDE	MAX ALTITUDE
I-DVR	LOC/DME	R-004	15	5100	7000

HOLDING: HOLDING TYPE OF ACTION: MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	DME	HOLDING ALTITUDES MIN	MAX	TEMPLATES MIN	MAX
1	E		WP	085.00	265.00	L		4	3500	3500	5	5
2	N		WP	003.93	183.93	L		4	3900	7000	5	9
3	N	I-DVR	LOC/DME	003.97	183.97	L	1		3900	7000	4	8

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	200	AAO	435500.00N/0722012.00W	2228	4B
2	200	AAO	435709.00N/0722203.00W	2586	4B
3	200	AAO	435709.00N/0722203.00W	2586	4B

PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
1	200	100
2	200	80
3	200	80

REASON FOR NONSTANDARD HOLDING:

PAT 1 ATC REQUEST
 PAT 2 ATC REQUEST
 PAT 3 ATC REQUEST

HOLDING RESTRICTIONS:

HOLDING LIMITED TO ESTABLISHED PATTERN(S)

REMARKS:

PRECIPITOUS TERRAIN EVALUATION COMPLETED

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 18	1	3	LEB	LEBANON	NH (US)
IAP	RNAV (GPS) RWY 18		2	LEB	LEBANON	NH (US)
IAP	RNAV (GPS) RWY 36		1	LEB	LEBANON	NH (US)
IAP	RNAV (GPS) RWY 7		1	LEB	LEBANON	NH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5

DATE OF REVISION: 10/29/2026

REASON FOR REVISION:

QUALITY
37
CHECKED

1. LATITUDE/LONGITUDE: FIX MOVED FROM "435010.78N/0722112.26W" TO "435038.90N/0722213.97W". FIX MOVED 0.8796 NM NW.
2. FIX MAKE-UP FACILITIES: ADDED "1 LEBANON I-DVR LOC/DME 003.97 347.97 14.19 14.22 4500 17500".
3. EXPANDED SERVICE VOLUME (ESV): ADDED "I-DVR LOC/DME R-004 15 5100 7000".
4. HOLDING PATTERNS: REMOVED "1 N WP 006.97 186.97 L 4 4700 7000 6 9".
5. HOLDING PATTERNS: ADDED "1 E WP 085.00 265.00 L 4 3500 3500 5 5".
6. HOLDING PATTERNS: ADDED "2 N WP 003.93 183.93 L 4 3900 7000 5 9".
7. HOLDING PATTERNS: ADDED "3 N I-DVR LOC/DME 003.97 183.97 L 1 3900 7000 4 8".
8. CONTROLLING OBSTRUCTIONS: REMOVED "1 200 AAO 435709.00N/0722003.00W 2586 4B".
9. CONTROLLING OBSTRUCTIONS: REMOVED "1 310 AAO 441100.00N/0722021.00W 3353 4B".
10. CONTROLLING OBSTRUCTIONS: ADDED "1 200 AAO 435500.00N/0722012.00W 2228 4B".
11. CONTROLLING OBSTRUCTIONS: ADDED "2 200 AAO 435709.00N/0722203.00W 2586 4B".
12. CONTROLLING OBSTRUCTIONS: ADDED "3 200 AAO 435709.00N/0722203.00W 2586 4B".
13. PRECIPITOUS TERRAIN ADDITIONS: REMOVED "1 200 80" AND "1 310 120".
14. PRECIPITOUS TERRAIN ADDITIONS: ADDED "1 200 100" AND "2 200 80" AND "3 200 80".
15. REASON FOR NONSTANDARD HOLDING: REMOVED "PAT 1 TERRAIN TO THE WEST".
16. REASON FOR NONSTANDARD HOLDING: ADDED "PAT 1 ATC REQUEST" "PAT 2 ATC REQUEST" "PAT 3 ATC REQUEST".
17. PROCEDURES REQUIRING CLIMB-IN-HOLD: REMOVED "1 ILS OR LOC RWY 18 LEB LEBANON NH (US)".
18. FIX USE: ADDED "FAC 1" AND "PAT 3" TO ILS OR LOC RWY 18.
19. FIX USE: ADDED "IAP RNAV (GPS) RWY 18 1 LEB LEBANON NH (US)".

INITIATED BY:	DATE:	ORGANIZATION:	NAME:
OFFICE OF PRIMARY RESPONSIBILITY:		AJV-A431	NAME: DEVON KERCHER
APPROVED BY:	DATE: 09/24/2026	OFFICE: AJV-A431	NAME: ROBERT HAMILTON
	SIGNATURE:		

QUALITY
37
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: IWANT

STATE: VT

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 434844.51N/0723423.27W

TYPE: WP

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:

USE TYPE

IAP

IAP

USE TITLE

ILS OR LOC RWY 18

RNAV (GPS) RWY 18

FAC

PAT

AIRPORT IDENT

LEB

LEB

CITY

LEBANON

LEBANON

STATE

NH (US)

NH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 10/29/2026

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: DEVON KERCHER

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A431

NAME: ROBERT HAMILTON

SIGNATURE:

QUALITY
37
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: SHKKE

STATE: VT

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 434211.96N/0721944.78W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	LEBANON	I-DVR	LOC/DME		003.97	347.97	5.57	5.60		1960	5100

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:

USE TYPE

USE TITLE

FAC

PAT

AIRPORT IDENT

CITY

STATE

IAP
IAP

ILS OR LOC RWY 18
RNAV (GPS) RWY 18

1

LEB
LEB

LEBANON
LEBANON

NH (US)
NH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 10/29/2026

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: DEVON KERCHER

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A431

NAME: ROBERT HAMILTON

SIGNATURE:

QUALITY
37
CHECKED

RADIO FIX AND HOLDING DATA RECORD

NAME: TOOGO

STATE: VT

COUNTRY: US

ICAO REGION CODE: K6

LATITUDE/LONGITUDE: 434111.33N/0721926.95W

TYPE: WP, DME

AIRSPACE DOCKET:

FIX TYPE OF ACTION: ESTABLISH

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM NM	FAC FEET	MRA	MAA
1	LEBANON	I-DVR	LOC/DME		003.97	347.97	4.54	4.56		1660	5100

HOLDING:

HOLDING TYPE OF ACTION:

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 18	1		LEB	LEBANON	NH (US)
IAP	RNAV (GPS) RWY 18			LEB	LEBANON	NH (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG

DATE OF REVISION: 10/29/2026

INITIATED BY:

DATE:

ORGANIZATION:

NAME:

OFFICE OF PRIMARY RESPONSIBILITY:

AJV-A431

NAME: DEVON KERCHER

APPROVED BY:

DATE: 09/24/2026

OFFICE: AJV-A431

NAME: ROBERT HAMILTON

SIGNATURE:

QUALITY
37
CHECKED