

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 03/19/2026	APWS Task ID: 5D5D93B4BD724A8E8A8FC4F443BB9F30	APWS Project ID: 425A7E6CEAE149E999A9974E66A68B34
Procedure: VOR RWY 25 AMDT 8		Enroute: NO	Specialist: Strobach, Ronald		Agreement Number:
Airport ID: KSBA			Airport City: SANTA BARBARA		State: CA
Facility ID: GVO	Facility Type: VORTAC	Flight Inspection Remark Type: New FC Slot			

Procedure Comments:

ACTIVE AIRNAV DATA USED FOR KSBA AND RUNWAY.

CANCELS T-NOTAM 5/3481.

20:1 PENETRATION, TOWER (06-000187) 342507.70N/1194907.11W 337 MSL, IS NOW LIT.

PT ENTRY ALT 6500 ESTABLISHED AT ZACKS.

CONTACT CASEY HILL, AJV-A421, 405-954-0624

QUALITY
38
CHECKED

QUALITY
40
CHECKED

FIPC BASIC FORM

PROCEDURE: VOR RWY 25 AMDT 8		AIRPORT NAME: SANTA BARBARA MUNI		AIRPORT ID: KSBA	SPECIAL CONTROL NO: SP-11-155-25
FAC ID: GVO		CITY: SANTA BARBARA		ST: CA	ORIG CHART DATE: 03/19/2026
DFL TYPE: PROC/A	THIRD PARTY: <input type="checkbox"/> YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:	PTS TASK ID: 5D5D93B4BD724A8E8A8FC4F443BB9F30	

PREFLIGHT NOTES

REVIEWER: troy e devine			DATE: 12/17/2025		
COMMENTS:			CHECK ONE:		
			<input checked="" type="checkbox"/> FLT CK REQ <input type="checkbox"/> NFCR <input type="checkbox"/> REJECT		
			YES	NO	
			CPV COMPLETE?		X

PROCEDURE RESULTS

INSPECTION DATE: 12/17/2025	CREW #: VN502	N #: N71	INSTRUMENT PROCEDURE STATUS: <input checked="" type="checkbox"/> SAT <input type="checkbox"/> SAT W/CHANGES <input type="checkbox"/> UNSAT		ARINC CODING: <input checked="" type="checkbox"/> SAT <input type="checkbox"/> SAT/GOLD <input type="checkbox"/> UNSAT	
FLIGHT INSPECTOR SIGNATURE: troy e devine @ 12/17/2025 21:04			PRINTED NAME: DEVINE, TROY ELLEN			NOTAM INITIATED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO

FLIGHT INSPECTOR REMARKS:
 SP-11-155-25 Santa Barbra Muni, Santa Barbra CA., VOR RWY 25 AMD 8, SAT
 No electronic data required.
 Obstacle check/Circle mins - SAT
 Cancel NOTAM 5/3481

IN-FLIGHT OBSTACLE REPORT

OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:
--------------------------	---------------------------------	-----------------------------	-----------------------------------	-----------------------------------




VOR RWY 25
SANTA BARBARA MUNI (SBA)

VORTAC GVO 113.8 Chan 85	APP CRS 280°	Rwy Ldg 6052 TDZE 14 Apt Elev 14
--	------------------------	---

⚠ Circling Rwy 15L/R and 33L/R NA at night. Rwy 25 helicopter visibility reduction below 1 SM NA. Circling NA for Cats C and D north of Rwy 7-25. Procedure NA at night. When local altimeter setting not received, use OXR altimeter setting and increase all MDAs 100 feet and S-25 visibility Cat B/C/D ½ SM and Circling visibility Cat B/C ¼ SM.



MISSED APPROACH: Climbing left turn to 4000 on heading 205° and GVO R-127 to GOLET INT and hold, continue climb-in-hold to 4000.

ATIS 132.65	SANTA BARBARA APP CON* 120.55 319.15 (151°-329°) 125.4 291.1 (330°-150°)	SANTA BARBARA TOWER* 119.7 (CTAF) 0 254.35	GND CON 121.7	CLNC DEL 132.9	UNICOM 122.95
-----------------------	--	---	-------------------------	--------------------------	-------------------------




SW-3, 07 AUG 2025 to 04 SEP 2025

SW-3, 07 AUG 2025 to 04 SEP 2025



ELEV 14	D	TDZE 14
---------	----------	---------



CATEGORY	A	B	C	D
S-25	920-1¼ 906 (1000-1¼)		920-2½ 906 (1000-2½)	
CIRCLING	920-1¼ 906 (1000-1¼)		920-2¾ 906 (1000-2¾)	960-3 946 (1000-3)

HIRL Rwy 7-25 ①	MIRL Rwy 15R-33L ①	REIL Rws 15R and 25 ①			
FAF to MAP 5.1 NM					
Knots	60	90	120	150	180
Min:Sec	5:06	3:24	2:33	2:02	1:42