

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 10/02/2025	APWS Task ID: 612C2FC10D2B46F7B70444F99D0240D9	APWS Project ID: 018C2994CB524080A025FC3FF9711EED
Procedure: RNAV (RNP) Z RWY 30 AMDT 2		Enroute: NO	Specialist: Gorman, Barbara		Agreement Number:
Airport ID: KPSC			Airport City: PASCO		State: WA
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: PENDING DATA USED FOR KPSC AIRPORT AND RUNWAYS. CONTACT: CASIMIR TABAKA: 405.954.7931					
QUALITY 38 CHECKED QUALITY 39 CHECKED					




RNAV (RNP) Z RWY 30
TRI-CITIES (PSC)

APP CRS	Rwy Idg	7504
301°	TDZE	405
	Apt Elev	410

▼ For uncompensated Baro-VNAV systems, procedure NA below -14°C (7°F) or above 54°C (130°F). RF required. GPS required. For inoperative ODALS, increase RNP 0.11 visibility all Cats to 1¼ mile, and increase RNP 0.30 visibility all Cats to 1½ mile.

ODALS
MISSED APPROACH: Climb to 5200 on track 301° to WEDAV, left turn to YOCUY, and on track 254° to PAIDS and hold.

ATIS 125.65	SPOKANE APP CON ★ 128.75 377.2	TRI-CITIES TOWER ★ 135.3 (CTAF) 0 323.3	GND CON 121.8	CLNC DEL 120.0	UNICOM 122.95
----------------	-----------------------------------	--	------------------	-------------------	------------------



CATEGORY	A	B	C	D
RNP 0.11 DA		778-1½	373 (400-1½)	
RNP 0.30 DA		834-1¼	429 (500-1¼)	
AUTHORIZATION REQUIRED				

RNAV (RNP) Z RWY 30
TRI-CITIES (PSC)

MISSED APPROACH: Climb to 5200 on 301° track to WEDAV, left turn to YOCUY and on track 254° to PAIDS and hold, continue climb-in-hold to 5200.

NSA RW 30 25 NM
4800

(IAF) NAILS
Procedure NA for arrivals at NIALS on V187/T317 northwest bound.

(IAF) PAIDS
Procedure NA for arrivals at PAIDS on V204 eastbound.

(IAF) AMPL
Procedure NA for arrivals at AMPL on V4 westbound, and V520 southwest bound.

(IAF) CITYS
Procedure NA for arrivals at CITYS on V520 eastbound.

(IAF) OLODE
Procedure NA for arrivals at OLODE on V298 southeast bound.

PROTOTYPE: NOT FOR NAVIGATION

ELEV 410 TDZE 405

See planview for multiple IF locations.

RW30

316° T
301°

1900

4.5 NM

GP 3.00°
TCH 54


CATEGORY	A	B	C	D
RNP 0.11 DA		778-1 ³ / ₄	373 (400-1 ³ / ₄)	
RNP 0.30 DA		852-1	447 (500-1)	


AUTHORIZATION REQUIRED


RNAV (RNP) Z RWY 30 TRI-CITIES (PSC)

AUTOMATED AL-474 RNAV (RNP) Z RWY 30

10 JUN 2025
COMPILER: CG
REVIEWER:
DBL CHKR:
EFF: FIG







APT NAME/ID: TRI-CITIES (KPSC)
CITY/STATE: PASCO, WA
PROCEDURE: RNAV (RNP) Z RWY 30, AMDT 2
1:100,000