

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 06/12/2025	APWS Task ID: 633F6DE1F0224AB2938322A8834A1A21	APWS Project ID: 8E350554BA3A45F19251BC1E87FDF493
Procedure: RNAV (GPS) RWY 25 AMDT 1A		Enroute: NO	Specialist: Denton, Hope		Agreement Number:
Airport ID: KLZU			Airport City: LAWRENCEVILLE		State: GA
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: UTILIZED ACTIVE DATA FOR KLZU AIRPORT AND RUNWAYS. CLEARS NOTAMS: FDC 4/3174 AND FDC 4/3708. CONTACT CASIMIR TABAKA: AJV-A432, 405-202-7857.					




FIPC BASIC FORM						
PROCEDURE: RNAV (GPS) RWY 25 AMDT 1A			AIRPORT NAME: GWINNETT COUNTY/BRISCOE FLD		AIRPORT ID: KLZU	SPECIAL CONTROL NO: AG-03-125-25
FAC ID: KLZU25.01		CITY: LAWRENCEVILLE			ST: GA	ORIG CHART DATE: 06/12/2025
DFL TYPE: PROC/S	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:	PTS TASK ID: 633F6DE1F0224AB2938322A8834A1A21		
PREFLIGHT NOTES						
REVIEWER:					DATE:	
COMMENTS:					CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT	
						YES
					CPV COMPLETE?	
					X	
PROCEDURE RESULTS						
INSPECTION DATE: 04/11/2025	CREW #: VN426	N #: N69	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: robert e williams @ 04/11/2025 13:32			PRINTED NAME: WILLIAMS, ROBERT EMIL			NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS: Gwinnett County/Briscoe FLD, Lawrenceville, GA, RNAV (GPS) RWY 25. SAT						
IN-FLIGHT OBSTACLE REPORT						
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:		

WAAS CH 82021 W25A	APP CRS 249°	Rwy Idg TDZE Apt Elev 6001 1039 1062
--	------------------------	--

RNAV (GPS) RWY 25

GWINNETT COUNTY/BRISCOE FLD (LZU)

RNP APCH - GPS.				MALSR		MISSED APPROACH: Climb to 1600 then climbing left turn to 3000 direct JOKLI and hold.
▼ For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C or above 54°C. ▲ Circling Rwy 7 NA at night. Rwy 25 helicopter visibility reduction below ¾ SM NA. For inop ALS, increase LNAV/VNAV all Cats visibility to 1½ SM, LNAV Cat A/B visibility to 1 SM and LNAV Cat C/D visibility to 1½ SM.						
ATIS 132.275	ATLANTA APP CON 126.975 239.275	GWINNETT TOWER ★ 124.1 (CTAF) 0	GND CON 121.8	CLNC DEL 121.8	CLNC DEL 134.0 (When twr closed)	UNICOM 123.05



CATEGORY	A	B	C	D
LPV DA	1393-¾		354 (400-¾)	
LNAV/VNAV DA	1516-1		477 (500-1)	
LNAV MDA	1520-¾	481 (500-¾)	1520-1	481 (500-1)
CIRCLING	1640-1	578 (600-1)	1780-2 718 (800-2)	1780-2½ 718 (800-2½)



HIRL Rwy 7-25

WAAS CH 82021 W25A	APP CRS 249°	Rwy Idg TDZE 1038 Apt Elev 1062
--	------------------------	---

RNAV (GPS) RWY 25
GWINNETT COUNTY/BRISCOE FLD (LZU)

RNP APCH.			MALSR		
For uncompensated Baro-VNAV systems, LNAV above 54°C. For inop ALS, increase LNAV C			MISSED APPROACH: Climb to 1600 then climbing left turn to 3000 direct JOKLI and hold.		
ATIS 132.275	ATLANTA APP CON 126.975 239.275	GWINNETT 124.1 (C)	NC DEL 21.8	CLNC DEL 134.0 (When twr closed)	UNICOM 123.05

OLD



ELEV 1062		TDZE 1038	
1600		3000	
*LNAV only.		ATUDE 2800	
RW25		JOKLI	
1.4 NM		4 NM	
6.6 NM		4 NM Holding Pattern	
JOKLI		JOKLI	
069°		249°	
2800		6000	
GP 3.00°		TCH 48	
CATEGORY	A	B	C
LPV DA	1238-1/2	200 (200-1/2)	
LNAV/VNAV DA	1477-3/4	439 (500-3/4)	
LNAV MDA	1520-1/2	482 (500-1/2)	1520-1 482 (500-1)
CIRCLING	1640-1	578 (600-1)	1680-1 3/4 618 (700-1 3/4) 1700-2 638 (700-2)

AIRPORT ID: KLZU


AIRPORT NAME: GWINNETT COUNTY/
BRISCOE FLD

CITY/STATE: LAWRENCEVILLE/GEORGIA

PROC ID: RNAV (GPS) RWY 25

AMDT: 1A

SCALE: 1:500,000




AIRPORT ID: KLZU
AIRPORT NAME: GWINNETT COUNTY/
BRISCOE FLD
CITY/STATE: LAWRENCEVILLE/
GEORGIA
PROC ID: RNAV (GPS) RWY 25
AMDT: 1A
SCALE: 1:100,000
LPV

LPV Final/Missed Penetration
TREE (1159) 13-168020

RW25

Missed Level Surface TOWER (1615)
13-001725

ATUDE



AIRPORT ID: KLZU
AIRPORT NAME: GWINNETT COUNTY/
BRISCOE FLD
CITY/STATE: LAWRENCEVILLE/
GEORGIA
PROC ID: RNAV (GPS) RWY 25
AMDT: 1A
SCALE: 1:100,000
LNAV/VNAV

