RADIO FIX AND HOLDING DATA RECORD

NAME: ARNOY **STATE:** OR **COUNTRY:** US **ICAO REGION CODE:** K1

LATITUDE/LONGITUDE: 443004.10N/1205440.22W **TYPE:** WP, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	DIST FROM FAC FEET	MRA	MAA
1	DESCHUTES	DSD	VORTAC	VH	030.43	048.43	22.52	22.52		10000	17500

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V536	1		KRDM	REDMOND	OR (US)
IAP	RNAV (GPS) Y RWY 23			KRDM	REDMOND	OR (US)
IAP	RNAV (RNP) Z RWY 5			KRDM	REDMOND	OR (US)

REQUIRED CHARTING: IAP, CONTROLLER LOW, EN ROUTE LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 2 **DATE OF REVISION:** 01/22/2026

REASON FOR REVISION:
1. FIX USE: REMOVED RNAV (RNP) Z RWY 5 AND RNAV (RNP) Z RWY 23 AT KRDM.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A433 **NAME:** BRYANT SMITH

APPROVED BY: **DATE:** 12/18/2025 **OFFICE:** AJV-A433 **NAME:** ROBERT HAMILTON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: ARUBE **STATE:** OR **COUNTRY:** US **ICAO REGION CODE:** K1

LATITUDE/LONGITUDE: 441637.71N/1210538.95W **TYPE:** WP

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** ESTABLISH

HOLDING: **HOLDING TYPE OF ACTION:**

REMARKS:
IPDS COORDINATES: 441637.714N/1210538.953W

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	RNAV (GPS) Y RWY 23			KRDM	REDMOND	OR (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: ORIG **DATE OF REVISION:** 08/20/2015

INITIATED BY:	**DATE:**	**ORGANIZATION:**	**NAME:**
DEVELOPED BY:	**DATE:** 03/30/2015	**OFFICE:** AJV-354	**NAME:** DAVID DANNER
APPROVED BY:	**DATE:** 08/10/2015	**OFFICE:** AJV-354	**NAME:** JILL OLSON
	SIGNATURE:		

DISTRIBUTION:
NFDC
FPO: WST
ARTCC: ZSE
ATC FACILITY:
OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: CUPRI **STATE:** OR **COUNTRY:** US **ICAO REGION CODE:** K1

LATITUDE/LONGITUDE: 443703.76N/1211513.89W **TYPE:** WP, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	DIST FROM FAC FEET	MRA	MAA
1	DESCHUTES	DSD	VORTAC	VH	347.55	005.55	22.02	22.02		7000	17500

HOLDING: **HOLDING TYPE OF ACTION:** MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	LEG LENGTH DME	HOLDING ALTITUDES MIN	HOLDING ALTITUDES MAX	TEMPLATES MIN	TEMPLATES MAX
1	N	DSD	VORTAC	347.55	167.55	R	1		7000	14000	9	11
2	N		WP	351.55	171.55	R		7	7000	14000	9	11
3	N		WP	348.00	168.00	R		7	7000	14000	9	11

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	AAO	445327.00N/1211636.00W	3619	4B
2	230	AAO	445327.00N/1211636.00W	3619	4B
3	230	AAO	445327.00N/1211636.00W	3619	4B

PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
1	230	130
2	230	130
3	230	130

HOLDING RESTRICTIONS:
HOLDING LIMITED TO ESTABLISHED PATTERN(S).

REMARKS:
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
SPECIAL IAP	RNAV (RNP) M RWY 29		2	KRDM	REDMOND	OR (US)
EN ROUTE	T261					(US)
EN ROUTE	T302					(US)
EN ROUTE	V25	1				(US)
IAP	ILS OR LOC RWY 23	1	1	KRDM	REDMOND	OR (US)
IAP	RNAV (GPS) Y RWY 23		2	KRDM	REDMOND	OR (US)
IAP	RNAV (GPS) Y RWY 5			KRDM	REDMOND	OR (US)
IAP	RNAV (RNP) Z RWY 23		3	KRDM	REDMOND	OR (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, SPECIAL IAP, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 10 **DATE OF REVISION:** 01/22/2026

REASON FOR REVISION:
CHANGED PAT 1 CONTROLLING OBSTACLE FROM 445327.00N/1211633.00W ELEV 3599 AC 4E TO 445327.00N/1211636.00W ELEV 3619 AC 4B.
CHANGED DSD DME DISTANCE FROM 22.00 TO 22.02.
FIX USE: ADDED PAT 3 TO RNAV (RNP) Z RWY 23 AT KRDM.
FIX USE: ADDED PAT 2 TO RNAV (GPS) Y RWY 23 AT KRDM.
ADDED HOLDING PAT 3.
ADDED CONTROLLING OBSTACLE FOR PAT 3.
ADDED PRECIPITOUS TERRAIN AND SPEED TO PATS 1 AND 3.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A33 **NAME:** TIMOTHY DUNN

APPROVED BY: **DATE:** 12/18/2025 **OFFICE:** AJV-A33 **NAME:** KYLE THOMPSON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: FESOD **STATE:** OR **COUNTRY:** US **ICAO REGION CODE:** K1

LATITUDE/LONGITUDE: 435324.50N/1212244.05W **TYPE:** WP, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	DIST FROM FAC FEET	MRA	MAA
1	DESCHUTES	DSD	VORTAC	VH	170.55	188.55	21.98	22.00		12000	17500

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V25	1				(US)
IAP	ILS OR LOC RWY 23	1		KRDM	REDMOND	OR (US)
IAP	RNAV (GPS) Y RWY 23			KRDM	REDMOND	OR (US)
IAP	RNAV (RNP) Z RWY 5			KRDM	REDMOND	OR (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 6 **DATE OF REVISION:** 01/22/2026

REASON FOR REVISION:
UPDATED DSD VORTAC CLASS FROM H TO VH.
CHANGED DME DISTANCE FROM 22.00 TO 21.98.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A33 **NAME:** TIMOTHY DUNN

APPROVED BY: **DATE:** 12/18/2025 **OFFICE:** AJV-A33 **NAME:** KYLE THOMPSON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: HORRN **STATE:** OR **COUNTRY:** US **ICAO REGION CODE:** K1

LATITUDE/LONGITUDE: 442851.03N/1213832.73W **TYPE:** WP, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	DIST FROM FAC FEET	MRA	MAA
1	DESCHUTES	DSD	VORTAC	VH	295.29	313.29	20.02	20.00		12500	17500

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V165	1				(US)
IAP	RNAV (GPS) Y RWY 16			KBDN	BEND	OR (US)
IAP	VOR RWY 16	1		KBDN	BEND	OR (US)
IAP	RNAV (GPS) RWY 11			S39	PRINEVILLE	OR (US)
IAP	RNAV (GPS) Y RWY 23			KRDM	REDMOND	OR (US)
IAP	RNAV (GPS) Y RWY 5			KRDM	REDMOND	OR (US)
IAP	VOR-A	1		KRDM	REDMOND	OR (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 4 **DATE OF REVISION:** 08/10/2023

REASON FOR REVISION:
1. FIX MAKE-UP: UPDATED DME FROM 20.00 TO 20.02.
2. FIX USE: UPDATED KBDN USE TITLE FROM “VOR/DME RWY 16” TO “VOR RWY 16”.
3. FIX USE: UPDATED AIRPORT IDENT FROM KS39 TO S39.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A423 **NAME:** PATRICK COMBS

APPROVED BY: **DATE:** 08/10/2023 **OFFICE:** AJV-A420 **NAME:** MARLON ROBINSON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: HUTKI **STATE:** OR **COUNTRY:** US **ICAO REGION CODE:** K1

LATITUDE/LONGITUDE: 442048.40N/1205522.87W **TYPE:** WP, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	DIST FROM FAC FEET	MRA	MAA
1	REDMOND	I-RDM	LOC/DME		046.37	060.37	12.00	11.99		5600	7500

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

REMARKS:
DME COORDINATES FOR FAC1 441455.44N/1210956.34W.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 23	1		KRDM	REDMOND	OR (US)
IAP	RNAV (GPS) Y RWY 23			KRDM	REDMOND	OR (US)
IAP	RNAV (RNP) Z RWY 23			KRDM	REDMOND	OR (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3 **DATE OF REVISION:** 01/22/2026

REASON FOR REVISION:
1. FIX USE: ADDED RNAV (RNP) Z RWY 23 AT KRDM.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A433 **NAME:** BRYANT SMITH

APPROVED BY: **DATE:** 12/18/2025 **OFFICE:** AJV-A433 **NAME:** ROBERT HAMILTON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: NIFLI **STATE:** OR **COUNTRY:** US **ICAO REGION CODE:** K1

LATITUDE/LONGITUDE: 441723.59N/1204403.32W **TYPE:** WP

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

REMARKS:
IPDS COORDINATES: 441723.586N/1204403.320W

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	RNAV (GPS) Y RWY 23			KRDM	REDMOND	OR (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 1 **DATE OF REVISION:** 08/20/2015

REASON FOR REVISION:
ADDED IPDS COORDINATES.
CHANGED RWY 22 TO RWY 23 IN FIX USE.
UPDATED FIX COORDINATES; FIX MOVED 1.89NM SOUTHEAST (NAME RETAINED PER ATC).

INITIATED BY:	**DATE:**	**ORGANIZATION:**	**NAME:**
DEVELOPED BY:	**DATE:** 04/03/2015	**OFFICE:** AJV-354	**NAME:** DAVID DANNER
APPROVED BY:	**DATE:** 08/10/2015	**OFFICE:** AJV-354	**NAME:** JILL OLSON
	SIGNATURE:		

DISTRIBUTION:
NFDC
FPO: WST
ARTCC: ZSE
ATC FACILITY: RDM TOWER
OTHER:

RADIO FIX AND HOLDING DATA RECORD

NAME: SAKKO **STATE:** OR **COUNTRY:** US **ICAO REGION CODE:** K1

LATITUDE/LONGITUDE: 440642.42N/1204656.37W **TYPE:** WP, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	DIST FROM FAC FEET	MRA	MAA
1	DESCHUTES	DSD	VORTAC	VH	092.42	110.42	24.03	24.04		9500	17500

HOLDING: **HOLDING TYPE OF ACTION:** MODIFY

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	LEG LENGTH DME	HOLDING ALTITUDES MIN	HOLDING ALTITUDES MAX	TEMPLATES MIN	TEMPLATES MAX
1	E		WP	096.42	276.42	R		7	9500	17500	10	17

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	AAO	440257.63N/1202652.37W	6360	2C
1	310	AAO	440234.11N/1202230.29W	6440	2C

PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
1	310	210
1	230	200

HOLDING RESTRICTIONS:
HOLDING LIMITED TO ESTABLISHED PATTERN.

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	RNAV (RNP) Z RWY 5	KRDM	REDMOND	OR (US)
1	RNAV (GPS) Y RWY 5	KRDM	REDMOND	OR (US)

REMARKS:
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V269	1				(US)
IAP	RNAV (GPS) Y RWY 23			KRDM	REDMOND	OR (US)
IAP	RNAV (GPS) Y RWY 5		1	KRDM	REDMOND	OR (US)
IAP	RNAV (RNP) Z RWY 23			KRDM	REDMOND	OR (US)
IAP	RNAV (RNP) Z RWY 5		1	KRDM	REDMOND	OR (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 5 **DATE OF REVISION:** 08/10/2023

REASON FOR REVISION:
1. FIX MAKE-UP: UPDATED DME FROM 24.04 TO 24.03.
2. HOLDING: DELETED PAT 1 AND ASSOCIATED OBSTRUCTIONS, PR ADJUSTMENTS.
3. HOLDING: UPDATED PAT 2 TO PAT 1.
4. HOLDING RESTRICTIONS: UPDATED FROM “HOLDING LIMITED TO ESTABLISHED PATTERNS” TO “HOLDING LIMITED TO ESTABLISHED PATTERN”.
5. PROCEDURES REQUIRING CLIMB-IN-HOLD: DELETED KBDN RNAV (GPS) Z RWY 16; UPDATED KRDM PATTERN FROM PAT 2 TO PAT 1.
6. FIX USE: DELETED KBDN RNAV (GPS) Z RWY 16 AND UPDATED KRDM PAT REFERENCES FROM PAT 2 TO PAT 1.
7. REQUIRED CHARTING: ADDED CONTROLLER LOW.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A423 **NAME:** PATRICK COMBS

APPROVED BY: **DATE:** 08/10/2023 **OFFICE:** AJV-A420 **NAME:** MARLON ROBINSON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: URBIA **STATE:** OR **COUNTRY:** US **ICAO REGION CODE:** K1

LATITUDE/LONGITUDE: 440056.51N/1211136.09W **TYPE:** WP, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	DIST FROM FAC FEET	MRA	MAA
1	DESCHUTES	DSD	VORTAC	VH	143.45	161.45	14.98	15.00		7000	17500

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

PATTERNS:

PAT	DIR	IDENT	TYPE	RAD/CRS/BRG	CRS INBOUND	TURN (L OR R)	LEG LENGTH TIME	LEG LENGTH DME	HOLDING ALTITUDES MIN	HOLDING ALTITUDES MAX	TEMPLATES MIN	TEMPLATES MAX
1	SE		WP	126.00	306.00	R		7	8500	14000	10	16

CONTROLLING OBSTRUCTIONS:

PAT	AIRSPEED	OBSTRUCTION	COORDINATES	ELEVATION	ACCURACY CODE
1	230	AAO	434918.00N/1205548.00W	6559	4E
1	310	AAO	434812.00N/1205442.00W	6703	4E

PRECIPITOUS TERRAIN ADDITIONS:

PAT	SPEED	ADDITION
1	310	190
1	230	140

HOLDING RESTRICTIONS:
HOLDING LIMITED TO ESTABLISHED PATTERN.

PROCEDURES REQUIRING CLIMB-IN-HOLD:

PAT	PROCEDURE TITLE	AIRPORT IDENT	CITY	STATE
1	RNAV (GPS) Y RWY 23	KRDM	REDMOND	OR (US)
1	RNAV (GPS) RWY 11	KRDM	REDMOND	OR (US)

REMARKS:
PRECIPITOUS TERRAIN EVALUATION COMPLETED.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
EN ROUTE	V165	1				(US)
IAP	RNAV (GPS) Y RWY 16			KBDN	BEND	OR (US)
IAP	VOR RWY 16	1		KBDN	BEND	OR (US)
IAP	RNAV (GPS) RWY 11		1	KRDM	REDMOND	OR (US)
IAP	RNAV (GPS) Y RWY 23			KRDM	REDMOND	OR (US)
IAP	RNAV (GPS) RWY 18			S21	SUNRIVER	OR (US)

REQUIRED CHARTING: IAP, EN ROUTE LOW, CONTROLLER LOW

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 10 **DATE OF REVISION:** 01/22/2026

REASON FOR REVISION:
1. FIX USE: REMOVED RNAV (RNP) Z RWY 23 PROCEDURE AT KRDM.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A433 **NAME:** BRYANT SMITH

APPROVED BY: **DATE:** 12/18/2025 **OFFICE:** AJV-A443 **NAME:** ROBERT HAMILTON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: VERNN **STATE:** OR **COUNTRY:** US **ICAO REGION CODE:** K1

LATITUDE/LONGITUDE: 441838.27N/1210043.13W **TYPE:** WP, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** MODIFY

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	DIST FROM FAC FEET	MRA	MAA
1	REDMOND	I-RDM	LOC/DME		046.37	060.37	7.59	7.59	46141	5100	7500

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

REMARKS:
DME COORDINATES FOR FAC1 441455.44N/1210956.34W.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 23	1		KRDM	REDMOND	OR (US)
IAP	RNAV (GPS) Y RWY 23			KRDM	REDMOND	OR (US)
IAP	RNAV (RNP) Z RWY 23			KRDM	REDMOND	OR (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3 **DATE OF REVISION:** 01/22/2026

REASON FOR REVISION:
1. UPDATED LAT/LONG COORDINATES TO 441838.27N/1210043.13W DUE TO FIX MOVE WITH IAPS REDESIGN.
2. UPDATED FIX MAKE-UP FACILITES FAC 1 MAG/TRU BRG, DME, DIST FROM FAC NM AND FEET TO 046.37/060.37, 7.59, 7.59 AND 46141.
3. FIX USE: ADDED RNAV (RNP) Z RWY 23 AT KRDM.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A433 **NAME:** BRYANT SMITH

APPROVED BY: **DATE:** 12/18/2025 **OFFICE:** AJV-A433 **NAME:** ROBERT HAMILTON

SIGNATURE:

RADIO FIX AND HOLDING DATA RECORD

NAME: YUBUB **STATE:** OR **COUNTRY:** US **ICAO REGION CODE:** K1

LATITUDE/LONGITUDE: 442307.77N/1204938.71W **TYPE:** WP, DME

AIRSPACE DOCKET: **FIX TYPE OF ACTION:** NO CHANGE

FIX MAKE-UP FACILITIES:

FAC	NAME	IDENT	TYPE	CLASS	MAG BRG	TRUE BRG	DME	DIST FROM FAC NM	DIST FROM FAC FEET	MRA	MAA
1	REDMOND	I-RDM	LOC/DME		046.37	060.37	16.72	16.72		7100	7500

HOLDING: **HOLDING TYPE OF ACTION:** NO CHANGE

REMARKS:
DME COORDINATES FOR FAC1 441455.44N/1210956.34W.

FIX USE:

USE TYPE	USE TITLE	FAC	PAT	AIRPORT IDENT	CITY	STATE
IAP	ILS OR LOC RWY 23	1		KRDM	REDMOND	OR (US)
IAP	RNAV (GPS) Y RWY 23			KRDM	REDMOND	OR (US)
IAP	RNAV (RNP) Z RWY 23			KRDM	REDMOND	OR (US)

REQUIRED CHARTING: IAP

COMPULSORY REPORTING POINT: NO

RECORD REVISION NUMBER: 3 **DATE OF REVISION:** 01/22/2026

REASON FOR REVISION:
1. DME COORDINATES FOR FAC1 UPDATED TO 441455.44N/1210956.34W.
2. FIX USE: ADDED RNAV (RNP) Z RWY 23 AT KRDM.

INITIATED BY: **DATE:** **ORGANIZATION:** **NAME:**

OFFICE OF PRIMARY RESPONSIBILITY: AJV-A433 **NAME:** BRYANT SMITH

APPROVED BY: **DATE:** 12/18/2025 **OFFICE:** AJV-A443 **NAME:** ROBERT HAMILTON

SIGNATURE: