

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 07/09/2026	APWS Task ID: 63D1FD334DC54EBAA51C59F664756EAB	APWS Project ID: 996B7DD0084545FBABC65028ADE21D67
Procedure: RNAV (GPS) RWY 29 AMDT 1D		Enroute: NO	Specialist: Tuttle, Judith		Agreement Number:
Airport ID: KSVE			Airport City: SUSANVILLE		State: CA
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: ACTIVE DATA USED FOR AMENDMENT. INCORPORATES P-NOTAM 2/0125 AND 7/1141. CONTACT: RAKE MCGRAW (AJV-A422), 405.954.8711. 04/23/2026: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 04/13/2026: 8260-2: AMEDEE VOR/DME: 1. HOLDING PATTERN: PAT 1 UPDATED MIN ALT FROM "8900" TO "9200," MIN TEMPLATE FROM "9" TO "10" AND MAX TEMPLATE FROM "10" TO "15." 2. HOLDING PATTERN 1 NEW CONTROLLING OBSTACLE - NEW OBSTACLE EVALUATION CONDUCTED. 3. PRECIPITOUS TERRAIN ADDITION: PAT 1 CHANGED FROM 167 TO 260 - NEW OBSTACLE EVALUATION. 4. ADDED CONTROLLING OBSTACLE FOR PATTERN 1 AND 2 310 AIRSPEED PATTERN. 5. ADDED PROCEDURES REQUIRING CLIMB-IN-HOLD: PAT1: SVE AMEDEE.					

QUALITY
29
CHECKED

QUALITY
37
CHECKED


FIPC BASIC FORM						
PROCEDURE: RNAV (GPS) RWY 29 AMDT 1D			AIRPORT NAME: SUSANVILLE MUNI		AIRPORT ID: KSVE	SPECIAL CONTROL NO: SG-03-235-26
FAC ID: KSVE29.01		CITY: SUSANVILLE			ST: CA	ORIG CHART DATE: 07/09/2026
DFL TYPE: PROC/G	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.5	REIMB. NUMBER:	PTS TASK ID: 63D1FD334DC54EBAA51C59F664756EAB		
PREFLIGHT NOTES						
REVIEWER:					DATE:	
COMMENTS:					CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT	
					YES	NO
					CPV COMPLETE? ☒ X ☐	
PROCEDURE RESULTS						
INSPECTION DATE: 04/10/2026	CREW #: VN569	N #: N71	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT		ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT	
FLIGHT INSPECTOR SIGNATURE: wendi s gima @ 04/10/2026 15:25			PRINTED NAME: GIMA, WENDI SUEMI			NOTAM INITIATED? ☐ YES ☒ NO
FLIGHT INSPECTOR REMARKS: SUSANVILLE MUNI, SUSANVILLE, CALIFORNIA, RNAV (GPS) RWY 29 AMDT 1D. SAT. Runway survey SAT SIAP verified satisfactory in accordance with FAA Order 8200.1, Chapter 6. Periodic requirements met.						
IN-FLIGHT OBSTACLE REPORT						
OBSTRUCTION ID #:	COORDINATES OR LOCATION:	GNSS ALTITUDE (MSL):	BAROMETRIC ALTITUDE (MSL):	HEIGHT ABOVE GROUND LEVEL:		

APP CRS	Rwy Ldg	4051
297°	TDZE	4146
	Apt Elev	4149

RNAV (GPS) RWY 29
SUSANVILLE MUNI (SV E)

⚠ DME/DME RNP-0.3 NA. When local altimeter setting not received, use Reno/Stead altimeter setting and increase all MDA 720 feet. ❄ -15°C Circling to Rwy 7/25 NA. Rwy 29 helicopter visibility reduction below ¾ SM NA. Circling NA for Cat D southwest of Rwy 11-29.	MISSED APPROACH: Climbing right turn to 14000 direct AHC VOR/DME and hold, continue climb-in-hold to 14000.
---	--

AWOS-3 133.8	OAKLAND CENTER 128.8 285.5	UNICOM 122.8 (CTAF) 0
-----------------	-------------------------------	---------------------------------



4051 X 75

0.9% UP

2180 X 60

0.6% UP

297°

14000

AHC

Visual Segment - Obstacles.

EVUNE

JIVGI 7 NM Holding Pattern

112° →

← 292° 10000

CEBAS 6 NM to BIDAY

WARTI

297°

7500

6200

0.2

6 NM

3.8 NM

10 NM

5 NM

CATEGORY	A	B	C	D
RNAV MDA	5760-1¼ 1614 (1700-1¼)	5760-1½ 1614 (1700-1½)	5760-3 1614 (1700-3)	
CIRCLING	5760-1¼ 1611 (1700-1¼)	5760-1½ 1611 (1700-1½)	5780-3 1631 (1700-3)	6060-3 1911 (2000-3)

MIRL Rwy 11-29 0