

DME DME Assessment Results for HOPRZ1 path HOPRZ_TBARE

Results Summary

Flyability:	Completed
DME/DME:	Completed - 1 Critical DMEs: LIB
Name:	Miles CTR Carpenter
Project File:	\\172.26.29.56\atodata\D COOK\DME-DME FOR JEFF - HAL\4-17-25 PUBLICATION\KGSO HOPRZ1\KGSO [IFPA] HOPRZ1 20240529_0821 EDT\KGSO HOPRZ1 (RNAV) SID_20240529_DME-DME.tgs
Output File:	C:\Users\Miles CTR Carpenter\Desktop\04.17.2025 PUB DATE PROCEDURES\KGSO HOPRZ1 (RNAV) SID\KGSO [IFPA] HOPRZ1 20241120_1255 EST\HOPRZ_TBARE\KGSO HOPRZ1 SID HOPRZ TBARE 20241120_1255 EST.pdf
Procedure Name:	HOPRZ1
Software: DmeDmePlugin:	7.4.0
Date/Time:	11/20/2024 12:55 EST
Databases:	DTED3

Failures

No Failures

Warnings

No Warnings

Informational

No Informational

Notes For Flight Check

None

Flight Plan

Name	Type	Lat/Lon	Altitude (ft)	VNAV Mode	Ground Speed (kts)	Turn Type	Leg Type
HOPRZ	WP	N36° 16' 09.51", W079° 35' 13.41"	2500	VNAV	200	FLY_BY	TF
RROSS	WP	N36° 16' 13.03", W079° 14' 00.03"	2600	VNAV	200	FLY_BY	TF
TBARE	WP	N36° 05' 12.03", W078° 57' 29.96"	3000	VNAV	200	FLY_BY	TF

Flyability

Flight Type:	SID
Selected Airport:	KGSO [IFPA]
Climb Gradient:	None assigned
Speeds:	130 at the Runway DER
	145 at the end of the VA or VI leg
	200 Ground Speed to 11000 FT
	240 Ground Speed to 18000 FT
	260 Ground Speed to 24000 FT
	340 Ground Speed above 24000 FT
Descent During a Turn:	Allowed
VNAV Mode:	Flight Plan

DME DME Assessment Results for HOPRZ1 path HOPRZ_TBARE

DME/DME	
RNP:	RNP 2
Flight Mode:	Manual
Line of Sight (DTED Level 0 Max):	Evaluated
Inertial Drift:	Enabled
Initial Drift:	0.558 NM
INS Drift Rate:	8.0 NM/Hour
Range Mode:	OSV
RNP Edges:	Evaluated
Min DME Range:	3.0 NM
DME Types:	DME, VOR-DME, VORTAC, TACAN
DME Include Angles:	30 to 150
Critical DMEs:	Allowed
DoD Facilities:	Included
Foreign Facilities:	Not included
High DMEs:	Included
Low DMEs:	Included
Terminal DMEs:	Included
Flight Check DMEs:	Not selected
Higher Altitudes:	Not Evaluated
Near Maximum Altitude:	Not Evaluated
Automatic ESVs:	Not enabled
Disabled DMEs:	FKN,NFE,NKT,XSOA

DME/DME (Continued)										
DMEs Used										
#	Name	Lat/Lon	MAGVAR	Range	Type	Source	Critical	Status	Time	Distance
1	GSO	N36° 02' 44.49", W079° 58' 34.94"	3.0 W	130	H		NO	Enabled	49.8 %	49.7 %
2	RDU	N35° 52' 21.08", W078° 47' 00.03"	9.0 W	130	H		NO	Enabled	70 %	70.1 %
3	LIB	N35° 48' 41.84", W079° 36' 45.33"	3.0 W	40	L		YES	Enabled	100 %	100 %
4	SBV	N36° 40' 30.14", W079° 00' 52.20"	5.0 W	40	L		NO	Enabled	79.2 %	79.2 %
5	FKN	N36° 42' 51.24", W077° 00' 44.55"	9.0 W	40	L	IFPA	NO	Disabled		
6	NFE	N36° 41' 32.67", W076° 08' 09.33"	10.0 W	25	T	IFPA	NO	Disabled		
7	NKT	N34° 54' 08.15", W076° 52' 29.26"	9.0 W	40	L	IFPA	NO	Disabled		
8	XSOA	N35° 10' 12.11", W079° 01' 03.95"	8.0 W	25	T	IFPA	NO	Disabled		

Flight Check DME Selection						
Distance [NM]	Selected DMEs					Alternate
0.0	GSO	LIB	SBV			
3.2	GSO	LIB				
10.3	RDU	SBV	LIB	GSO		
17.2	RDU	LIB	SBV			
27.2	RDU	LIB	SBV			

Inertial Drift Segments			
#	Start Location	End Location	Length [NM]

Available DMEs by Waypoints			
Waypoint Before	Waypoint After	DME List	Suggested DMEs
HOPRZ	RROSS	GSO, RDU, LIB, SBV	
RROSS	TBARE	RDU, LIB, SBV	

DME DME Assessment Results for HOPRZ1 path HOPRZ_TBARE

User Data Files

#	File Name
---	-----------


None

User DMEs

#	Name	Lat/Lon	MAGVAR	Range	Elevation [ft]	Frequency	Replaces	Status
---	------	---------	--------	-------	----------------	-----------	----------	--------


None

DME DME Assessment Results for HOPRZ1 path HOPRZ_TBARE




DME DME Assessment Results for HOPRZ1 path HOPRZ_TBARE

Graphic Depiction 1



DME DME Assessment Results for HOPRZ1 path HOPRZ_TBARE

Graphic Depiction 2



Graphic Depiction 3

