

Flight Procedures Cover Page	Task Action: FLIGHT CHECK	Task Type: IAP	Estimated Chart Date: 04/17/2025	APWS Task ID: 676DBEF12ED94E2AA38AC6E08D33C410	APWS Project ID: 2FD58E655B3B444F922A148D30126757
Procedure: RNAV (GPS) RWY 18 AMDT 2		Enroute: NO	Specialist: Johnson, Timothy		Agreement Number:
Airport ID: K78			Airport City: ABILENE		State: KS
Facility ID:	Facility Type:	Flight Inspection Remark Type: New FC Slot			
Procedure Comments: PENDING DATA USED FOR 4/17/25 CHART DATE. NEW OBSTACLE SURVEY. AIRPORT MAGVAR CHANGE: KK78: OLD 7E - NEW 3E. RWY 18 THRESHOLD DISPLACED 186 FEET. ADD LPV AND LNAV/VNAV MINIMA AND REMOVE LP LINE OF MINIMA. THIS AMDT WILL CLEAR NOTAM: 4/4509. CONTACT: DAVID DANNER (405) 954-5077. QUALITY 33 CHECKED QUALITY 19 CHECKED					

FIPC BASIC FORM									
PROCEDURE: RNAV (GPS) RWY 18 AMDT 2				AIRPORT NAME: ABILENE MUNI		AIRPORT ID: KK78		SPECIAL CONTROL NO: OG-12-228-24	
FAC ID: KK7818.02			CITY: ABILENE			ST: KS		ORIG CHART DATE: 04/17/2025	
DFL TYPE: PROC/S	THIRD PARTY: ☐ YES	EST. TIME ON SITE: 0.4	REIMB. NUMBER:		PTS TASK ID: 676DBEF12ED94E2AA38AC6E08D33C410				
PREFLIGHT NOTES									
REVIEWER:						DATE:			
COMMENTS:						CHECK ONE: ☐ FLT CK REQ ☐ NFCR ☐ REJECT			
								YES	NO
						CPV COMPLETE?		X	
PROCEDURE RESULTS									
INSPECTION DATE: 01/14/2025		CREW #: VN423	N #: N66	INSTRUMENT PROCEDURE STATUS: ☒ SAT ☐ SAT W/CHANGES ☐ UNSAT			ARINC CODING: ☒ SAT ☐ SAT/GOLD ☐ UNSAT		
FLIGHT INSPECTOR SIGNATURE: terry hester @ 01/15/2025 07:23				PRINTED NAME: HESTER, TERRY LEE				NOTAM INITIATED? ☐ YES ☒ NO	
FLIGHT INSPECTOR REMARKS: Special Number OG-12-228-24: Abilene Muni, Abilene KS, RNAV (GPS) RWY 18 AMDT 2, SAT									
IN-FLIGHT OBSTACLE REPORT									
OBSTRUCTION ID #:	COORDINATES OR LOCATION:		GNSS ALTITUDE (MSL):		BAROMETRIC ALTITUDE (MSL):		HEIGHT ABOVE GROUND LEVEL:		

WAAS CH 63234 W18A	APP CRS 177°	Rwy Idg TDZE Apt Elev	3914 1152 1153
--	------------------------	-----------------------------	---

RNAV (GPS) RWY 18

ABILENE MUNI (K78)



RNP APCH - GPS.

NA


Rwy 18 helicopter visibility reduction below $\frac{3}{4}$ SM NA. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C or above 54°C. Baro-VNAV and VDP NA when using SLN altimeter setting. When local altimeter setting not received, use SLN altimeter setting and increase LPV DA to 1565 feet and all visibilities $\frac{1}{8}$ SM; increase LNAV/VNAV DA to 1710 feet and all visibilities $\frac{1}{4}$ SM; increase all MDAs 80 feet and LNAV visibility Cat C $\frac{1}{4}$ SM, and Circling visibility Cat C $\frac{1}{4}$ SM.

MISSED APPROACH: Climb to 3400 direct ADELA and hold.

AWOS-2 124.125	MARSHALL GCA* 121.25 254.35	UNICOM 122.8 (CTAF) 0
--------------------------	---------------------------------------	---------------------------------



CATEGORY	A	B	C	D
LPV DA	1498-1	346 (400-1)		NA
LNAV/ VNAV DA	1643-1 $\frac{3}{8}$	491 (500-1 $\frac{3}{8}$)		NA
LNAV MDA	1660-1	508 (600-1)	1660-1 $\frac{3}{8}$ 508 (600-1 $\frac{3}{8}$)	NA
CIRCLING	1680-1	527 (600-1)	1900-2 $\frac{1}{4}$ 747 (800-2 $\frac{1}{4}$)	NA





WAAS CH 63234 W17A	APP CRS 173°	Rwy Idg 4100 TDZE 1153 Apt Elev 1153
--	------------------------	---


RNAV (GPS) RWY 17
ABILENE MUNI (K78)


RNP APCH - GPS. ▼ Rwy 17 helicopter visibility reduction below 1 SM NA. Straight-in Rwy 17 NA at night, Circling Rwy 17 NA at night. When local altimeter setting not received, use Salina altimeter setting and increase Circling Cat A and B MDA 80 feet. ▲	MISSED APPROACH: Climb to 3400 direct ADELA and hold.
---	---


AWOS-2 124.125	MARSHALL GCA* 121.25 254.35	UNICOM 122.8 (CTAF) 1
--------------------------	---------------------------------------	---------------------------------



CATEGORY	A	B	C	D
LP MDA	1640-1	487 (500-1)	1640-1 3/8 487 (500-1 3/8)	NA
LNAV MDA	1680-1	527 (600-1)	1680-1 1/2 527 (600-1 1/2)	NA
CIRCLING	1740-1	587 (600-1)	1980-2 1/2 827 (900-2 1/2)	NA







TAA Straight-In 087 CW 267 TOWER (2398)
20-001167

K78
ABILENE MUNI
ABILENE, KANSAS
RNAV (GPS) RWY 18
TAA
750K

TAA Right Base 357 CW 087 TOWER (2398)
20-001167

TAA Left Base 267 CW 357 WINDMILL (2075)
20-054132

K78
ABILENE MUNI
ABILENE, KANSAS
RNAV (GPS) RWY 18
100K
LPV

OKADY_100T

DICKINSON
COUNTY

Smoky Hill River

LPV TREE (1247)
20-039858

K78
ABILENE MUNI
ABILENE, KANSAS
RNAV (GPS) RWY 18
100K
LNAV/VNAV

OKMAY (UN)

DICKINSON
COUNTY

LNAV/LNAV/VNAV WOBLO to KK78:RW18:AER TOWER (1359)
20-001379

Smoky Hill River

K78
ABILENE MUNI
ABILENE, KANSAS
RNAV (GPS) RWY 18
100K
LNAV

OKADY_[UD]


LNAV WOBLO_ 7:1 Excluded Obs AAO (1493)

LNAV OKADY to WOBLO AAO (1441)

WOBLO_[UD]

LNAV/LNAV/VNAV WOBLO to KK78:RW18:AER TOWER (1359)
20-001379

Smoky Hill River



DICKINSON COUNTY

K78
ABILENE MUNI
ABILENE, KANSAS
RNAV (GPS) RWY 18
100K
CIRCLING

Circling CAT C ANTENNA (1595)
20-079903

Circling CAT A/B BUILDING (1379)
20-080166

Smoky Hill River