

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
NELIE (RNAV)	FOUR	NELIE.NELIE4	THREE	11/13/2014	

TRANSITION ROUTES:

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
ALBANY	ALB.NELIE4	ALB VORTAC	ALB VORTAC						
			SHIGY	147.90	30.00	8000	4500		
			TOMES	148.24	21.80	8000	4500		
			NELIE	148.46	17.47	8000	3900		
ARRKK	ARRKK.NELIE4	ARRKK	ARRKK						
			SCARS	068.97	26.47	8000	5800		
			FOXXX	099.82	24.00	8000	5800		
			GOOBY	099.26	38.48	8000	5800		
			SHIGY	099.84	05.01	8000	4500		
			TOMES	148.24	21.80	8000	4500		
			NELIE	148.46	17.47	8000	3900		
MEMMS	MEMMS.NELIE4	MEMMS	MEMMS						
			SCARS	113.92	66.63	8000	5800		
			FOXXX	099.82	24.00	8000	5800		
			GOOBY	099.26	38.48	8000	5800		
			SHIGY	099.84	05.01	8000	4500		
			TOMES	148.24	21.80	8000	4500		
			NELIE	148.46	17.47	8000	3900		

ARRIVAL ROUTE DESCRIPTION:

LANDING ALL AIRPORTS: FROM NELIE ON TRACK 140.47/28.60 TO WIPOR, THEN ON TRACK 140.78/10.01 TO YANTC, THEN ON TRACK 223.38/12.40 TO WANDI, THEN ON TRACK 242.61/40.31 TO CCC VOR/DME, THEN ON HEADING 254.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: USE CAUTION: PARACHUTE JUMP ACTIVITY SOUTHEAST OF CCC VOR/DME AOB 14500 (SR-SS).

FIXES AND/OR HOLDING PATTERNS:

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
NELIE (RNAV)	FOUR	NELIE.NELIE4	THREE	11/13/2014	

COMMUNICATIONS:

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
FOK	WESTHAMPTON BEACH	NY
ISP	NEW YORK	NY

LOST COMMUNICATIONS PREFERENCES:

REMARKS:

THE ENVIRONMENTAL REVIEW UNDER ORDER 1050.1 (LATEST EDITION) AND THE NOISE SCREENING HAVE BEEN ACCOMPLISHED.
LOWEST ASSIGNED ATC ALTITUDE AT CCC VOR/DME, 2000.

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)
MAG VAR: ISP 14W/2000
CHART AT CCC TERMINUS: LDG FOK/ISP

FLIGHT INSPECTED BY:

ORGANIZATION: DATE:

Flight Inspected Signature: _____

DEVELOPED BY:

AJV-A432 08/19/2024

Developed By Signature: _____

APPROVED BY:

AJV-A432

Approved By Signature: _____

CHANGES:

1. REMOVED PONEE FIX FROM ALBANY TRANSITION.
2. REMOVED HANCOCK AND HINGZ TRANSITIONS AND ASSOCIATED NOTES.
3. REMOVED ORW VOR/DME AND REPLACED WITH YANTC, AND REMOVED "OR AS ASSIGNED BY ATC" IN ARRIVAL ROUTE DESCRIPTION.
4. ADDED TOMES TO ALBANY TRANSITION.
5. ADDED ARKK AND ASSOCIATED TRANSITION.
6. ADDED MEMMS AND ASSOCIATED TRANSITION.
7. REMOVED MEAS/MOCAS FROM ARRIVAL ROUTE DESCRIPTION.
8. REMOVED ALL EXPECT NOTES FROM PROCEDURAL DATA NOTES.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
NELIE (RNAV)	FOUR	NELIE.NELIE4	THREE	11/13/2014	

9. REMOVED "NEW YORK APPROACH CONTROL, ATIS" FROM COMMUNICATIONS.
10. MOVED "RNAV 1" AND "DME/DME/IRU OR GPS" NOTES FROM PROCEDURAL DATA NOTES TO PBN REQUIREMENT NOTES AND COMBINED THEM TO READ "RNAV 1 - DME/DME/IRU OR GPS".
11. MOVED "RADAR REQUIRED" NOTE FROM PROCEDURAL DATA NOTES TO EQUIPMENT REQUIREMENT NOTES.
12. REMOVED AIRPORT NAMES FROM AIRPORTS SERVED ALONG WITH K IDENT ON 17.1 FORM.
13. ADDED TERMINUS DATA IN ADDITIONAL FLIGHT DATA.
14. UPDATED CHART NOTE FOR PARACHUTE JUMP ACTIVITY FROM "AOB 13500" TO "AOB 14500".
15. REMOVED CHART NOTE "USE CAUTION: PARACHUTE JUMP ACTIVITY SOUTHEAST OF CCC VOR/DME AOB 14500 (SR-SS)" FROM ADDITIONAL FLIGHT DATA AND ADDED IT AS A NOTE TO PROCEDURAL DATA NOTES.
16. ADDED "LOWEST ASSIGNED ATC ALTITUDE AT CCC VOR/DME, 2000" TO REMARKS.


REASONS:

- 1-3. VOR MON DECOMMISSIONING.
- 4-6. ATC REQUEST, NEW ENROUTE TRANSITION(S).
- 7-8. PER 8260.19J DOCUMENTATION STANDARDS.
9. NOW AUTOCHARTED.
- 10-12. PER 8260.19J DOCUMENTATION STANDARDS.
13. IAW 8260.19J, PARA 4-5-2H(2).
14. HIGHER PARACHUTE JUMP ZONE ALTITUDE.
15. PER 8260.19J DOCUMENTATION STANDARDS.
16. PER MEMO DATED JULY 18, 2023, SUBJECT: WAIVER TO FAA ORDER 8260.3, PARA 2-2-7F(2).

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
NELIE (RNAV)	FOUR	NELIE.NELIE4	THREE	11/13/2014	
Graphic Depiction 1					




FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
NELIE (RNAV)	FOUR	NELIE.NELIE4	THREE	11/13/2014	

Graphic Depiction 2



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name		Number		STAR Computer Code		Superseded Number		Dated	Effective Date
NELIE (RNAV)		FOUR		NELIE.NELIE4		THREE		11/13/2014	
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
ALB VORTAC	424450.21N / 0734811.46W	Y		IF					ALB.NELIE4
SHIGY	422357.95N / 0731900.98W	Y	FB	TF	133.90	30.00			
TOMES	420843.27N / 0725801.44W	Y	FB	TF	134.24	21.80			
NELIE	415627.64N / 0724118.88W	Y	FB	TF	134.46	17.47			
En Route Transition									
ARRKK	420348.52N / 0751900.41W	Y		IF					ARRKK.NELIE4
SCARS	421856.70N / 0744947.35W	Y	FB	TF	054.97	26.47			
FOXXX	422037.11N / 0741731.07W	Y	FB	TF	085.82	24.00			
GOOBY	422336.34N / 0732545.62W	Y	FB	TF	085.26	38.48			
SHIGY	422357.95N / 0731900.98W	Y	FB	TF	085.84	05.01			
TOMES	420843.27N / 0725801.44W	Y	FB	TF	134.24	21.80			
NELIE	415627.64N / 0724118.88W	Y	FB	TF	134.46	17.47			
En Route Transition									
MEMMS	423059.71N / 0761815.43W	Y		IF					MEMMS.NELIE4
SCARS	421856.70N / 0744947.35W	Y	FB	TF	099.92	66.63			
FOXXX	422037.11N / 0741731.07W	Y	FB	TF	085.82	24.00			
GOOBY	422336.34N / 0732545.62W	Y	FB	TF	085.26	38.48			
SHIGY	422357.95N / 0731900.98W	Y	FB	TF	085.84	05.01			
TOMES	420843.27N / 0725801.44W	Y	FB	TF	134.24	21.80			
NELIE	415627.64N / 0724118.88W	Y	FB	TF	134.46	17.47			
Common Route									
NELIE	415627.64N / 0724118.88W	Y		IF					NELIE.NELIE4
WIPOR	413923.07N / 0721037.67W	Y	FB	TF	126.47	28.60			
YANTC	413322.81N / 0715956.95W	Y	FB	TF	126.78	10.01			

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name		Number		STAR Computer Code			Superseded Number		Dated	Effective Date
NELIE (RNAV)		FOUR		NELIE.NELIE4			THREE		11/13/2014	
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>	
WANDI	412233.77N / 0720801.83W	Y	FB	TF	209.38	12.40				
CCC VOR/DME	405546.63N / 0724755.89W	Y	FO	TF	228.61	40.31				
KFOK,KISP				VM	240.00					